

2024.9 PRODUCT CATALOG

AMERICAN
SOCIETY OF
INTERIOR
DESIGNERS
ASID
INDUSTRY
PARTNER



NKBA



Atlanta 2016 member
NEWH
The Hospitality Industry Network



COLLECTIONS




JEEVES
COLLECTION

10
YEAR LIMITED WARRANTY

HARDWIRED ONLY
LIQUID FILLED
REPLACEABLE ELEMENT
SWITCH SEPARATELY

WET-RATED KIT

STOCKED ITEMS: PAGE 14
SPECIAL ORDERS: PAGE 66



ANTUS
COLLECTION

3
YEAR WARRANTY

HARDWIRED ONLY
DRY ELEMENT
TOUCH CONTROLLER
5-LEVEL HEAT CONTROL

STOCKED ITEMS: PAGE 42
MORE OPTIONS SPECIAL ORDERS: PAGE 65



SIRIO
COLLECTION

3
YEAR WARRANTY

HARDWIRED ONLY
DRY ELEMENT
TOUCH CONTROLLER
5-LEVEL HEAT CONTROL

STOCKED ITEMS: PAGE 20
MORE OPTIONS SPECIAL ORDERS: PAGE 64



TRADITIONAL
COLLECTION

3
YEAR LIMITED WARRANTY

HARDWIRED ONLY
LIQUID FILLED
REPLACEABLE ELEMENT
SWITCH SEPARATELY

STOCKED ITEMS: PAGE 46



QUADRO
COLLECTION

3
YEAR WARRANTY

HARDWIRED ONLY
DRY ELEMENT
TOUCH CONTROLLER
5-LEVEL HEAT CONTROL

STOCKED ITEMS: PAGE 26
MORE OPTIONS SPECIAL ORDERS: PAGE 64




CAPE
COLLECTION

3
YEAR WARRANTY

PLUG-IN WITH HARDWIRED KIT
DRY ELEMENT
INTEGRATED SWITCH
WET-RATED KIT

STOCKED ITEMS: PAGE 50



MODELLO i
COLLECTION

3
YEAR WARRANTY

HARDWIRED ONLY
DRY ELEMENT
TOUCH CONTROLLER
ROUND & SQUARE

MORE OPTIONS STOCKED ITEMS: PAGE 32




RADIANT
COLLECTION

2
YEAR WARRANTY

PLUG-IN WITH HARDWIRED KIT
DRY ELEMENT
INTEGRATED SWITCH
ROUND & SQUARE

STOCKED ITEMS: PAGE 54



VEGA
COLLECTION

3
YEAR WARRANTY

HARDWIRED ONLY
DRY ELEMENT
TOUCH CONTROLLER
5-LEVEL HEAT CONTROL

STOCKED ITEMS: PAGE 38
MORE OPTIONS SPECIAL ORDERS: PAGE 65



SOLO
COLLECTION

2
YEAR WARRANTY

PLUG-IN ONLY
FREESTANDING
DRY ELEMENT
INTEGRATED SWITCH

STOCKED ITEMS: PAGE 60

SWIVEL

COLLECTION

COMING SOON:
SEE SUPPLEMENTAL SHEET



CONTENTS

Collection Overview	2
Contents	3
Finishes	4
About Us	5
What Are Heated Towel Racks?	6
How do they work?	7
Operating a Heated Towel Rack	8
Controllers & Timers	9
Touch Digital Heat Controller	10
Wet Rated Kits	11
Bacterial Study	12
Projects	13
Jeeves	14-19
Sirio	20-25
Quadro	26-31
Modello i	32-37
Vega	38-41
Antus	42-45
Traditional	46-49
Cape	50-53
Radiant	54-59
Solo	60-63
Special Order Models	64-67
Terms and Conditions of Sale	68
Warranty	69
Returns	70

FOR INSTALLATION GUIDES AND TECHNICAL
DRAWINGS PLEASE VISIT OUR WEBSITE:
www.ambaproducts.com

CONTACT INFO

ORDERS:

orders@ambaproducts.com

CUSTOMER SERVICE:

customerservice@ambaproducts.com

TELEPHONE:

+1 (404)350-9738

FAX:

+1 (404)355-0166

ADDRESS:

790 PICKENS INDUSTRIAL DR.
MARIETTA, GA 30062
UNITED STATES

WEBSITE LINKS

CATALOGS:

[ambaproducts.com/
catalogs](http://ambaproducts.com/catalogs)

ORDER LOOK-UP:

[ambaproducts.com/
orders](http://ambaproducts.com/orders)

WARRANTY & TOS:

[ambaproducts.com/
warranty](http://ambaproducts.com/warranty)

CREDIT APP:

[ambaproducts.com/
creditapp](http://ambaproducts.com/creditapp)

SPECIAL ORDERS:

[ambaproducts.com/
special-orders](http://ambaproducts.com/special-orders)

FAQS:

[ambaproducts.com/
FAQS](http://ambaproducts.com/FAQS)

DISPLAYS:

[ambaproducts.com/
displays](http://ambaproducts.com/displays)

RETURNS & WARRANTY CLAIMS:

[ambaproducts.com/
RGA](http://ambaproducts.com/RGA)

SHOWROOM LOCATOR:

[ambaproducts.com/
showrooms](http://ambaproducts.com/showrooms)

PROMOTIONAL MATERIALS:

[ambaproducts.com/
litrequest](http://ambaproducts.com/litrequest)

SOCIAL MEDIA



facebook.com/AmbaProducts



[@ambaproducts](https://www.instagram.com/ambaproducts)



[@AmbaHeatedTowelRacks](https://www.youtube.com/@AmbaHeatedTowelRacks)



pinterest.com/ambaproducts

FINISHES

We stock a variety of finishes for each of our Heated Towel Rack collections to complement any decor style. The availability of finishes varies by collection, with some options available as special orders.



	P	B	MB	O	W	SB	BB	PG	PN	BN	RAL
JEEVES	✓	✓	✓	✓	✓						
SIRIO	✓	✓	SO	SO	SO	✓	✓	SO	SO	SO	SO
QUADRO	✓	✓	✓	SO	SO	SO	+	SO	SO	SO	SO
VEGA	✓	✓	✓	SO	✓	SO	SO	SO	SO	SO	SO
ANTUS	✓	✓	SO	SO	SO	SO	SO	SO	SO	SO	SO
RADIANT	✓	✓	+			+	+	+			
SOLO	✓	✓	✓								
CAPE	✓	✓	✓								
MODELLO i	✓	✓	✓	SO	SO	✓	SO	SO	SO	SO	SO
TRADITIONAL							✓		✓	✓	
SWIVEL	✓	✓	✓								

STOCKED ITEM



Finish is stocked for all models in this collection

SPECIAL ORDER



Finish is available as a special order for all models

MODEL-SPECIFIC



Finish is only available in select models within this collection

Finish not available for this collection

Carries a 10-16 week lead time, upcharge based upon finish and model.

See collection page for details on included models.

RAL COLORS

The RAL color system is a standardized color matching system used primarily in Europe and recognized globally. Each color is identified by a unique four-digit code, allowing for precise replication across various products and manufacturers.

PVD FINISHES

We offer PVD finishes for specific collections, providing options that enhance the appearance and longevity of your towel racks. These finishes come in a variety of metallic colors and textures, ensuring a perfect fit for your bathroom decor and matching various manufacturer-specific finishes.



In 2004, our founder, inspired by the comforts of home in South Africa, set out to introduce a new standard of luxury to North American bathrooms. The concept was simple: bring the convenience and warmth of Heated Towel Racks, commonly used in Europe, to a market that relied heavily on HVAC units and lacked this indulgence.

Frustrated by the limited, overpriced, and poorly designed options available at the time, we decided to create something better. Amba was born from the idea that everyone deserves an affordable, efficient, and stylish Heated Towel Rack in their bathroom.

Now celebrating our 20th year in 2024, Amba has grown into a trusted name across the United States, Canada, Mexico, and the Caribbean. We stock over 180 unique models of high-quality stainless steel Heated Towel Racks, designed to fit a wide range of styles and budgets. Our products are available in over 2,600 showrooms and through various web retailers, making luxury accessible to all.


Our commitment to excellence doesn't stop at our products. Our team, collectively boasting 75 years of experience, is dedicated to providing exceptional customer service. Whether you need help selecting the perfect model or have questions about your order, you can always count on speaking with a knowledgeable and friendly representative.

At Amba, we believe in making every bathroom a sanctuary of warmth and comfort. Join us in experiencing the everyday luxury of a perfectly warmed towel.



www.ambaproducts.com

WHAT ARE HEATED TOWEL RACKS



WHAT ARE HEATED TOWEL RACKS?

Heated Towel Racks go by many names: Towel Warmers, drying racks, or even towel rail radiators. Regardless of the term, they all serve the same purpose: to give you a convenient place to hang, dry, and warm your towels, bath robes or any article of clothing. By upgrading from traditional towel hooks or bars to Heated Towel Racks, you add a functional and practical element to your bathroom.

BATHROOMS:

Upgrade your bathroom with a stylish and functional Heated Towel Rack. These racks replace standard towel bars, ensuring your towels dry quickly and efficiently. Step out of your shower and enjoy the luxury of a warm, fluffy towel.



LAUNDRY ROOMS:

Heated Towel Racks are perfect for safely drying jeans or delicate items. Some models even come with a digital heat controller for precise temperature management.

MUD ROOMS:

From wet suits and bathing suits to ski jackets and mittens, Heated Towel Racks offer an ideal solution for drying out gear, saving you a trip to the laundry hamper.

POOLS & SPAS:

Dry your towels and bathing suits after a pool day or spa session. Heated Towel Racks provide that extra touch of luxury and convenience for your relaxation.


CHOOSING THE RIGHT HEATED TOWEL RACK

Not all Heated Towel Racks are created equal. The performance of a Heated Towel Rack depends on two main factors: total heated surface area and maximum temperature. Models with more bars and closer spacing offer a warmer, cozier feel and a faster drying time. When selecting a Heated Towel Rack, consider the temperature range and bar configuration to meet your specific needs.

DRYING RACKS:

These models are stylish additions to your space, offering a place to hang and dry towels. However, they typically have fewer bars or greater spacing, which means they are not as effective at heating towels compared to other models. They do keep towels fresh and clean, making them a practical choice for various settings.

HOW DO THEY WORK



HOW DO THEY WORK?

Heated Towel Racks utilize various technologies to provide warmth and drying efficiency. Here's a breakdown of the different systems:



LIQUID-FILLED SYSTEM:

These Heated Towel Racks are filled with a water/glycol solution. A heating element heats the liquid, which then circulates through the bars. As the liquid warms, it rises, heating the unit from the top down until the entire rack reaches its set temperature. This system is energy-efficient, although it takes longer (15-45+ minutes) to heat up compared to dry-element systems. The heating element is also replaceable, enhancing longevity.



DRY-ELEMENT SYSTEM:

Also known as "cable-heated" systems, these racks feature a resistance wire running through all horizontal and vertical bars. When activated, the wire emits heat that is transferred to the bars and subsequently to the towels. These units heat up quickly, usually within 10-15 minutes. Most come with on/off switches and some offer temperature control for added convenience.



HYDRONIC UNITS (JEEVES SPECIAL ORDER ONLY):

Distinct from liquid-filled models, hydronic units connect to a closed loop system with hot water running through them, similar to traditional radiators. They do not have an electrical connection; instead, the heat output depends on the water temperature. These units require a valve kit, sold separately.

FOR MORE INFORMATION VISIT: [AMBAPRODUCTS.COM/HYDRONIC](https://ambaproducts.com/hydronic)

COLLECTIONS

JEEVES | TRADITIONAL

COLLECTIONS

**ANTUS | SIRIO | QUADRO | VEGA
MODELLO i | CAPE | RADIANT | SOLO
SWIVEL**

JEEVES SPECIAL ORDER
10-16 WEEK LEAD TIME |
VALVE KIT SOLD SEPARATELY

WHAT ARE THEY MADE OF?


The majority of our Heated Towel Racks are constructed from premium 304-grade stainless steel. This high-quality material offers superior resistance to rust and corrosion, making it perfect for humid environments like bathrooms. Properly maintained, our towel racks remain pristine for many years.

Our Traditional Collection models are manufactured with mild steel, meeting specific design requirements and offering a durable and reliable option for various applications.

OPERATING A HEATED TOWEL RACK


WHAT IS THE BEST WAY TO HANG TOWELS?

Maximizing the surface area contact between the towel and the bars is key to efficient heating. For a typical 2-towel setup on a 20-24" wide model, here are two effective methods:



OPTION A:

1. Fold the towel in half or thirds widthwise (depending on the size).
2. Hang it over the top bar.
3. Repeat with the second towel on the bottom set of bars.



OPTION B:

1. Fold the towel lengthwise in half.
2. Hang it over the top bar.
3. Repeat with the second towel side by side.

BY FOLDING AND HANGING YOUR TOWELS THIS WAY, YOU CREATE LAYERS THAT HELP RETAIN HEAT

HOW LONG DOES IT TAKE TO WARM A TOWEL?

As your Heated Towel Rack warms up, it begins to transfer heat to your towel. The time this process takes depends on several factors: the heating technology (Dry Element vs. Liquid Filled), the number of bars in contact with the towel, and the ambient temperature of the installation area.

Our Heated Towel Racks are designed for safe, continuous operation 24 hours a day, ensuring you always have a warm, dry towel when needed. However, if you prefer to use your towel rack only at specific times, programmable or countdown timers can be connected to the unit. We recommend allowing approximately one hour plus the specific time required for your selected model to heat up.

AMBIENT TEMPERATURE

RACKS WILL TAKE LONGER TO HEAT IN COLDER ROOMS

HEATING TECHNOLOGY

DRY ELEMENT MODELS HEAT FASTER THAN LIQUID FILLED

TOWEL THICKNESS

THICKER TOWELS WILL TAKE LONGER TO HEAT UP

SURFACE AREA

MORE BARS TOUCHING A TOWEL MEANS FASTER HEAT TRANSFERS

USING TIMERS WITH A HEATED TOWEL RACK:

While our Heated Towel Racks can run continuously, timers offer flexibility and efficiency for those who prefer scheduled usage. Programmable timers are ideal for maintaining a consistent schedule, automatically turning the rack on and off at specific times. For instance, setting the rack to start one to two hours before your morning shower ensures a warm towel is ready when you need it. Countdown timers, on the other hand, allow for manual control, letting you set the duration (e.g., 2, 4, 8, or 12 hours) the rack stays on. This ensures your towel gets warm and has enough time to dry after use. Both options help you manage the heating duration efficiently based on your routine and preferences.

[LEARN MORE ABOUT OUR SELECTION OF CONTROLLERS AND TIMERS ON PAGE 9](#)

CONTROLLERS & TIMERS

Optimize your Heated Towel Rack experience with our range of control accessories. Whether you need to turn it on and off or manage its usage duration, these optional controllers can enhance convenience and efficiency.

Note: All controllers are sold separately, Electrical Coverplates NOT Included



PROGRAMMABLE TIMER

ATW-T24

The ATW-T24 allows you to program your Heated Towel Rack to turn on and off based on your schedule. Customize up to 49 different programs to fit your needs using the integrated control panel on the switch. This timer offers flexibility and convenience, ensuring your towels are always warm and ready when you need them. Includes Light Almond / Ivory / White color options, black cover change kit sold separately.



ATW-T24-BL
BLACK COVER CHANGE KIT
SOLD SEPARATELY



COUNTDOWN TIMER

ATW-CDT

The ATW-CDT allows you to turn your Heated Towel Rack on for a preset length of time before shutting off automatically. Select from 2, 4, 8 or 12 hours. The unmarked bottom button functions as a standard off switch. Standard white finish, black cover change kit sold separately.



ATW-CDT-BL
BLACK COVER CHANGE KIT
SOLD SEPARATELY



SMART SWITCH

ATW-SS

The ATW-SS allows you to control your Heated Towel Rack remotely using your smart device. Compatible with Google Assistant, Amazon Alexa, and Apple Siri, this switch lets you automate schedules and manage your towel rack from anywhere with the My Leviton app. Ideal for those who want to integrate their bathroom routine into their smart home ecosystem. Standard white finish, black cover change kit sold separately.



ATW-SS-BL
BLACK COVER CHANGE KIT
SOLD SEPARATELY



PILOT LIGHT SWITCH

ATW-S-W

The ATW-S-W is a rocker-style on/off switch featuring an indicator light to show when your Heated Towel Rack is in operation. This switch is particularly useful for Jeeves and Traditional Collection models that do not have integrated switches. Comes in a white finish.



PLUG-IN PROGRAMMABLE TIMER

ATW-P24

The ATW-P24 offers the same programmable features as the hardwired version but is designed for plug-in use. Simply plug it into an outlet and connect your Heated Towel Rack. This model is perfect for those who prefer not to deal with hardwiring while still enjoying customizable scheduling.



TOUCH DIGITAL HEAT CONTROLLER

COMPATIBLE WITH

ANTUS

COLLECTION

SIRIO

COLLECTION

VEGA

COLLECTION

QUADRO

COLLECTION

MODELLO i

COLLECTION



ATW-TDHC-(MB)

MATTE BLACK SKU SHOWN



ATW-TDHC-(MB)



ATW-CWB

Introducing the newly redesigned Touch Digital Heat Controller (TDHC) offering a blend of innovation, convenience, and precise control. This state-of-the-art device is required to operate our five Italian Heated Towel Rack collections. With its sleek and minimalistic design, it elevates your towel-warming experience through a host of advanced functionalities. Sold separately. When connecting multiple units to a single controller, it is required to select the Remote Touch DHC (ATW-TDHC-(MB)) and one Concealed Wall Box (ATW-CWB) per unit.



TOUCH DIGITAL HEAT CONTROLLER (TDHC)

The standard Touch Digital Heat Controller (TDHC) is designed for direct integration with your Heated Towel Rack. Here's what you need to know:

DIRECT CONNECTION:

The TDHC connects directly to the towel rack via a power tube that leads into the display panel.

SEAMLESS OPERATION:

The TDHC offers a streamlined interface with a back lit touch keyboard, allowing you to toggle between five different heat levels for your towels.



REMOTELY-WIRED TOUCH DIGITAL HEAT CONTROLLER (TDHCR)

The Remotely-Wired Touch Digital Heat Controller (TDHCR) provides an alternative installation method, offering more flexibility and a cleaner look:

HIDDEN INSTALLATION AND REMOTE PLACEMENT:

This model allows for the control panel to be installed separately from the towel rack using a Concealed Wall Box (sold separately). The remotely-wired design means you can place the control panel anywhere an electrical box can be installed, such as next to your light switches, in a nearby closet, or another convenient location. This setup provides a cleaner and less obtrusive appearance, free from visible power tubes extending from the faceplate.

TOUCH KEYBOARD CONTROLS:

Power On/Off: Easily switch the device on or off using the back lit touch keyboard.

Adjustable Power Levels: Select from five power levels to achieve the desired warmth for your towels.

LOCAL NETWORK CONNECTION:

Connect and control the TDHC through your smartphone or PC using the on-board WIFI which allows access to remote controls and countdown timer functionality.

SET TIMED CYCLES:

Using the WIFI remote controls, program the device to operate for a set duration, up to 24 hours, with a countdown feature.



WET RATED KITS

COMPATIBLE WITH JEEVES COLLECTION CAPE COLLECTION

Wet-rated kits are optional UL certified upgrades that allow for the safe installation of towel warmers in wet areas. These kits enable the use of towel warmers in locations such as above bathtubs, in shower alcoves, walk-in shower stalls, or wet rooms. By following proper installation procedures, these kits ensure that towel warmers are safe to operate in environments exposed to moisture.

Currently, wet-rated kits are available for the Jeeves and Cape Collections. They provide flexibility to install in convenient locations to the bath or shower, while maintaining safety for all users.



FINISH	JEEVES	CAPE
BRUSHED	AJ-WRK-B	AC-WRK.1
MATTE BLACK	AJ-WRK-MB	AC-WRK.2
POLISHED	AJ-WRK-P	AC-WRK.3
OIL-RUBBED BRONZE	AJ-WRK-O	
WHITE	AJ-WRK-W	



KIT RATED FOR ZONES 1 & 2

MAKE SURE YOU CONSULT LOCAL ELECTRICAL CODE TO CONFIRM INSTALLATION

NOTE: WATERPROOF WIRE CONNECTORS ARE RECOMMENDED BUT NOT INCLUDED



DONT LET BACTERIA TAKE OVER YOUR TOWELS

TOWELS HUNG ON AN AMBA
HEATED TOWEL RACK SHOWED

94%
REDUCTION
OF BACTERIA
AFTER THREE DAYS COMPARED
TO A NON-HEATED RACK

An independent analytical testing laboratory, EMSL Analytical, Inc., was contracted to evaluate the effect of using a Heated Towel Rack on bacterial growth and odor on towels dampened daily. Bacterial growth on the towels was monitored over the course of a week as well as the emergence of any musty smells. They concluded that a towel hung on one of our Heated Towel Racks showed significantly reduced bacteria and musty odors compared to a common non-heated towel bar.



READ THE STUDY AND LEARN MORE BY VISITING:
WWW.AMBAPRODUCTS.COM/BACTERIA-STUDY



AMBIENTE SEDONA - ARIZONA



SPECTATOR HOTEL - CHARLESTON, SC



FOX HILL CUSTOM HOMES - FRANKTOWN, CO



DURHAM HOLLAND NURSING FACILITY



JEEVES COLLECTION



110 VOLT
STANDARD VOLTAGE

120°F – 150°F
EXTERNAL TEMP RANGE

15 – 45M
WARM-UP TIME

4 1/2" – 6 1/2"
STANDARD DEPTH

60 – 240
WATTS

0.50 – 2.20
AMPERES

**304-GRADE
STAINLESS STEEL**


STEP 1: CHOOSE YOUR RACK SIZE AND FINISH

STOCKED JEEVES MODELS

ADDITIONAL SIZES AVAILABLE FOR SPECIAL ORDER, SEE PAGE 66

MODEL	BARS	MAX TOWELS	OVERALL WIDTH	OVERALL HEIGHT	BTUS
MODEL H	7	1	21 1/4"	18 3/4"	205-273
MODEL E	12	2	21 1/4"	31 3/4"	512-597
MODEL C	13	3	21 1/4"	36 3/4"	512-597
MODEL D	20	6	21 1/4"	53 1/2"	818
MODEL K	10	3	30 1/4"	27 3/4"	512-597
MODEL L	10	4	40 1/4"	27 3/4"	682
MODEL M (SHELF)	11	3	21 1/4"	22 3/4"	460
MODEL J	6	2	21 1/4"	31 3/4"	205-273
MODEL F	7	2	21 1/4"	41 3/4"	460
MODEL A (LADDER)	5	3	21 1/4"	75 1/8"	460-512

MODELS M, J, F, AND A ARE CONSIDERED DRYING RACKS



The SKU identifies the model + the bar style + finish code.


FINISHES



POLISHED
STAINLESS STEEL



MATTE BLACK



BRUSHED
STAINLESS STEEL



OIL-RUBBED BRONZE



WHITE

CAN'T FIND THE SIZE YOU ARE LOOKING FOR?

SPECIAL ORDER OPTIONS
10-16 WEEK LEAD TIME

FOR ALL SPECIAL ORDER SIZES AND SKUS
SEE PAGE 66

STEP 2: (REQUIRED) CHOOSE CONTROL DEVICE



ATW-S-W
PILOT LIGHT
SWITCH



ATW-T24
PROGRAMMABLE
TIMER



ATW-SS
SMART
SWITCH

The Jeeves Collection does not include an integrated switch, meaning a control device is necessary to turn the rack on or off. Without a control device, wiring the rack directly to a breaker will leave you unable to turn it off without shutting off the breaker itself.

To address this, we offer a variety of timers and controllers to suit different scheduling needs and lifestyles. For detailed information on selecting the right option for you, please refer to page 9.

STEP 3: (OPTIONAL) ADDITIONAL COMPONENTS

LEFT-ELECTRICAL

For an additional service fee, any Jeeves collection model can be wired on the bottom-left side. This should be specified at the time of order.



BATHROBE HANGER | AJ-BH-*

Allows bathrobes to be hung easily. Available in Polished and Brushed Finish.

(Not compatible with Models J / F / A)




REPLACEMENT ELEMENTS

Each Jeeves model includes a replaceable heating element.



DOUBLE GANG PLATE | AJ-DGP-*

Replace included single gang plates to conveniently locate a controller adjacent to the unit.



WET RATED KIT | AJ-WRK-*

Optional UL-certified upgrade that allows any Jeeves model to be safely installed in wet areas such as above bathtubs, in shower alcoves, or wet rooms.

Learn more on Page 11

BRACKET PACKS

Each Jeeves model includes standard length mounting brackets. We offer additional length packs sold separately.



SIZE	SKU	CHANGE
SMALL	AJ-BPS-*	-3/8" (10mm)
EXTRA-SMALL	AJ-BPXS-*	-1" (25mm)
LONG	AJ-BPL-*	+3/8" (10mm)

* Last letter of SKU indicates finish.

MODELS	SKU
H I J	J HE - 60 Watt
H I J (O AND W FINISHES)	J HE - 80 Watt
F M A	J HE - 135 Watt
K E C A	J HE - 150 Watt
K E C (O AND W FINISHES)	J HE - 175 Watt
L	J HE - 200 Watt
D	J HE - 240 Watt

MODEL H

	DIMENSIONS		ELECTRICAL		HEAT OUTPUT
7 BARS 1 TOWEL	W: 21 1/4" H: 18 3/4"		60-80 watts 0.50-0.75 amps		BTUs 205-273
FINISH:	POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
STRAIGHT:	HSP	HSB	HSMB	HSO	HSW
CURVED:	HCP	HCB	HCMB	HCO	HCW




MODEL E

	DIMENSIONS		ELECTRICAL		HEAT OUTPUT
12 BARS 1-2 TOWELS	W: 21 1/4" H: 31 3/4"		150-175 watts 1.36-1.60 amps		BTUs 512-597
FINISH:	POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
STRAIGHT:	ESP	ESB	ESMB	ESO	ESW
CURVED:	ECP	ECB	ECMB	ECO	ECW



MODEL C

	DIMENSIONS		ELECTRICAL		HEAT OUTPUT
13 BARS 4 TOWELS	W: 21 1/4" H: 36 3/4"		150-175 watts 1.36-1.60 amps		BTUs 512-597
FINISH:	POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
STRAIGHT:	CSP	CSB	CSMB	CSO	CSW
CURVED:	CCP	CCB	CCMB	CCO	CCW




MODEL D


	DIMENSIONS		ELECTRICAL		HEAT OUTPUT
20 BARS 6 TOWELS	W: 21 1/4" H: 53 1/2"		240 watts 2.20 amps		BTUs 818
FINISH:	POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
STRAIGHT:	DSP	DSB	DSMB	DSO	DSW
CURVED:	DCP	DCB	DCMB	DCO	DCW




W: 21 1/4"



STRAIGHT
D: 4 1/2"



CURVED
D: 6 1/2"




MODEL K

	DIMENSIONS		ELECTRICAL		HEAT OUTPUT
10 BARS 3 TOWELS	W: 30 1/4" H: 27 3/4"		150-175 watts 1.36-1.60 amps		BTUs 512-597
POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE	
KSP	KSB	KSMB	KSO	KSW	




W: 40 1/4"




D: 4 1/2"

MODEL L

	DIMENSIONS		ELECTRICAL		HEAT OUTPUT
10 BARS 4 TOWELS	W: 40 1/4" H: 27 3/4"		200 watts 1.80 amps		BTUs 682
POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE	
LSP	LSB	LSMB	LSO	LSW	



These stylish models offer a place to hang and dry towels, though with fewer bars or greater spacing, they are less effective at heating but keep towels fresh and clean.





MODEL J

DIMENSIONS		ELECTRICAL		HEAT OUTPUT
6 BARS 2 TOWELS		W: 21 1/4" H: 31 3/4"		BTUs 205-273
POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
JSP	JSB	JSMB	JSO	JSW



MODEL F

DIMENSIONS		ELECTRICAL		HEAT OUTPUT
7 BARS 2 TOWELS		W: 21 1/4" H: 41 3/4"		BTUs 460
POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
FSP	FSB	FSMB	FSO	FSW




MODEL M

DIMENSIONS		ELECTRICAL		HEAT OUTPUT
11 BARS 2 TOWELS		W: 21 1/4" H: 22 3/4"		BTUs 460
POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
MSP	MSB	MSMB	MSO	MSW



MODEL A


DIMENSIONS		ELECTRICAL		HEAT OUTPUT
5 BARS 3 TOWELS		W: 21 1/4" H: 75 1/8"		BTUs 460-512
POLISHED	BRUSHED	MATTE BLACK	OIL-RUBBED BRONZE	WHITE
ASP	ASB	ASMB	ASO	ASW



JEEVES



CSP



ECP



VIEW OUR ONLINE
GALLERY



SIRIO COLLECTION



115 VOLT
STANDARD VOLTAGE

110°F–194°F
EXTERNAL TEMP RANGE

10–15M
WARM-UP TIME

4"
STANDARD DEPTH

170 – 290
WATTS

1.42 – 2.42
AMPERES

**304-GRADE
STAINLESS STEEL**

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH

STOCKED SIRIO MODELS					
SKU without Finish	BARS	MAX TOWELS	WIDTH W/ TOUCH DHC	HEIGHT W/ TOUCH DHC	BTUS
S2132	12	2	21 1/2"	33 1/8"	580
S2142	16	4	21 1/2"	42 5/8"	751
S2932	12	4	29 3/8"	33 1/8"	751
S2942	16	4	29 3/8"	42 5/8"	989

ADDITIONAL SIZES AND CONFIGURATIONS AVAILABLE FOR SPECIAL ORDER

COLLECTION **S** RACK WIDTH **21** RACK HEIGHT **32** FINISH **SB** GENERATION **.2**

The SKU identifies the collection + the general dimensions of the unit itself + finish code. Unit dimensions will vary from overall dimensions depending on the controller.

STOCKED FINISHES



STEP 2: CHOOSE YOUR TOUCH CONTROLLER

ATW-TDHC




TOUCH DHC

REQUIRED - SOLD SEPARATELY

Choose the standard Touch Digital Heat Controller (Left) or the Remotely Wired Digital Heat Controller (Right)

The Touch Digital Heat Controller has a built in WiFi connection that allows you to connect with a smartphone and access temperature control and count-down timing functionality directly through the TDHC itself. For more information on the TDHC see page 10.

ATW-TDHC-R



REMOTELY-WIRED TOUCH DHC
REQUIRES CONCEALED WALL BOX (ATW-CWB) SOLD SEPARATELY

STEP 3: (OPTIONAL) CHOOSE ADDITIONAL ACCESSORIES



ATW-T24
PROGRAMMABLE
TIMER




ATW-CDT
COUNTDOWN
TIMER



ATW-SS
SMART
SWITCH

Expand the functionality of your Heated Towel Rack with our optional controller accessories. For more comprehensive information on our timers or controllers, see page 9.

OPTIONAL ATTACHMENTS



BATHROBE HANGER

POLISHED: AS-BH-P
BRUSHED: AS-BH-B

OPTIONAL COMPONENTS

SPACERS



2 Spacers/Pack

Add spacers to accommodate for uneven mounting surfaces. Square spacers also available.

BRACKET PACKS

(Replacement)

All Sirio models come including bracket packs containing mounting hardware for installation.

AE-BPR2-* 2-PACK | AE-BPR4-* 4-PACK

* Last letter of SKU indicates finish.

CAN'T FIND THE SIZE OR FINISH YOU ARE LOOKING FOR?

WIDTH MIN 16 3/4"-28 5/8" MAX
HEIGHT MIN 15 3/8"-65" MAX



We offer a wide array of special order finishes to match virtually any finish. This includes PVD & RAL colors.

Note - we are unable to match 'living finishes'

SPECIAL ORDER OPTIONS | 10-16 WEEK LEAD TIME

FOR ALL SPECIAL ORDER SIZES AND SKUS SEE PAGE 64

W: 20 3/4"

S2132

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

12 BARS
2 TOWELS

W: 20 3/4"
H: 31 7/8"

170 watts
1.42 amps

BTUs
580

POLISHED:
S2132P.2

BRUSHED:
S2132B.2

SATIN BRASS:
S2132SB.2

BRUSHED BRONZE:
S2132BB.2

H: 31 7/8"

D: 4"



W: 20 3/4"

S2142

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

16 BARS
4 TOWELS

W: 20 3/4"
H: 41 3/8"

220 watts
1.83 amps

BTUs
751

POLISHED:
S2142P.2

BRUSHED:
S2142B.2

SATIN BRASS:
S2142SB.2

BRUSHED BRONZE:
S2142BB.2

H: 41 3/8"

D: 4"



**STANDARD
CONTROLLER**
ATW-TDHC

**DIGITAL HEAT CONTROLLER
REQUIRED | SOLD SEPARATELY**

Choose between the Touch Digital Heat Controller (TDHC) or the Remotely-Wired Digital Heat Controller (TDHCR)

The Remotely-Wired TDHC requires an additional Concealed Wall Box (ATW-CWB) for seamless wall installation.

**REMOTELY
WIRED****
ATW-TDHCR


W: 28 5/8"

S2932

H: 31 7/8"

D: 4"

DIMENSIONS*		ELECTRICAL	HEAT OUTPUT
12 BARS 4 TOWELS	W: 28 5/8" H: 31 7/8"	220 watts 1.83 amps	BTUs 751
POLISHED: S2932P.2	BRUSHED: S2932B.2	SATIN BRASS: S2932SB.2	BRUSHED BRONZE: S2932BB.2




W: 28 5/8"

S2942

H: 41 3/8"

D: 4"

DIMENSIONS*		ELECTRICAL	HEAT OUTPUT
16 BARS 4 TOWELS	W: 28 5/8" H: 41 3/8"	290 watts 2.42 amps	BTUs 989
POLISHED: S2942P.2	BRUSHED: S2942B.2	SATIN BRASS: S2942SB.2	BRUSHED BRONZE: S2942BB.2



FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Sirio

* Overall Dimensions will increase when using the Touch Digital Heat Controller and Concealed Wall Box by a small amount.

SIRIO COLLECTION: WIDTH: +3/4" HEIGHT: +1 1/4"

**ATW-TDHCR REQUIRES
CONCEALED WALL BOX
ATW-CWB
SOLD SEPARATELY



SIRIO



S2942BB.2




SIRIO

S2932P.2



S2142P.2



VIEW OUR ONLINE
GALLERY



QUADRO

COLLECTION



115 VOLT
STANDARD VOLTAGE

110°F–194°F
EXTERNAL TEMP RANGE

10–15M
WARM-UP TIME

4 3/8"
STANDARD DEPTH

170 – 290
WATTS

1.42 – 2.42
AMPERES

304-GRADE
STAINLESS STEEL

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH

STOCKED QUADRO MODELS					
SKU without Finish	BARS	MAX TOWELS	WIDTH W/ TOUCH DHC	HEIGHT W/ TOUCH DHC	BTUS
Q2132	12	2	21 1/4"	33 1/8"	580
Q2142	16	4	21 1/4"	42 5/8"	751
Q2154	20	6	21 1/4"	54 3/8"	955
Q2932	12	4	29 1/8"	33 1/8"	751
Q2942	16	4	29 1/8"	42 5/8"	989

ADDITIONAL SIZES AND CONFIGURATIONS AVAILABLE FOR SPECIAL ORDER

RACK HEIGHT GENERATION
COLLECTION **Q** **21** **32** **MB** **.2**
RACK WIDTH FINISH

The SKU identifies the collection + the general dimensions of the unit itself + finish code. Unit dimensions will vary from overall dimensions depending on the controller.

STOCKED FINISHES



STEP 2: CHOOSE YOUR TOUCH CONTROLLER

ATW-TDHC




TOUCH DHC

REQUIRED - SOLD SEPARATELY

Choose the standard Touch Digital Heat Controller (Left) or the Remotely Wired Digital Heat Controller (Right)

The Touch Digital Heat Controller has a built in WiFi connection that allows you to connect with a smartphone and access temperature control and count-down timing functionality directly through the TDHC itself. For more information on the TDHC see page 10.

ATW-TDHC-R



REMOTELY-WIRED TOUCH DHC
REQUIRES CONCEALED WALL BOX (ATW-CWB) SOLD SEPARATELY

STEP 3: (OPTIONAL) CHOOSE ADDITIONAL ACCESSORIES



ATW-T24
PROGRAMMABLE
TIMER



ATW-CDT
COUNTDOWN
TIMER



ATW-SS
SMART
SWITCH

Expand the functionality of your Heated Towel Rack with our optional controller accessories. For more comprehensive information on our timers or controllers, see page 9.

OPTIONAL ATTACHMENTS



BATHROBE HANGER

POLISHED: AQV-BH-P
BRUSHED: AQV-BH-B



OPTIONAL COMPONENTS

SPACERS



2 Spacers/Pack
Add spacers to accommodate for uneven mounting surfaces. Square spacers also available.

BRACKET PACKS

(Replacement)
All Quadro models include bracket packs with mounting hardware for installation
AE-BPS2-* | AE-BPS4-*
2-PACK | 4-PACK

* Last letter of SKU indicates finish

CAN'T FIND THE SIZE OR FINISH YOU ARE LOOKING FOR?

WIDTH MIN 16 1/2" - 28 1/4" MAX
HEIGHT MIN 15 3/8" - 65" MAX



SPECIAL ORDER OPTIONS | 10-16 WEEK LEAD TIME



We offer a wide array of special order finishes to match virtually any finish. This includes PVD & RAL colors.

Note - we are unable to match 'living finishes'

FOR ALL SPECIAL ORDER SIZES AND SKUS SEE PAGE 64

Q2132

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

12 BARS
2 TOWELS

W: 20 3/8"
H: 31 7/8"

170 watts
1.42 amps


BTUs
580

POLISHED:
Q2132P.2

BRUSHED:
Q2132B.2

MATTE BLACK:
Q2132MB.2

BRUSHED BRONZE:
Q2132BB.2



H: 31 7/8"

D: 4 3/8"

W: 20 3/8"

Q2142

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

16 BARS
4 TOWELS

W: 20 3/8"
H: 41 3/8"


220 watts
1.83 amps

BTUs
751

POLISHED:
Q2142P.2

BRUSHED:
Q2142B.2

MATTE BLACK:
Q2142MB.2



H: 41 3/8"

D: 4 3/8"

W: 20 3/8"

Q2154

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

20 BARS
6 TOWELS

W: 20 3/8"
H: 53 1/8"


280 watts
2.33 amps

BTUs
955

POLISHED:
Q2154P.2

BRUSHED:
Q2154B.2

MATTE BLACK:
Q2154MB.2



H: 53 1/8"

D: 4 3/8"

W: 28 1/4"

H: 31 7/8"

D: 4 3/8"

Q2932		DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
12 BARS 4 TOWELS		W: 28 1/4" H: 31 7/8"	220 watts 1.83 amps	BTUs 751
		POLISHED: Q2932P.2	BRUSHED: Q2932B.2	MATTE BLACK: Q2932MB.2

W: 28 1/4"

H: 41 3/8"

D: 4 3/8"

Q2942		DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
16 BARS 4 TOWELS		W: 28 1/4" H: 41 3/8"	290 watts 2.42 amps	BTUs 989
		POLISHED: Q2942P.2	BRUSHED: Q2942B.2	MATTE BLACK: Q2942MB.2

**STANDARD
CONTROLLER**
ATW-TDHC

**DIGITAL HEAT CONTROLLER
REQUIRED | SOLD SEPARATELY**

Choose between the Touch Digital Heat Controller (TDHC) or the Remotely-Wired Digital Heat Controller (TDHCR)

The Remotely-Wired TDHC requires an additional Concealed Wall Box (ATW-CWB) for seamless wall installation.

**REMOTELY
WIRED****
ATW-TDHC

* Overall Dimensions will increase when using the Touch Digital Heat Controller and Concealed Wall Box by a small amount.

QUADRO COLLECTION: WIDTH: +7/8" HEIGHT: +1 1/4"

**ATW-TDHC RQUIRES
CONCEALED WALL BOX
ATW-CWB
SOLD SEPARATELY

QUADRO



Q2142P.2



QUADRO

Q2132MB.2



Q2132B.2



VIEW OUR ONLINE
GALLERY

MODELLO i

COLLECTION



115 VOLT
STANDARD VOLTAGE

110°F–194°F
EXTERNAL TEMP RANGE

10–15M
WARM-UP TIME

4 1/8" - 4 1/4"
STANDARD DEPTH

10 – 30
WATTS

0.08 – 0.25
AMPERES

304-GRADE
STAINLESS STEEL

STEP 1:

CHOOSE BAR SIZE, STYLE, AND FINISH

STOCKED MODELLO i MODELS				
SKU without Finish	WIDTH	HEIGHT	DEPTH	BTUS
i20R0	19 5/8"	1 5/8"	4 1/8"	35
i40R0	39 3/8"	1 5/8"	4 1/8"	69
i59R0	59"	1 5/8"	4 1/8"	103
i20SQ	19 5/8"	1 1/2"	4 1/4"	35
i40SQ	39 3/8"	1 1/2"	4 1/4"	69
i59SQ	59"	1 1/2"	4 1/4"	103

ADDITIONAL SIZES AVAILABLE FOR SPECIAL ORDER



The SKU identifies the collection + the length of that particular bar + bar style (round or square) + finish. Unit dimensions will vary from overall dimensions depending on the controller. Dimensions shown are for a horizontal configuration.

STOCKED FINISHES



STEP 2A:

CHOOSE NUMBER OF BARS



Each Modello i is sold as individual bars, designed to provide maximum flexibility in your space. These bars can be mounted either horizontally or vertically to suit your aesthetic and functional preferences. For a seamless installation, any bar that is not paired with the integrated Touch Digital Heat Controller (TDHC) will require the Concealed Wall Box (ATW-CWB). This ensures a clean and professional finish for your installation.

STEP 2B:

CHOOSE YOUR TOUCH CONTROLLER

ATW-TDHC



TOUCH DHC

REQUIRED - SOLD SEPARATELY

Choose the standard Touch Digital Heat Controller (Left) or the Remotely Wired Digital Heat Controller (Right)

One Touch Digital Heat Controller can be wired to control multiple Modello i models. When using multiple bars or the Remotely Wired TDHC, the Concealed Wall Box allows for a seamless hardwired installation. An ATW-CWB is required for every bar except the one connected to the ATW-TDHC. If using the ATW-TDHC, an ATW-CWB is needed for each bar. For more information on the TDHC see page 10. If controlling multiple bars with a single controller, you must choose the Remote Touch DHC and one Concealed Wall Box per bar.

ATW-TDHC R



REMOTELY-WIRED TOUCH DHC
REQUIRES CONCEALED WALL BOX
(ATW-CWB) SOLD SEPARATELY

STEP 3:

OPTIONAL ACCESSORIES & COMPONENTS



ATW-T24
PROGRAMMABLE
TIMER



ATW-CDT



ATW-SS
SMART
SWITCH

Expand the functionality of your Heated Towel Rack with our optional controller accessories. For more comprehensive information on our timers or controllers, see page 9.

SPACERS

2 Spacers/Pack

SQUARE		AE-1S-* +1MM
		AE-10S-* +10MM
ROUND		AE-1R-* +1MM
		AE-10R-* +10MM

Add spacers to accommodate for uneven mounting surfaces.

BRACKET PACKS

(Replacement)

All Modello i models include bracket packs with mounting hardware for installation

SQUARE	ROUND
AE-BPS2-* 2-PACK	AE-BPR2-* 2-PACK

* Last letter of SKU indicates finish.

MODELLO i

STOCKED ITEMS
SEE PAGE 65 FOR SPECIAL ORDERS

	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
i20R0	W: 19 5/8" H: 1 5/8"	10 watts 0.08 amps	BTUs 35
POLISHED: i20R0.P	BRUSHED: i20R0.B	MATTE BLACK: i20R0.MB	SATIN BRASS i20R0.SB



	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
i40R0	W: 39 3/8" H: 1 5/8"	20 watts 0.17 amps	BTUs 69
POLISHED: i40R0.P	BRUSHED: i40R0.B	MATTE BLACK: i40R0.MB	SATIN BRASS i40R0.SB



	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
i59R0	W: 59" H: 1 5/8"	30 watts 0.25 amps	BTUs 103
POLISHED: i59R0.P	BRUSHED: i59R0.B	MATTE BLACK: i59R0.MB	SATIN BRASS i59R0.SB



FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Modello_i

*Overall Dimensions will increase when using the Touch Digital Heat Controller and Concealed Wall Box by a small amount. Measurements assume a horizontal installation.

FOR MODELLO i ROUND:
WIDTH: +7/8" HEIGHT: +1 1/4"

	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
i20SQ	W: 19 5/8" H: 1 1/2"	10 watts 0.08 amps	BTUs 35
POLISHED: i20SQ.P	BRUSHED: i20SQ.B	MATTE BLACK: i20SQ.MB	SATIN BRASS i20SQ.SB



	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
i40SQ	W: 39 3/8" H: 1 1/2"	20 watts 0.17 amps	BTUs 69
POLISHED: i40SQ.P	BRUSHED: i40SQ.B	MATTE BLACK: i40SQ.MB	SATIN BRASS i40SQ.SB



	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
i59SQ	W: 59" H: 1 1/2"	30 watts 0.25 amps	BTUs 103
POLISHED: i59SQ.P	BRUSHED: i59SQ.B	MATTE BLACK: i59SQ.MB	SATIN BRASS i59SQ.SB



*Overall Dimensions will increase when using the Touch Digital Heat Controller and Concealed Wall Box by a small amount. Measurements assume a horizontal installation.

FOR MODELLO i SQUARE:
WIDTH: +1" HEIGHT: +1 5/8"

MODELLO i



i40R0.SB



i20SQ.MB



MODELLO i

i20R0.MB



i20R0.B



**VIEW OUR ONLINE
GALLERY**

MODELLO i 37



VEGA

COLLECTION



115 VOLT
STANDARD VOLTAGE

110°F–194°F
EXTERNAL TEMP RANGE

10–15M
WARM-UP TIME

3 5/8"
STANDARD DEPTH

250 – 360
WATTS

2.08 – 3.00
AMPERES

304-GRADE
STAINLESS STEEL

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH

STOCKED VEGA MODELS					
SKU without Finish	PANELS	MAX TOWELS	WIDTH W/ TOUCH DHC	HEIGHT W/ TOUCH DHC	BTUS
V2337	8	4	23 3/8"	39 1/4"	853
V2356	12	6	23 3/8"	58"	1228

ADDITIONAL SIZES AND CONFIGURATIONS AVAILABLE FOR SPECIAL ORDER

COLLECTION **V** **23** **37** **MB** **.2**


RACK HEIGHT RACK WIDTH FINISH GENERATION

The SKU identifies the collection + the general dimensions of the unit itself + finish code. Unit dimensions will vary from overall dimensions depending on the controller.

STOCKED FINISHES



P POLISHED
STAINLESS STEEL



B BRUSHED
STAINLESS STEEL



MB MATTE
BLACK



W WHITE

STEP 2: CHOOSE YOUR TOUCH CONTROLLER

ATW-TDHC




TOUCH DHC

REQUIRED - SOLD SEPARATELY

Choose the standard Touch Digital Heat Controller (Left) or the Remotely Wired Digital Heat Controller (Right)

The Touch Digital Heat Controller has a built in WiFi connection that allows you to connect with a smartphone and access temperature control and count-down timing functionality directly through the TDHC itself. For more information on the TDHC see page 10.

ATW-TDHC R



REMOTELY-WIRED TOUCH DHC
REQUIRES CONCEALED WALL BOX
(ATW-CWB) SOLD SEPARATELY

STEP 3: (OPTIONAL) CHOOSE ADDITIONAL ACCESSORIES

OPTIONAL ATTACHMENTS



BATHROBE HANGER

POLISHED: AQV-BH-P BRUSHED: AQV-BH-B



OPTIONAL COMPONENTS

SPACERS



AE-1S-1MM



AE-10S-10MM

2 Spacers/Pack
Add spacers to accommodate for uneven mounting surfaces. Square spacers also available.

BRACKET PACKS

(Replacement)

All Vega models include bracket packs with mounting hardware for installation

AE-BPS2-* 2-PACK | AE-BPS4-* 4-PACK

* Last letter of SKU indicates finish.



ATW-T24
PROGRAMMABLE
TIMER



ATW-CDT
COUNTDOWN
TIMER



ATW-SS
SMART
SWITCH

Expand the functionality of your Heated Towel Rack with our optional controller accessories. For more comprehensive information on our timers or controllers, see page 9.

CAN'T FIND THE SIZE OR FINISH YOU ARE LOOKING FOR?

WIDTH MIN 17 3/8" - 28 3/8" MAX
HEIGHT MIN 17 3/4" - 73 7/8" MAX



SPECIAL ORDER OPTIONS | 10-16 WEEK LEAD TIME



We offer a wide array of special order finishes to match virtually any finish. This includes PVD & RAL colors.



Note - we are unable to match 'living finishes'

FOR ALL SPECIAL ORDER SIZES AND SKUS SEE PAGE 65

W: 22 7/8"

V2337

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

8 PANELS
4 TOWELS

W: 22 7/8"
H: 36 3/8"

250 watts
2.08 amps

BTUs
853

POLISHED:
V2337P.2

BRUSHED:
V2337B.2

MATTE BLACK:
V2337MB.2

WHITE:
V2337W.2



H: 36 3/8"

D: 3 5/8"

W: 22 7/8"

V2356

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

12 PANELS
6 TOWELS

W: 22 7/8"
H: 55 1/8"

360 watts
3.00 amps

BTUs
1228

POLISHED:
V2356P.2

BRUSHED:
V2356B.2

MATTE BLACK:
V2356MB.2

WHITE:
V2356W.2



H: 55 1/8"

D: 3 5/8"

FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Vega



**STANDARD
CONTROLLER**
ATW-TDHC

DIGITAL HEAT CONTROLLER REQUIRED | SOLD SEPARATELY

Choose between the Touch Digital Heat Controller (TDHC) or the Remotely-Wired Digital Heat Controller (TDHCR)

The Remotely-Wired TDHC requires an additional Concealed Wall Box (ATW-CWB) for seamless wall installation.



**REMOTELY
WIRED****
ATW-TDHC

* Overall Dimensions will increase when using the Touch Digital Heat Controller and Concealed Wall Box by a small amount.

VEGA COLLECTION: WIDTH: +1/2" HEIGHT: +2 7/8"


**ATW-TDHC CRQUIRES
CONCEALED WALL BOX
ATW-CWB
SOLD SEPARATELY






VEGA

V2356MB.2



V2337W.2



VIEW OUR ONLINE
GALLERY



ANTUS COLLECTION



115 VOLT
STANDARD VOLTAGE

110°F–194°F
EXTERNAL TEMP RANGE

25–35M
WARM-UP TIME

4 1/8"
STANDARD DEPTH

260 – 340
WATTS


2.17 – 2.83
AMPERES

**304-GRADE
STAINLESS STEEL**

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH

STOCKED ANTUS MODELS					
SKU without Finish	BARS	MAX TOWELS	WIDTH W/ TOUCH DHC	HEIGHT W/ TOUCH DHC	BTUS
A2036	20	2	20 3/8"	37 3/4"	260
A2836	20	4	28 1/4"	37 3/4"	340

ADDITIONAL SIZES AND CONFIGURATIONS AVAILABLE FOR SPECIAL ORDER



The SKU identifies the collection + the general dimensions of the unit itself + finish code. Unit dimensions will vary from overall dimensions depending on the controller.

STOCKED FINISHES



POLISHED
STAINLESS STEEL



BRUSHED
STAINLESS STEEL

STEP 2: CHOOSE YOUR TOUCH CONTROLLER

ATW-TDHC




TOUCH DHC

REQUIRED - SOLD SEPARATELY

Choose the standard Touch Digital Heat Controller (Left) or the Remotely Wired Digital Heat Controller (Right)

The Touch Digital Heat Controller has a built in WiFi connection that allows you to connect with a smartphone and access temperature control and count-down timing functionality directly through the TDHC itself. For more information on the TDHC see page 10.

ATW-TDHC-R



REMOTELY-WIRED TOUCH DHC
REQUIRES CONCEALED WALL BOX (ATW-CWB) SOLD SEPARATELY

STEP 3: (OPTIONAL) CHOOSE ADDITIONAL ACCESSORIES



ATW-T24

PROGRAMMABLE
TIMER



ATW-CDT

COUNTDOWN
TIMER



ATW-SS

SMART
SWITCH

Expand the functionality of your Heated Towel Rack with our optional controller accessories. For more comprehensive information on our timers or controllers, see page 9.

OPTIONAL ATTACHMENTS



BATHROBE HANGER

POLISHED: AA-BH-P
BRUSHED: AA-BH-B



OPTIONAL COMPONENTS

SPACERS



AE-1R-
+1MM



AE-10R-
+10MM

2 Spacers/Pack

Add spacers to accommodate for uneven mounting surfaces. Square spacers also available.

BRACKET PACKS

(Replacement)

All Antus models include bracket packs with mounting hardware for installation

AE-BPR2-* | AE-BPR4-*
2-PACK 4-PACK

* Last letter of SKU indicates finish.

CAN'T FIND THE SIZE OR FINISH YOU ARE LOOKING FOR?

WIDTH MIN 15 5/8" - 27 3/8" MAX
HEIGHT MIN 15 7/8" - 75 3/8" MAX



SPECIAL ORDER OPTIONS | 10-16 WEEK LEAD TIME



We offer a wide array of special order finishes to match virtually any finish. This includes PVD & RAL colors.

Note - we are unable to match 'living finishes'

FOR ALL SPECIAL ORDER SIZES AND SKUS SEE PAGE 65

W: 19 1/2"

A2036

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

20 BARS
2 TOWELS

W: 19 1/2"
H: 35 3/4"

260 watts
2.17 amps


BTUs
887

POLISHED:
A2036P.2

BRUSHED:
A2036B.2

H: 35 3/4"

D: 4 1/8"



W: 27 3/8"

A2836

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

20 BARS
4 TOWELS

W: 27 3/8"
H: 35 3/4"

340 watts
2.83 amps


BTUs
1160

POLISHED:
A2836P.2

BRUSHED:
A2836B.2

H: 35 3/4"

D: 4 1/8"



FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Antus



**STANDARD
CONTROLLER**
ATW-TDHC

DIGITAL HEAT CONTROLLER REQUIRED | SOLD SEPARATELY

Choose between the Touch Digital Heat Controller (TDHC) or the Remotely-Wired Digital Heat Controller (TDHCR)

The Remotely-Wired TDHC requires an additional Concealed Wall Box (ATW-CWB) for seamless wall installation.



**REMOTELY
WIRED****
ATW-TDHC

**ATW-TDHC CRQUIRES
CONCEALED WALL BOX
ATW-CWB
SOLD SEPARATELY



* Overall Dimensions will increase when using the Touch Digital Heat Controller and Concealed Wall Box by a small amount.

ANTUS COLLECTION: WIDTH: +7/8" HEIGHT: +2"


ANTUS




A2836P.2



A2036B.2



VIEW OUR ONLINE
GALLERY



120 VOLT
STANDARD VOLTAGE

130°F–150°F
EXTERNAL TEMP RANGE

25–30M
WARM-UP TIME

5 3/8"
DEPTH

150
WATTS

1.25
AMPERES

**HIGH-QUALITY
MILD STEEL**

TRADITIONAL

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH



The SKU identifies the collection + the general dimensions of the unit itself + finish code. Unit dimensions will vary from overall dimensions depending on the controller.

STOCKED TRADITIONAL MODELS

SKU without Finish	BARS	MAX TOWELS	WIDTH	HEIGHT	BTUS
T-2040	8	2	21 1/8"	43 1/4"	512
T-2536	8	2	25 1/4"	36 3/8"	512

STOCKED FINISHES



POLISHED NICKEL



BRUSHED NICKEL



BRUSHED BRONZE

STEP 2: (REQUIRED) CHOOSE CONTROL DEVICE



ATW-S-W
PILOT LIGHT SWITCH



ATW-T24
PROGRAMMABLE TIMER



ATW-SS
SMART SWITCH

The Traditional Collection does not include an integrated switch, meaning a control device is necessary to turn the rack on or off. Without a control device, wiring the rack directly to a breaker will leave you unable to turn it off without shutting off the breaker itself.

To address this, we offer a variety of timers and controllers to suit different scheduling needs and lifestyles. For detailed information on selecting the right option for you, please refer to page 9.

STEP 3: (OPTIONAL) ADDITIONAL COMPONENTS



REPLACEMENT BRACKET PACKS

POLISHED NICKEL

BRUSHED NICKEL

BRUSHED BRONZE

AT-BP-PN

AT-BP-BN

AT-BP-BB




REPLACEMENT ELEMENTS

Each Traditional model includes a replaceable heating element.


T HE-150 WATT

Every Traditional model includes their respective bracket pack.



T-2040

	DIMENSIONS	ELECTRICAL	HEAT OUTPUT
8 BARS 2 TOWELS	W: 21 1/8" H: 43 1/4"	150 watts 1.25 amps	BTUs 512
POLISHED NICKEL: T-2040PN	BRUSHED NICKEL: T-2040BN	BRUSHED BRONZE: T-2040BB	



T-2536

	DIMENSIONS	ELECTRICAL	HEAT OUTPUT
8 BARS 2 TOWELS	W: 25 1/4" H: 36 3/8"	150 watts 1.25 amps	BTUs 512
POLISHED NICKEL: T-2536PN	BRUSHED NICKEL: T-2536BN	BRUSHED BRONZE: T-2536BB	



FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Traditional



T-2536PN




T-2040PN



VIEW OUR ONLINE
GALLERY



CAPE COLLECTION



120 VOLT
STANDARD VOLTAGE

120°F–150°F
EXTERNAL TEMP RANGE

10–15M
WARM-UP TIME

4 5/8"
DEPTH

150
WATTS

1.25
AMPERES

**304-GRADE
STAINLESS STEEL**

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH

COLLECTION **CAPE** **23** **32** **.1**

RACK HEIGHT
RACK WIDTH
FINISH

The SKU identifies the collection + the general dimensions of the unit itself + finish code. Unit dimensions will vary from overall dimensions depending on the controller.

CAPE MODELS

SKU	FINISH	BARS	MAX TOWELS	HARDWIRED WIDTH	HARDWIRED HEIGHT	BTUS
CAPE2332.1	Brushed	12	2	23 7/8"	31 1/2"	512
CAPE2332.2	Matte Black	12	2	23 7/8"	31 1/2"	512
CAPE2332.3	Polished	12	2	23 7/8"	31 1/2"	512

FINISHES



BRUSHED
STAINLESS STEEL



MATTE BLACK



POLISHED
STAINLESS STEEL

STEP 2: (OPTIONAL) CHOOSE CONTROL DEVICE



INTEGRATED SWITCH



ATW-S-W
PILOT LIGHT
SWITCH



ATW-T24
PROGRAMMABLE
TIMER



ATW-CDT
COUNTDOWN
TIMER




ATW-SS
SMART
SWITCH



ATW-P24
PLUG-IN
PROGRAMMABLE
TIMER

The Cape Collection is a plug-in/hardwire combo with an integrated switch. You do not need a separate controller to turn the rack on or off. We do offer plug-in or hardwired timers to suit different scheduling needs and lifestyles. For detailed information see page 9.

STEP 3: (OPTIONAL) ADDITIONAL COMPONENTS



WET RATED KIT | AC-WRK-*

Optional UL-certified upgrade that allows the Cape Collection to be installed in wet areas such as above bathtubs, in shower alcoves, or wet rooms. [Learn more on Page 11](#)



DOUBLE GANG PLATE | AJ-DGP-*

Replace the single gang plate included with the Cape Collection's hardwired kit with a double-wide version which allows for controllers to be installed adjacent to the rack itself.

BRUSHED STAINLESS	MATTE BLACK	POLISHED STAINLESS
AC-WRK.1	AC-WRK.2	AC-WRK.3

BRUSHED STAINLESS	MATTE BLACK	POLISHED STAINLESS
AJ-DGP-B	AJ-DGP-MB	AJ-DGP-P

CAPE


STOCKED ITEMS

CAPE2332.1

BRUSHED STAINLESS STEEL

W: 23 7/8"


H: 31 1/2"



D: 4 5/8"

CAPE2332.2

MATTE BLACK



CAPE2332.3

POLISHED STAINLESS STEEL



SPECS

BARS	12
TOWELS	2
WIDTH	23 7/8"
HEIGHT	31 1/2"
WATTS	150
AMPS	1.25
BTUS	512

All Cape models come as a plug-in unit and include a complete electrical hardwiring kit. To hardwire, simply cut the cable to the desired length and wire as usual.




FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Cape

CAPE



CAPE2332.3




VIEW OUR ONLINE
GALLERY



RADIANT COLLECTION



MADE IN CHINA



120 VOLT
STANDARD VOLTAGE

120°F–180°F
EXTERNAL TEMP RANGE

10–15M
WARM-UP TIME

4 3/4"–14"
DEPTH

60–150
WATTS

0.50–1.25
AMPERES

304-GRADE
STAINLESS STEEL

RADIANT

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH

STOCKED RADIANT MODELS					
SKU	BARS	MAX TOWELS	HARDWIRED WIDTH	HARDWIRED HEIGHT	BTUS
RWHS	7	1	20 1/2"	20 1/8"	205-273
RWH-S	10	2	24 1/2"	31 7/8"	512
RWH-C	10	2	24 1/2"	31 7/8"	512
RWHL-S	12	2	24 1/2"	41 3/4"	512
RWHL-C	12	2	24 1/2"	41 3/4"	512
RSWH	10	2	24 1/2"	31 1/2"	512
RSWHL	12	2	24 1/2"	41 3/4"	512
RSH	8	2	24 1/2"	19 1/8"	376



The SKU identifies the model + bar style + finish.

STOCKED FINISHES



P POLISHED
STAINLESS STEEL



B BRUSHED
STAINLESS STEEL

AVAILABLE FOR
ALL MODELS



SB SATIN
BRASS



BB BRUSHED
BRONZE

AVAILABLE FOR
SPECIFIC MODELS



PG POLISHED
GOLD



MB MATTE
BLACK



All Radiant models come as a plug-in unit and include a complete electrical hardwiring kit. To hardwire, simply cut the cable to the desired length and wire as usual.



STEP 2: (OPTIONAL) CHOOSE CONTROL DEVICE



INTEGRATED SWITCH



ATW-S-W
PILOT LIGHT
SWITCH



ATW-T24
PROGRAMMABLE
TIMER



ATW-CDT
COUNTDOWN
TIMER



ATW-SS
SMART
SWITCH



ATW-P24
PLUG-IN
PROGRAMMABLE
TIMER



The Radiant Collection is a plug-in/hardwire combo with an integrated switch. You do not need a separate controller to turn the rack on or off. We do offer plug-in or hardwired timers to suit different scheduling needs and lifestyles. For detailed information see page 9.

STEP 3: (OPTIONAL) ADDITIONAL COMPONENTS



REPLACEMENT BRACKET PACKS

STANDARD

AR-BP-*

SQUARE

AR-BPSQ-*

SHELF

AR-BPSH-*

Every Radiant model includes their respective bracket pack.



DOUBLE GANG PLATE | AJ-DGP-*


Replace included single gang plates to conveniently locate a controller adjacent to the unit.

* - LAST LETTER OF SKU INDICATES FINISH. BRACKET PACKS ARE ONLY AVAILABLE IN FINISHES MATCHING THEIR SPECIFIC MODELS.

RADIANT

W: 24 1/2"

H: 31 7/8"



RADIANT

(STRAIGHT OR CURVED)

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

10 BARS
2 TOWELS

W: 24 1/2"
H: 31 7/8"

150 watts
1.25 amps

BTUs
512

POLISHED:
RWH-SP

BRUSHED:
RWH-SB

MATTE BLACK:
RWH-SMB

SATIN BRASS:
RWH-SSB

BRUSHED BRONZE:
RWH-SBB

POLISHED GOLD:
RWH-SPG

POLISHED:
RWH-CP

BRUSHED:
RWH-CB



STRAIGHT

D: 4 3/4"

CURVED

D: 5 3/4"

RADIANT SMALL

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

7 BARS
1 TOWEL

W: 20 1/2"
H: 20 1/8"

60 – 80 watts
0.50 – 0.67 amps

BTUs
205 – 273


POLISHED:
RWHS-SP

BRUSHED:
RWHS-SB


MATTE BLACK:
RWHS-SMB

SATIN BRASS:
RWHS-SSB

POLISHED GOLD:
RWHS-SPG




H: 20 1/8"



D: 4 3/4"

W: 24 1/2"

H: 41 3/4"



RADIANT LARGE

(STRAIGHT OR CURVED)

DIMENSIONS*

ELECTRICAL

HEAT OUTPUT

12 BARS
2 TOWELS

W: 24 1/2"
H: 41 3/4"

150 watts
1.25 amps

BTUs
512

POLISHED:
RWHL-SP

BRUSHED:
RWHL-SB

MATTE BLACK:
RWHL-SMB

SATIN BRASS:
RWHL-SSB

BRUSHED BRONZE:
RWHL-SBB

POLISHED:
RWHL-CP

BRUSHED:
RWHL-CB



STRAIGHT

D: 4 3/4"

CURVED




D: 5 3/4"

FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Radiant

RADIANT

RADIANT SQUARE

	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
10 BARS 2 TOWELS	W: 24 1/2" H: 31 1/2"	150 watts 1.25 amps	BTUs 512
	POLISHED: RSWH-P	BRUSHED: RSWH-B	MATTE BLACK: RSWH-MB




RADIANT SQUARE LARGE

	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
12 BARS 2 TOWELS	W: 24 1/2" H: 41 3/4"	150 watts 1.25 amps	BTUs 512
	POLISHED: RSWHL-P	BRUSHED: RSWHL-B	MATTE BLACK: RSWHL-MB



RADIANT SHELF

	DIMENSIONS*	ELECTRICAL	HEAT OUTPUT
8 BARS 2 TOWELS	W: 24 1/2" H: 19 1/8"	110 watts 0.92 amps	BTUs 376
	POLISHED: RSH-P	BRUSHED: RSH-B	



* DIMENSIONS SHOWN INCLUDE ADDED HEIGHT AND WIDTH OF THE ELECTRICAL COVERPLATE WHEN HARDWIRED.

RADIANT





RADIANT

RWHS-SP



RSWH-B




VIEW OUR ONLINE GALLERY



SOLO COLLECTION



MADE IN CHINA



120 VOLT
STANDARD VOLTAGE

120°F–180°F
EXTERNAL TEMP RANGE

10–15M
WARM-UP TIME

11 7/8"–15"
DEPTH

150-180
WATTS

1.25-1.50
AMPERES

304-GRADE
STAINLESS STEEL

SOLO

STEP 1: CHOOSE YOUR RACK SIZE AND FINISH



The SKU identifies the collection + finish code + unit width.


STOCKED TRADITIONAL MODELS

SKU	BARS	MAX TOWELS	WIDTH	HEIGHT	BTUS
SAFS*-24	12	2	23 5/8"	38"	512
SAFS*-33	12	3	32 1/2"	38"	614

STOCKED FINISHES



POLISHED
STAINLESS STEEL



BRUSHED
STAINLESS STEEL



**MATTE
BLACK**

STEP 2: (OPTIONAL) CHOOSE CONTROL DEVICE



The Solo Collection includes an integrated switch, meaning you do not need an additional control device to turn the rack on or off. If you are looking for additional scheduling or timing controls, we offer a plug-in timer to suit different scheduling needs and lifestyles. For detailed information on how to use timers properly, please refer to page 9.

STEP 3: (OPTIONAL) ADDITIONAL COMPONENTS

Every Solo model includes matching leg brackets.


REPLACEMENT LEG BRACKETS

SAFS-24	SAFS-33
ASO-BP24-P	ASO-BP33-P
ASO-BP24-B	ASO-BP33-B
ASO-BP24-MB	ASO-BP33-MB

SOLO SAFS*-24



STOCKED ITEMS

H: 38"




W: 23 5/8"

	DIMENSIONS	ELECTRICAL	HEAT OUTPUT
	10 BARS 2 TOWELS W: 23 5/8" H: 38"	150 watts 1.25 amps	BTUs 512
	POLISHED: SAFSP-24	BRUSHED: SAFSB-24	MATTE BLACK: SAFSMB-24



SAFS*-33

H: 38"



W: 32 1/2"

	DIMENSIONS	ELECTRICAL	HEAT OUTPUT
	10 BARS 2 TOWELS W: 32 1/2" H: 38"	180 watts 1.50 amps	BTUs 614
	POLISHED: SAFSP-33	BRUSHED: SAFSB-33	MATTE BLACK: SAFSMB-33



FOR FULL PRODUCT DIMENSION DRAWINGS VISIT
www.ambaproducts.com/Solo


SOLO



SAFSMB-33



SAFSP-24



VIEW OUR ONLINE
GALLERY

SPECIAL ORDER MODELS

SIRIO

	16 3/4"	20 3/4"	28 5/8"	
15 3/8" 6 BARS	S1716	S2116	S2916	HEIGHT
31 7/8" 12 BARS	S1732	STOCKED MODEL S2132	STOCKED MODEL S2932	
48 3/8" 18 BARS	S1749	S2149	S2949	
65" 24 BARS	S1765	S2165	S2965	
	WIDTH			

ULTRA-WIDE

SIRIO S5721 12 BARS | WIDTH: 59 7/8" | HEIGHT: 22"

QUADRO

	6 BARS 16 1/2"	6 BARS 20 3/8"	28 1/4"	
15 3/8" 6 BARS	Q1716	Q2116	Q2916	HEIGHT
31 7/8" 12 BARS	Q1732	STOCKED MODEL Q2132	STOCKED MODEL Q2932	
48 3/8" 18 BARS	Q1749	Q2149	Q2949	
65" 24 BARS	Q1765	Q2165	Q2965	
	WIDTH			

10–16 WEEK LEAD TIME | NON-REFUNDABLE

Special orders offer additional set sizes, a hydronic option, and the possibility of an electrical connection on the bottom left. These models maintain the same high-quality features as our standard offerings. Please note that special orders have an extended lead time and are non-refundable.

MODELLO i

SPECIAL ORDER MODELS

WIDTH: 78 3/4" | HEIGHT: 1 5/8"

SQUARE

ROUND

i79SQ

i79RO

VEGA

	17 1/4"	22 7/8"	28 3/8"	
17 3/4" 4 PANELS	V1818	V2318	V2918	HEIGHT ↓
36 3/8" 8 PANELS	V1837	STOCKED MODEL V2336	V1837	
55 1/8" 12 PANELS	V1856	STOCKED MODEL V2356	V2956	
73 7/8" 16 PANELS	V1874	V2374	V2974	
	WIDTH →			

ANTUS

	15 5/8"	19 1/2"	27 3/8"	
15 7/8" 10 BARS	A1616	A2016	A2816	HEIGHT ↓
35 3/4" 20 BARS	A1636	STOCKED MODEL A2036	STOCKED MODEL A2836	
55 5/8" 30 BARS	A1656	A2056	A2856	
75 3/8" 40 BARS	A1676	A2076	A2876	
	WIDTH →			

SPECIAL ORDER OPTIONS



We offer a wide array of special order finishes to match virtually any finish. This includes PVD & RAL colors.

Note - we are unable to match 'living finishes'



All models on this page can be special ordered with electrical connection on the Left instead of Right.

SPECIAL ORDER MODELS

JEEVES

10–16 WEEK LEAD TIME | NON-REFUNDABLE

MODEL H 7 BARS 18 3/4" HEIGHT	16 1/2"	21 1/4"	25 1/8"
	HS*-16 HC*-16	STOCKED MODELS HS* HC*	HS*-24 HC*-24

MODEL E 12 BARS 31 3/4" HEIGHT	12 5/8"	16 1/2"	21 1/4"	25 1/8"
	ES*-12	ES*-16 EC*-16	STOCKED MODELS ES* EC*	ES*-24 EC*-24

MODEL C 13 BARS 36 3/4" HEIGHT	12 5/8"	16 1/2"	21 1/4"	25 1/8"
	CS*-12	CS*-16 CC*-16	STOCKED MODELS CS* CC*	CS*-24 CC*-24

MODEL D 20 BARS 53 1/2" HEIGHT	12 5/8"	16 1/2"	21 1/4"	25 1/8"
	DS*-12	DS*-16 DC*-16	STOCKED MODELS DS* DC*	DS*-24 DC*-24

MODEL N 28 BARS 69 1/4" HEIGHT	16 1/2"	21 1/4"	25 1/8"
	NS*-16	NS*-16	NS*-24

MODEL W 10 BARS 27 3/4" HEIGHT	48 1/4"
	WS*

SPECIAL ORDER OPTIONS



Hydronic units connect to a closed loop system with hot water running through them, similar to traditional radiators. These require additional components, sold separately.

ADD. COMPONENTS REQ.



NSMB-24



WSW

SPECIAL ORDER MODELS 67

TERMS AND CONDITIONS OF SALE FOR AMBA PRODUCTS LLC (“SELLER”)

1. All products supplied are deemed to be free from manufacturing defects and in working order. Ownership is transferred on payment of the full purchase price as agreed and noted in the purchase order furnished by the buyer and confirmed by the seller.
2. Prices are quoted ex Atlanta, GA, USA and do not include shipping and handling costs (US Only). The shipping and handling costs will be agreed at time of order. For rates, please visit www.ambaproducts.com/s&h.
3. Net payment is due thirty (30) days from the date of shipment for credit qualifying customers. A charge will be added to the unpaid balance on all invoices not paid by the due date.
4. Seller’s liability is limited to the cost of the product and does not include the cost of any other charges. Seller shall not be liable to or responsible for any consequential damages whatsoever, including but not limited to any damage or loss resulting from delay or default in delivery due to any cause.
5. Buyer expressly acknowledges and agrees that it waives any and all claims for consequential damages and/or any damages under Georgia General Laws. Seller’s only liability hereunder shall be for replacement of defective goods. Replacement will be given only after Seller’s inspection of the goods and its agreement to the claimed defective condition. Seller will replace product but will not accept any responsibility for installation or removal or any transport costs.
6. All claims shall be deemed waived unless made in writing and delivered to Seller within sixty (60) days after receipt by Buyer. A Guideline for Product Returns is available and needs to be followed when returning defective or damaged product.

SPECIAL ORDER ITEMS

All special order items must be paid for up front or the Special Order Form must be completed by both Amba’s customer and their client. All special order items carry a 10-16 week lead time which begins on the date the deposit or special order form is received and approved by Amba Products.

Once a deposit or Special Order form is received and approved, the orders are binding and cannot be modified or canceled for any reason. The Amba customer who places the order on behalf of their client is responsible for the cost of the product and payment is expected based upon the terms extended to Amba’s customer.

WARRANTY

If, within thirty (30) days of your order ship date, any product proves to be defective please contact your retailer immediately. Please DO NOT ship the product back to us without contacting us first and receiving an RGA (Returned Goods Authorization) Number and return instructions. Item(s) must be returned in a box comparable to the original manufacture's packaging. Pick up / replacement item(s) can only be sent to or picked up from the original "ship to" address. Only one pick-up attempt will be made.

Any time after the thirty-one (31) days of your order ship date, if a product proves to be defective; please contact your retailer immediately. Warranty begins 30 days from invoiced date. Please DO NOT ship the product back to us without contacting us first and receiving a RGA (Return Goods Authorization) Number and return instructions. It will be the customers' responsibility to get the product to and from Amba Products. This will be at the customer's expense. Please be sure to adequately package your product; Amba Products will not be held responsible for any damages that occurred during shipment. Once the product is received it will be properly inspected and tested.

Should we determine that the product is in fact defective, under warranty terms, it will be repaired and tested at our facility, at our discretion. You will be notified when your product will be ready for pickup or collection. If you choose to return the defective item, rather than replace it, we will charge a 15% restocking fee and your original shipping and processing charges will not be refunded. All transactions must take place under the original Purchase Order. This may only be done within the product warranty period. We will let you know our decision once we respond to your request.

PRODUCT WARRANTY

The seller offers a warranty for products that have been installed according to the installation instructions supplied with the product. The duration of the warranty varies depending on the product. Proof of purchase must be supplied with claim. Warranty begins 30 days from invoiced date. The warranty covers defects in workmanship and materials. This warranty is only valid for product purchased and used in the United States, Canada and Mexico.

DURATION OF WARRANTY:

JEEVES Collection – 10 years.*
SIRIO Collection – 3 years.
QUADRO Collection – 3 years.
MODELLO i Collection – 3 years
VEGA Collection – 3 years.
ANTUS Collection – 3 years.
TRADITIONAL Collection – 3 years.*
CAPE Collection – 3 Years
RADIANT Collection – 2 years
SOLO Collection – 2 years.
SWIVEL Collection – 2 years.

*If the electric element in the Jeeves or Traditional Heated Towel Rack is faulty it will be replaced within the first 2 years for any reason. Thereafter, elements can be replaced at a cost which is available on application. Power surges affect all electrical appliances and we cannot be held responsible beyond this period.

RETURNS

If you would like to return your item, please contact the retailer you purchased the product from to receive an RGA (Return Goods Authorization). Item(s) must be returned in a box comparable to the original manufacturer's packaging. (The 16 AWG wire must not be damaged or cut; all assembly fittings must be in the packaging.)

All returns are subject to a restocking fee. If you have ordered incorrectly and wish to order the correct product and return the incorrect product, your restocking fee for an invoice 90 days or less will be reduced from 25% to 15%. For returns of 91 days or greater with a re-order, the restocking fee is reduced from 40% to 25%. Once the product has been received at our warehouse, it will be inspected and you will be credited for the returned product less the applicable restocking fee and original shipping and processing charges. If you choose to place a re-order, the restocking fee will not be waived. The return of the product is at your expense.

If you wish to return a product but do not place a reorder, the restocking fee will be 25%. Items returned after 90 days are subject to a 40% restocking fee or may not be returnable at all (Discontinued item are not eligible for return).

Once the product has been received at our warehouse, it will be inspected and you will be credited for the returned product less the applicable restocking fee and original shipping and processing charges.

To request a cancellation, return, or warranty claim, please use our online form at www.ambaproducts.com/rga. Note that we do not accept these requests via phone or chat.

BEFORE 90 DAYS

**RETURN WITHOUT REORDER =
25% RESTOCKING FEE**

**RETURN WITH REORDER =
15% RESTOCKING FEE**

AFTER 90 DAYS

**RETURN WITHOUT REORDER =
40% RESTOCKING FEE**

**RETURN WITH REORDER =
25% RESTOCKING FEE**

ITEM(S) MUST BE RETURNED IN A BOX COMPARABLE
TO THE ORIGINAL MANUFACTURE'S PACKAGING

THE 16 AWG WIRE MUST NOT BE DAMAGED OR CUT;
ALL ASSEMBLY FITTINGS MUST BE IN THE ORIGINAL PACKAGING

ANY ITEM THAT HAS BEEN
INSTALLED IS CONSIDERED A
WARRANTY RGA

WWW.AMBAPRODUCTS.COM/WARRANTY



facebook.com/
AmbaProducts



@ambaproducts



pinterest.com/
ambaproducts

Amba
HEATED TOWEL RACKS

ambaproducts.com | +1 (404) 350-9738