

Alpha Sport: *The quickdraw for sport climbers.*

Fig.1




Fig.2





DMM International

Y Glyn
Llanberis
Gwynedd
Wales
United Kingdom
LL55 4EL


General enquiries: +44 [0] 1286 872 222
Email: post@dmmwales.com

Disclaimer

Working at height, rock climbing, mountaineering and related activities are inherently dangerous. It is the responsibility of any person using this equipment to learn and practice the proper techniques for use of the equipment for its designated purposes safely and to foresee and take appropriate action in situations where rescue may be required. Even the correct use of equipment and techniques may result in fatal consequences. Medical conditions can affect the safety of the equipment user in normal and emergency use. Any person using this equipment assumes all risks and full responsibility for all damages or injury which may result from the use of it. There is no substitute for instruction by a trained and competent person.

DMM makes every effort to ensure the information in this brochure is correct and up to date. However we reserve the right to change product specification when or if deemed necessary. DMM International cannot be held responsible for any inaccuracies or omissions. If in doubt, please ask.

dmmwales.com



Hello from Llanberis,

As we write this introduction in May 2022 there are so many good things happening at our factory in Wales, UK. We are commissioning new robotic forging presses and introducing new metal finishing technologies, we are expanding our sewing department, and we are creating new buildings on site.

These investments and improvements will increase our production capacity, improve our efficiency, reduce waste, save on power usage, and ultimately get more DMM products to our customers around the world.

Our project is to implement all this over the coming months so that when 2023 arrives, climbers everywhere can use their favourite DMM products to enable them to train, climb, and achieve their projects safely, with confidence, and with a huge dose of fun and enjoyment.

All the Best,

DMM



Contents

Cams	4
Nuts	8
Carabiners	12
Quickdraws	18
Slings	24
Locking Carabiners	28
Belay & Descent	34
Harness	38
Winter Equipment	42
Bags & Chalk	48
Walls & Centres	52



Cams

A solid red horizontal bar is positioned below the word 'Cams'.

Genevive Walker, Escalante Canyon,
Colorado, USA. 📷 D. Scott Clark





› Dragonfly Micro Cam Offsets

We have evolved the celebrated DMM Dragonfly Cam range to now include the Dragonfly Offsets, which alongside the Dragon Cams create the ultimate cam family. Designed for irregular, flared cracks and pin scars, the Dragonfly Micro Cam Offsets feature colour coded slings and thumb loops that allow you to make the correct placement when it matters most.




› Dragonfly Micro Cams

Versatile micro cam protection for narrow cracks, pin scars and small pockets. The size 1 Dragonfly is our smallest certified climbing cam. The range covers placements from 7.8 to 28.3mm and they all feature an extendable sling and TripleGrip lobes.



› Dragon Cams

A state of the art cam. The single stem, double axle design with a 13.75° camming angle and TripleGrip lobes make the most of every placement. The range covers placements from 14mm-195mm and they all feature an extendable sling; saving quickdraws.



› Bandolier

An adjustable bandolier that gives extra racking space.


DESCRIPTION	PRODUCT CODE	COLOUR	CAM RANGE	WEIGHT	STRENGTH	PASSIVE STRENGTH	CONFORMANCE
Dragonfly Micro Cam Offset 2/3	A75523	Red/Gold	8.7-12.9 - 10.2-15.1mm	56g	6kN	n/a	EN12276:2013
Dragonfly Micro Cam Offset 3/4	A75534	Gold/Blue	10.2-15.1 - 12.1-17.9mm	67g	8kN	n/a	EN12276:2013
Dragonfly Micro Cam Offset 4/5	A75545	Blue/Grey	12.1-17.9 - 15.1-22.5mm	68g	8kN	n/a	EN12276:2013
Dragonfly Micro Cam Offset 5/6	A75556	Silver/Purple	15.1-22.5 - 19-28.3mm	71g	9kN	n/a	EN12276:2013

DESCRIPTION	PRODUCT CODE	COLOUR	CAM RANGE	WEIGHT	STRENGTH	PASSIVE STRENGTH	CONFORMANCE
Dragonfly Micro Cam 1	A7551A	Green	7.8 - 11mm	55g	6kN	n/a	EN12276:2013
Dragonfly Micro Cam 2	A7552A	Red	8.7 - 12.9mm	56g	6kN	n/a	EN12276:2013
Dragonfly Micro Cam 3	A7553A	Gold	10.2 - 15.2mm	65g	8kN	n/a	EN12276:2013
Dragonfly Micro Cam 4	A7554A	Blue	12.1 - 17.9mm	67g	8kN	n/a	EN12276:2013
Dragonfly Micro Cam 5	A7555A	Silver	15.1 - 22.5mm	70g	9kN	n/a	EN12276:2013
Dragonfly Micro Cam 6	A7556A	Purple	19 - 28.3mm	73g	9kN	n/a	EN12276:2013

DESCRIPTION	PRODUCT CODE	COLOUR	CAM RANGE	WEIGHT	STRENGTH	PASSIVE STRENGTH	CONFORMANCE
Dragon Cam 00	A73500A	Blue	14 - 21mm	75g	10kN	9kN	EN12276:2013
Dragon Cam 0	A7350A	Silver	16-25mm	85g	14kN	12kN	EN12276:2013
Dragon Cam 1	A7351A	Purple	20-33mm	103g	14kN	14kN	EN12276:2013
Dragon Cam 2	A7352A	Green	24-41mm	117g	14kN	14kN	EN12276:2013
Dragon Cam 3	A7353A	Red	29-50mm	128g	14kN	14kN	EN12276:2013
Dragon Cam 4	A7354A	Gold	38-64mm	154g	14kN	14kN	EN12276:2013
Dragon Cam 5	A7355A	Blue	50-85mm	208g	14kN	14kN	EN12276:2013
Dragon Cam 6	A7356A	Silver	68-114mm	299g	14kN	14kN	EN12276:2013
Dragon Cam 7	A7357A	Purple	88-149mm	362g	14kN	14kN	EN12276:2013
Dragon Cam 8	A7358A	Green	116-195mm	515g	14kN	14kN	EN12276:2013
Dragon Cam Set 0-5	A7350/5A	Assorted	16-85mm	870g	14kN	12-14kN	EN12276:2013
Dragon Cam Set 00-1	A73500/1A	Assorted	14-33mm	263g	10-14kN	9-14kN	EN12276:2013
Dragon Cam Set 2-4	A7352/4A	Assorted	24-64mm	399g	14kN	14kN	EN12276:2013

DESCRIPTION	PRODUCT CODE	SIZE	COLOUR	WEIGHT
Bandolier	BANDOLIER	One size	Grey/Red	135g

► Cam range overlap table



Dave Rudkin aboard *The Pabbay Express* E5 6a,
Super Crag Trad, Scotland.  Ray Wood

Nuts



› Halfnuts 1-11

Single wire lightweight nuts that increase your protection options. Halfnuts excel in shallow placements, pin scars and situations where every gram counts.



› Wallnuts

Wallnuts are the backbone of a trad climbing rack. The tapered faces and sides provide secure placement options. Scooped faces aid stability and reduce weight.




› HB Alloy Offsets

Versatile nuts with an offset taper that allows them to protect flared and irregular cracks.



› Torque Nuts

Lightweight protection with an extendable Dynatec sling to help reduce rope drag. The camming action of the nut is ideal for protecting wider and parallel sided cracks.



› Wired Torque Nuts

Lightweight protection for wider and parallel sided cracks. Like our Torque Nuts they can be used in several orientations. Easier to control placing above your head. Great in winter.




› Micro Wallnuts

Straight sided micro-nuts that offer security in small placements.



› Peenuts

Offset micro-nuts that effectively protect small flared cracks and peg scars.



› IMP Brass Nuts

Straight sided brass micro-nuts that protect small cracks.



› HB Brass Offsets

Brass micro-nuts with an offset taper suitable for protecting small flared cracks.



› Nutbuster

An essential tool for retrieving stubborn rock climbing protection. Available in S22 in a choice of 4 colours



DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
Halfnut 1	A1671A	Purple	6.7/ 7.2mm	10g	4kN	EN12270:2013
Halfnut 2	A1672A	Green	8.2/ 7.9mm	10g	4kN	EN12270:2013
Halfnut 3	A1673A	Silver	9.4/ 8.9mm	18g	6 kN	EN12270:2013
Halfnut 4	A1674A	Gold	11.0/ 9.9mm	19g	6 kN	EN12270:2013
Halfnut 5	A1675A	Blue	13.2/ 11.3mm	21g	6 kN	EN12270:2013
Halfnut 6	A1676A	Red	15.6/ 12.8mm	24g	6 kN	EN12270:2013
Halfnut 7	A1677A	Grey	18.9/14.3mm	25g	6kN	EN12270:2013
Halfnut 8	A1678A	Turquoise	16.6/22.3mm	25g	7kN	EN12270:2013
Halfnut 9	A1679A	Gold	18.7/25.2mm	28g	7kN	EN12270:2013
Halfnut 10	A1680A	Silver	22/28.8mm	39g	9kN	EN12270:2013
Halfnut 11	A1681A	Green	24.5/33mm	46g	9kN	EN12270:2013
Halfnut Set 1-7	A1671/77A	Assorted	6.7-18.9mm	127g	4-6kN	EN12270:2013
Halfnut Set 8-11	A1678/81A	Assorted	16.6mm / 33.0mm	138g	7-9kN	EN12270:2013

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
Wallnut 1	A1611AA	Purple	6.7 / 14.3mm	15g	7kN	EN12270:2013, UIAA 124
Wallnut 2	A1612AA	Green	8.1 / 15.8mm	26g	9kN	EN12270:2013, UIAA 124
Wallnut 3	A1613AA	Silver	9.4 / 16.5mm	28g	11kN	EN12270:2013, UIAA 124
Wallnut 4	A1614AA	Gold	11.0 / 17.6mm	30g	12kN	EN12270:2013, UIAA 124
Wallnut 5	A1615AA	Blue	13.2 / 19.4mm	32g	12kN	EN12270:2013, UIAA 124
Wallnut 6	A1616AA	Red	15.6 / 22.6mm	39g	12kN	EN12270:2013, UIAA 124
Wallnut 7	A1617AA	Grey	18.9 / 25.8mm	40g	12kN	EN12270:2013, UIAA 124
Wallnut 8	A1618AA	Turquoise	22.3 / 29.0mm	45g	12kN	EN12270:2013, UIAA 124
Wallnut 9	A1619AA	Gold	25.2 / 32.1mm	50g	12kN	EN12270:2013, UIAA 124
Wallnut 10	A1620AA	Silver	28.8 / 32.6mm	56g	12kN	EN12270:2013, UIAA 124
Wallnut 11	A1621AA	Green	33.1 / 37.4mm	68g	12kN	EN12270:2013, UIAA 124
Wallnut Set 1-11	A1611/21AA	Assorted	6.7-37.4mm	429g	7-12kN	EN12270:2013, UIAA 124
Wallnut Set 1-6	A1611/16AA	Assorted	6.7-22.6mm	170g	7-12kN	EN12270:2013, UIAA 124
Wallnut Set 3-8	A1613/18AA	Assorted	9.4-29mm	114g	11-12kN	EN12270:2013, UIAA 124
Wallnut Set 7-11	A1617/21AA	Assorted	18.9-37.4mm	259g	12kN	EN12270:2013, UIAA 124

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
HB Alloy Offset 7	A1817AA	Gold	12.0 / 15.1mm	27g	12kN	EN12270:2013, UIAA 124
HB Alloy Offset 8	A1818AA	Blue	13.5 / 17.9mm	30g	12kN	EN12270:2013, UIAA 124
HB Alloy Offset 9	A1819AA	Red	17.1 / 21.4mm	33g	12kN	EN12270:2013, UIAA 124
HB Alloy Offset 10	A1820AA	Grey	19.4 / 25.1mm	40g	12kN	EN12270:2013, UIAA 124
HB Alloy Offset 11	A1821AA	Turquoise	23.2 / 30mm	52g	12kN	EN12270:2013, UIAA 124
HB Alloy Offset Set 7-11	A1817/21AA	Assorted	12.0-30mm	182g	12kN	EN12270:2013, UIAA 124

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
Torque Nut 1	A1741	Green	31 / 41mm	54g	14kN	EN12270:2013, UIAA 124
Torque Nut 2	A1742	Red	36 / 49mm	70g	14kN	EN12270:2013, UIAA 124
Torque Nut 3	A1743	Gold	44 / 59mm	104g	14kN	EN12270:2013, UIAA 124
Torque Nut 4	A1744	Blue	54 / 71mm	146g	14kN	EN12270:2013, UIAA 124
Torque Nut Set 1-4	A1741/44	Assorted	31-71mm	374g	14kN	EN12270:2013, UIAA 124

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
Wired Torque Nut 1	A1751A	Green	31 / 41mm	69g	12kN	EN12270:2013
Wired Torque Nut 2	A1752A	Red	36 / 49mm	86g	12kN	EN12270:2013
Wired Torque Nut 3	A1753A	Gold	44 / 59mm	114g	12kN	EN12270:2013
Wired Torque Nut 4	A1754A	Blue	54 / 71mm	161g	12kN	EN12270:2013
Wired Torque Nut Set 1-4	A1751/54A	Assorted	31-71mm	430g	12kN	EN12270:2013

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
Micro Walnut 00	A1600AA	Gold	4.0 / 9.7mm	5g	2kN	EN12270:2013, UIAA 124
Micro Walnut 0	A1610AA	Blue	4.6 / 10.8mm	6g	2kN	EN12270:2013, UIAA 124
Micro Walnut 0.5	A1658AA	Red	5.1 / 11.7mm	9g	4kN	EN12270:2013, UIAA 124
Micro Walnut 0.75	A1659AA	Grey	5.9 / 12.6mm	10g	6kN	EN12270:2013, UIAA 124
Micro Walnut Set 00-0.75	A1600/59AA	Assorted	4.0-12.6mm	30g	2-6kN	EN12270:2013, UIAA 124

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
Peenut 1	A1511AA	Red	6.5 / 11.5mm	8g	4kN	EN12270:2013, UIAA 124
Peenut 2	A1512AA	Grey	6.8 / 12.1mm	9g	5kN	EN12270:2013, UIAA 124
Peenut 3	A1513AA	Purple	7.8 / 12.7mm	10g	5kN	EN12270:2013, UIAA 124
Peenut 4	A1514AA	Green	8.9 / 13.2mm	16g	8kN	EN12270:2013, UIAA 124
Peenut 5	A1515AA	Silver	9.2 / 13.9mm	18g	8kN	EN12270:2013, UIAA 124
Peenut Set 1-5	A1511/15AA	Assorted	6.5-13.9mm	61g	4-8kN	EN12270:2013, UIAA 124

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
IMP Brass Nut 1	A1721A	Blue	4.0 / 5.6mm	4g	4kN	EN12270:2013, UIAA 124
IMP Brass Nut 2	A1722A	Red	4.8 / 6.4mm	8g	5kN	EN12270:2013, UIAA 124
IMP Brass Nut 3	A1723A	Silver	6.4 / 7.9mm	10g	5kN	EN12270:2013, UIAA 124
IMP Brass Nut 4	A1724A	Purple	7.9 / 9.5mm	13g	7kN	EN12270:2013, UIAA 124
IMP Brass Nut 5	A1725A	Green	9.5 / 11.7mm	16g	7kN	EN12270:2013, UIAA 124
IMP Brass Nut Set 1-5	A1721/25A	Assorted	4-11.7mm	51g	4-7kN	EN12270:2013, UIAA 124
IMP Brass Nut Set 2-4	A1722/24A	Assorted	4.8-9.5mm	31g	5-7kN	EN12270:2013, UIAA 124

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	STRENGTH	CONFORMANCE
HB Brass Offset 0	A1700A	Gold	3.7 / 5.5mm	4g	2kN	EN12270:2013, UIAA 124
HB Brass Offset 1	A1701A	Blue	4.3 / 6.5mm	7g	4kN	EN12270:2013, UIAA 124
HB Brass Offset 2	A1702A	Red	5.6 / 7.5mm	9g	5kN	EN12270:2013, UIAA 124
HB Brass Offset 3	A1703A	Grey	6.0 / 8.5mm	10g	5kN	EN12270:2013, UIAA 124
HB Brass Offset 4	A1704A	Purple	7.5 / 10.2mm	14g	7kN	EN12270:2013, UIAA 124
HB Brass Offset 5	A1705A	Green	8.6 / 11.7mm	17g	7kN	EN12270:2013, UIAA 124
HB Brass Offset 6	A1706A	Silver	9.8 / 13.9mm	24g	10kN	EN12270:2013, UIAA 124
HB Brass Offset Set 0-6	A1700/06A	Assorted	3.7-13.9mm	85g	2-10kN	EN12270:2013, UIAA 124
HB Brass Offset Set 2-4	A1702/04A	Assorted	5.6-10.2mm	33g	5-7kN	EN12270:2013, UIAA 124

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	STRENGTH	CONFORMANCE
Nutbuster	C1251BLK	Black	-	57g	N/A	N/A
Nutbuster	C1251GR	Green	-	57g	N/A	N/A
Nutbuster	C1251OR	Orange	-	57g	N/A	N/A
Nutbuster	C1251RD	Red	-	57g	N/A	N/A

Emma Twyford on the intense and fingery section of Murcia Wall (E8.6c), Pembroke, Wales. 📷 Ray Wood

Carabiners

A solid red horizontal bar located at the bottom left of the page, below the main title.

New

> Alpha Wire

Ergonomic, full-sized, clean-nosed carabiner for all climbing and mountaineering disciplines.

- Highly ergonomic and easy to clip.
- Clean nose design that won't get snagged on rope, wires, or bolts.
- Versatile: can be used for all climbing and mountaineering disciplines.
- Generous rope radiuses: that minimise drag, reduce force on protection and help with rope longevity.



DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Alpha Wire	A608MG	Matt Grey	60 x 100mm	36g	25kN	9kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
Alpha Wire	A608RD	Red	60 x 100mm	36g	25kN	9kN	9kN	25mm	EN12275:2013 B, UIAA121:2009



> Chimera

The ultimate lightweight carabiner that strikes a balance between weight, strength and function. I Beam construction with our clean nose design.



MAJOR AXIS | 23kN

WEIGHT | 30g



> Spectre

A classic all-round carabiner suitable for trad, sport and winter climbing.



MAJOR AXIS | 24kN

WEIGHT | 33g



> Phantom

Weighing just 28g but still achieving 23kN strength, the Phantom is the perfect carabiner when weight is the prime concern.



MAJOR AXIS | 23kN

WEIGHT | 28g



> Alpha Sport Straight

An ergonomic sport climbing carabiner that gives confident handling, easy clipping, and durability for working routes.



MAJOR AXIS | 24kN

WEIGHT | 46g



› Alpha Sport Bent

The ergonomic Alpha shape with a hot-forged, curved gate for smooth clipping on the rope end of a sport quickdraw.



MAJOR AXIS | 24kN
WEIGHT | 47g



› Shadow Straight

A lightweight sport carabiner that is still tough enough to withstand working routes. Also ideal for climbers who occasionally trad climb.



MAJOR AXIS | 24kN
WEIGHT | 42g



› Shadow Bent

A lightweight and clean nose sport carabiner for the rope clipping end of a quickdraw.



MAJOR AXIS | 24kN
WEIGHT | 43g



› PerfectO Straight

A compact, true oval carabiner that maintains ease of use and is suitable for racking gear.



MAJOR AXIS | 24kN
WEIGHT | 50g



› WalIDO

The WalIDO is an Offset oval wiregate, with a large gate opening and narrow nose, the WalIDO can be clipped into anything from complicated anchors to tiny pegs.



MAJOR AXIS | 23kN
WEIGHT | 37g



› Revolver

The innovative combination of a pulley wheel in a carabiner for reducing rope drag. It can also be used in an improvised hauling system.



MAJOR AXIS | 24kN
WEIGHT | 51g



New

› XSRE Wire

With an offset oval wiregate and I-Beam construction for optimum strength to weight ratio.



MAJOR AXIS | 4kN
WEIGHT | 8g
NON PPE



› XSRE

A fully featured miniature carabiner that can be used for any non-safety critical use that comes to mind.



MAJOR AXIS | 4kN
WEIGHT | 8g
NON PPE



› Alpha Steel

Forging the body of our ergonomic Alpha shape in steel creates the best handling gym draw on the market. The aluminium gate gives the same easy clipping experience as with our standard Alpha biners. Available with or without a captive bar.

MAJOR AXIS	26kN
WEIGHT	134g



› Chimera Colour 6 Pack

Pack of six colour Chimera carabiners to match our cams




› Spectre Colour 6 Pack

Pack of six colour Spectre carabiners to match our cams



› Phantom Colour 6 Pack

Pack of six colour Phantom carabiners to match our cams



› WalIDO Rack Pack

Pack of four colour WalIDO carabiners to help organise your protection.



› PerfectO Rack Pack

Pack of four colour PerfectO carabiners to help organise your protection.

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Chimera	A398BL	Blue	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera	A398GD	Gold	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera	A398GR	Green	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera	A398LG	Lime	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera	A398MG	Matt Grey	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera	A398PR	Purple	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera	A398RD	Red	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera	A398	Silver	30g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
Chimera Colour 6 Pack	A398-P6	Assorted	180g	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Spectre	A358BL	Blue	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre	A358GL	Gold	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre	A358GR	Green	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre	A358MG	Matt Grey	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre	A358PR	Purple	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre	A358RD	Red	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre	A358	Silver	56 x 97mm	33g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre 6 Pack	A358SI-P6	Silver	56 x 97mm	198g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
Spectre Colour 6 Pack	A358-P6	Assorted	56 x 97mm	198g	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Phantom	A318BL	Blue	28g	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom	A318GL	Gold	28g	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom	A318GR	Green	28g	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom	A318MG	Matt Grey	28g	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom	A318OR	Orange	28g	52 x 99mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom	A318PR	Purple	28g	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom	A318RD	Red	28g	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom	A318	Silver	28g	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
Phantom Colour 6 Pack	A318-P6	Assorted	168g	53 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Alpha Sport Straight Gate	A521LG	Titanium/Lime	46g	61 x 102mm	24kN	8kN	9kN	22mm	EN12275:2013 B, UIAA105:2008
Alpha Sport Straight Gate	A521RD	Titanium/Red	46g	61 x 102mm	24kN	8kN	9kN	22mm	EN12275:2013 B, UIAA105:2009
Alpha Sport Bent Gate	A526LG	Lime/Titanium	47g	61 x 102mm	24kN	8kN	9kN	25mm	EN12275:2013 B, UIAA121 Class B
Alpha Sport Bent Gate	A526RD	Red/Titanium	47g	61 x 102mm	24kN	8kN	9kN	25mm	EN12275:2013 B, UIAA121 Class B

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Shadow Straight Gate	A301BL	Titanium/Blue	42g	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
Shadow Straight Gate 6 Pack	A301BL-P6	Titanium/Blue	252g	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
Shadow Straight Gate	A301P	Titanium/Purple	42g	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
Shadow Straight Gate 6 Pack	A301P-P6	Titanium/Purple	252g	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Shadow Bent Gate	A306BL	Blue/Titanium	43g	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B
Shadow Bent Gate 6 Pack	A306BL-P6	Blue/Titanium	258g	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B
Shadow Bent Gate	A306P	Purple/Titanium	43g	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B
Shadow Bent Gate 6 Pack	A306P-P6	Purple/Titanium	258g	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
PerfectO	A591	Titanium/Lime	50g	56 x 95mm	24kN	7kN	7kN	19mm	EN12275:2013 B
PerfectO	A591BL	Blue/Titanium	50g	56 x 95mm	24kN	7kN	7kN	19mm	EN12275:2013 B
PerfectO	A591GR	Green/Titanium	50g	56 x 95mm	24kN	7kN	7kN	19mm	EN12275:2013 B
PerfectO	A591OR	Orange/Titanium	50g	56 x 95mm	24kN	7kN	7kN	19mm	EN12275:2013 B
PerfectO	A591RD	Red/Titanium	50g	56 x 95mm	24kN	7kN	7kN	19mm	EN12275:2013 B
PerfectO Rack 4 Pack	A591-P4	Green/Blue/Red/Orange	200g	56 x 95mm	24kN	7kN	7kN	19mm	EN12275:2013 B

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
WallDO	A408BL	Blue	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408GR	Green	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408LG	Lime	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408MG	Matt Grey	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408OR	Orange	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408PK	Pink	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408PR	Purple	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408RD	Red	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO	A408TQ	Turquoise	37g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013
WallDO Rack 4 pack	A408-P4	Assorted	148g	56 x 97mm	23kN	9kN	7kN	25mm	EN12275:2013

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Revolver	A238LG	Lime	51g	59 x 103mm	24kN	7kN	9kN	24mm	EN12275:2013 B, UIAA121:2009 Class B
Revolver	A238MG	Matt Grey	51g	59 x 103mm	24kN	7kN	9kN	24mm	EN12275:2013 B, UIAA121:2009 Class B

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	DIMENSION	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
XSRE Wire	A538BLK	Black	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538BL	Blue	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538GR	Green	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538LG	Lime Green	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538PK	Pink	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538PR	Purple	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538RD	Red	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538TQ	Turquoise	9g	34 x 60mm	4kN	-	-	16mm	Not PPE
XSRE Wire	A538MG	Matt Grey	9g	34 x 60mm	4kN	-	-	16mm	Not PPE

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
XSRE	A531BL	Blue	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531GR	Green	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531LG	Lime Green	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531MG	Matt Grey	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531OR	Orange	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531PR	Pink	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531PR	Purple	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531RD	Red	32 x 57mm	8g	4kN	-	-	13mm	Not PPE
XSRE	A531TQ	Turquoise	32 x 57mm	8g	4kN	-	-	13mm	Not PPE

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	CONFORMANCE
Alpha Steel	C526	Black/Lime	62 x 107mm	134g	26kN	EN12275:2013 B
Alpha Steel Captive Bar	C526CB	Black/Lime	62 x 107mm	135g	26kN	EN12275:2013 B

Zoë Wood en-route to her first 8a, *Never get out of the Boat*, Little Orme, north Wales.

© Ray Wood



› Alpha Wire

An ergonomic full size wire gate quickdraw with a clean nose and wide gate opening for easy clipping.

11mm Dynatec
12cm, 18cm, 25cm



› Chimera

The ultimate lightweight quickdraw that strikes a balance between weight, strength and function. I Beam, clean nose carabiners with a lightweight Dynatec sling. Alpine 60cm quickdraw also available.

11mm Dynatec
12cm, 18cm, 25cm, 60cm



› Spectre

A classic all-round quickdraw that is suitable for trad, sport or winter climbing.

11mm Dynatec
12cm, 18cm, 25cm



› Phantom

Starting from just 65g, the Phantom is the perfect quickdraw when weight is the prime concern. Alpine 60cm quickdraw also available.

11mm Dynatec
12cm, 18cm, 25cm, 60cm

Quickdraws



› Alpha Sport

An ergonomic sport climbing quickdraw that gives confident handling, easy clipping, and durability for working routes.

Nylon vari-width
12cm, 18cm, 25cm



› Shadow

A lightweight sport quickdraw that is still tough enough to withstand working routes. Ideal for redpointing and onsighting.

Nylon vari-width
12cm, 18cm, 25cm



› Shadow/Spectre Hybrid

A Shadow/Spectre hybrid on a vari-width quickdraw for long sport routes when weight saving is at a premium.

Nylon vari-width
12cm, 18cm, 25cm



› Alpha Steel

Forging the body of our ergonomic Alpha shape in steel creates the best handling gym draw on the market. The aluminium gate gives the same easy clipping experience as with our standard Alpha biners.

Nylon vari-width
12cm, 18cm



Harriet Ridley on the iconic groove pitch of *The Quarryman* (E8 7a) during her one day no-falls ascent, Dinorwig Quarry, north Wales.
 Ray Wood



› Alpha Wire 6 pack

11mm Dynatec
12cm, 18cm, 25cm



› Chimera 6 pack

11mm Dynatec
12cm, 18cm, 25cm



› Spectre 6 pack

11mm Dynatec
12cm, 18cm, 25cm



› Phantom 6 pack

11mm Dynatec
12cm, 18cm, 25cm



› Alpha Sport 6 pack

Nylon vari-width
12cm, 18cm, 25cm



› Shadow 6 pack

Nylon vari-width
12cm, 18cm, 25cm



› Shadow/Spectre Hybrid 6 pack

Nylon vari-width
12cm, 18cm



DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Alpha Wire Quickdraw 12cm	A608-12RD	Matt Grey/Red	12cm	79g	25mm	EN12275:2013 B, EN566:2017
Alpha Wire Quickdraw 12cm 6 Pack	A608-12RDP6	Matt Grey/Red	12cm	474g	25mm	EN12275:2013 B, EN566:2017
Alpha Wire Quickdraw 18cm	A608-18RD	Matt Grey/Red	18cm	81g	25mm	EN12275:2013 B, EN566:2017
Alpha Wire Quickdraw 18cm 6 Pack	A608-18RDP6	Matt Grey/Red	18cm	486g	25mm	EN12275:2013 B, EN566:2017
Alpha Wire Quickdraw 25cm	A608-25RD	Matt Grey/Red	25cm	84g	25mm	EN12275:2013 B, EN566:2017
Alpha Wire Quickdraw 25cm 6 Pack	A608-25RDP6	Matt Grey/Red	25cm	504g	25mm	EN12275:2013 B, EN566:2017

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Chimera Quickdraw 12cm	A398-12LG	Matt Grey/Lime	12cm	69g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 12cm 6 Pack	A398-12LGP6	Matt Grey/Lime	12cm	414g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 18cm	A398-18LG	Matt Grey/Lime	18cm	71g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 18cm 6 Pack	A398-18LGP6	Matt Grey/Lime	18cm	426g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 25cm	A398-25LG	Matt Grey/Lime	25cm	74g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 25cm 6 Pack	A398-25LGP6	Matt Grey/Lime	25cm	444g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 12cm	A398-12PR	Matt Grey/Purple	12cm	69g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 12cm 6 Pack	A398-12PRP6	Matt Grey/Purple	12cm	414g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 18cm	A398-18PR	Matt Grey/Purple	18cm	71g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 18cm 6 Pack	A398-18PRP6	Matt Grey/Purple	18cm	426g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 25cm	A398-25PR	Matt Grey/Purple	25cm	74g	21mm	EN12275:2013 B, EN566:2017
Chimera Quickdraw 25cm 6 Pack	A398-25PRP6	Matt Grey/Purple	18cm	444g	21mm	EN12275:2013 B, EN566:2017
Chimera Alpine Quickdraw 60cm	A398-60PR	Matt Grey/Purple	60cm	80g	21mm	EN12275:2013 B, EN566:2017

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Spectre Quickdraw 12cm	A358-12BLA	Matt Grey/Blue	12cm	75g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 12cm 6 Pack	A358-12BLAP6	Matt Grey/Blue	12cm	450g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 18cm	A358-18BLA	Matt Grey/Blue	18cm	77g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 18cm 6 Pack	A358-18BLAP6	Matt Grey/Blue	18cm	462g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 25cm	A358-25BLA	Matt Grey/Blue	25cm	80g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 25cm 6 Pack	A358-25BLAP6	Matt Grey/Blue	25cm	480g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 12cm	A358-12GRA	Matt Grey/Green	12cm	75g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 12cm 6 Pack	A358-12GRAP6	Matt Grey/Green	12cm	450g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 18cm	A358-18GRA	Matt Grey/Green	18cm	77g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 18cm 6 Pack	A358-18GRAP6	Matt Grey/Green	18cm	462g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 25cm	A358-25GRA	Matt Grey/Green	25cm	80g	23mm	EN12275:2013 B, EN566:2017
Spectre Quickdraw 25cm 6 Pack	A358-25GRAP6	Matt Grey/Green	25cm	480g	23mm	EN12275:2013 B, EN566:2017

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Phantom Quickdraw 12cm	A318-12ORA	Matt Grey/Orange	12cm	65g	21mm	EN12275:2013 B, EN566:2017
Phantom Quickdraw 12cm 6 Pack	A318-12ORAP6	Matt Grey/Orange	12cm	390g	21mm	EN12275:2013 B, EN566:2017
Phantom Quickdraw 18cm	A318-18ORA	Matt Grey/Orange	18cm	67g	21mm	EN12275:2013 B, EN566:2017
Phantom Quickdraw 18cm 6 Pack	A318-18ORAP6	Matt Grey/Orange	18cm	402g	21mm	EN12275:2013 B, EN566:2017
Phantom Quickdraw 25cm	A318-25ORA	Matt Grey/Orange	25cm	70g	21mm	EN12275:2013 B, EN566:2017
Phantom Quickdraw 25cm 6 Pack	A318-25ORAP6	Matt Grey/Orange	18cm	420g	21mm	EN12275:2013 B, EN566:2017
Phantom Alpine Quickdraw 60cm	A318-60ORA	Matt Grey/Orange	60cm	76g	21mm	EN12275:2013 B, EN566:2017

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Alpha Sport Quickdraw 12cm	A526LG-12VW	Titanium/Lime	12cm	112g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 12cm 6 Pack	A526LG-12VWP6	Titanium/Lime	12cm	672g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 18cm	A526LG-18VW	Titanium/Lime	18cm	117g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 18cm 6 Pack	A526LG-18VWP6	Titanium/Lime	18cm	702g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 25cm	A526LG-25VW	Titanium/Lime	25cm	122g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 25cm 6 Pack	A526LG-25VWP6	Titanium/Lime	25cm	732g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 12cm	A526RD-12VW	Titanium/Red	12cm	112g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 12cm 6 Pack	A526RD-12VWP6	Titanium/Red	12cm	672g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 18cm	A526RD-18VW	Titanium/Red	18cm	117g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 18cm 6 Pack	A526RD-18VWP6	Titanium/Red	18cm	702g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 25cm	A526RD-25VW	Titanium/Red	25cm	122g	22/25mm	EN12275:2013 B, EN566:2017
Alpha Sport Quickdraw 25cm 6 Pack	A526RD-25VWP6	Titanium/Red	25cm	732g	22/25mm	EN12275:2013 B, EN566:2017

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Shadow Quickdraw 12cm	A306BL-12	Titanium/Blue	12cm	103g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 12cm 6 Pack	A306BL-12P6	Titanium/Blue	12cm	618g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 18cm	A306BL-18	Titanium/Blue	18cm	108g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 18cm 6 Pack	A306BL-18P6	Titanium/Blue	18cm	648g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 25cm	A306BL-25	Titanium/Blue	25cm	113g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 25cm 6 Pack	A306BL-25P6	Titanium/Blue	25cm	678g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 12cm	A306P-12VW	Titanium/Purple	12cm	103g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 12cm 6 Pack	A306P-12VWP6	Titanium/Purple	12cm	618g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 18cm	A306P-18VW	Titanium/Purple	18cm	108g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 18cm 6 Pack	A306P-18VWP6	Titanium/Purple	18cm	648g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 25cm	A306P-25VW	Titanium/Purple	25cm	113g	20/25mm	EN12275:2013 B, EN566:2017
Shadow Quickdraw 25cm 6 Pack	A306P-25VWP6	Titanium/Purple	25cm	678g	20/25mm	EN12275:2013 B, EN566:2017

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Shadow/Spectre Hybrid Quickdraw 12cm	A301-358PR-12	Titanium/Purple	12cm	93g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 12cm 6 Pack	A301-358PR-12P6	Titanium/Purple	12cm	558g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 18cm	A301-358PR-18	Titanium/Purple	18cm	98g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 18cm 6 Pack	A301-358PR-18P6	Titanium/Purple	18cm	588g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 25cm	A301-358PR-25	Titanium/Purple	25cm	103g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 12cm	A301-358BL-12	Titanium/Blue	12cm	93g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 12cm 6 Pack	A301-358BL-12P6	Titanium/Blue	12cm	558g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 18cm	A301-358BL-18	Titanium/Blue	18cm	98g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 18cm 6 Pack	A301-358BL-18P6	Titanium/Blue	18cm	588g	20/23mm	EN12275:2013 B, EN566:2017
Shadow/Spectre Hybrid Quickdraw 25cm	A301-358BL-25	Titanium/Blue	25cm	103g	20/23mm	EN12275:2013 B, EN566:2017

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	GATE OPENING	CONFORMANCE
Alpha Steel Quickdraw 12cm	C526-12	Black	12cm	151g	26kN	EN12275:2013 B, EN566:2017
Alpha Steel/Maillon Quickdraw 12cm	C526-12MR	Silver/Black	12cm	288g	26kN	EN12275:2013 B, EN566:2017, EN12275:2013
Alpha Steel Quickdraw 18cm	C526-18	Black	18cm	156g	26kN	EN12275:2013 B, EN566:2017
Alpha Steel/Maillon Quickdraw 18cm	C526-18MR	Silver/Black	18cm	293g	26kN	EN12275:2013 B, EN566:2017, EN12275:2013

Slings

A solid red horizontal bar.

James McHaffie heading towards the finish of the four star Spaced out Rockers on the Road to Oblivion (E4 5c, 5c), Reiff, Scotland.
 Ray Wood

[Belay & Descent](#)

[Harnesses](#)

[Winter Equipment](#)

[Walls & Centres](#)

[Bags & Chalk](#)





› Nylon Vari-width

Sport climbing slings that are easy to pull on when working routes. Rubber keeper included.



› Dynatec 11mm

Lightweight Dynatec quickdraw slings with in-built keeper.



› Dynatec 8mm

Ultra-thin, lightweight slings for minimising rack weight and ideal for threads



› Dynatec 11mm

Lightweight slings for creating threads, runners and anchors.




› Nylon 16mm

Durable nylon slings for creating threads and anchors.



› Nylon 26mm

Strong and durable nylon slings for heavy duty use.



› Dynatec Daisy Chains

Dynatec daisy chain for aid climbing



DESCRIPTION	PRODUCT CODE	LENGTH	COLOUR	WEIGHT	STRENGTH	CONFORMANCE
Nylon Variwidth Logo Quickdraw Sling 12cm	MA16SL12	12cm	Anthracite	18g	22kN	EN566:2017
Nylon Variwidth Logo Quickdraw Sling 18mm	MA16SL18	18cm	Anthracite	24g	22kN	EN566:2017
Nylon Variwidth Logo Quickdraw Sling 25cm	MA16SL25	25cm	Anthracite	33g	22kN	EN566:2017
Nylon Variwidth Quickdraw Keeper 5 Pack	KEEPVW-P5	-	Black	-	-	N/A

DESCRIPTION	PRODUCT CODE	LENGTH	COLOUR	WEIGHT	STRENGTH	CONFORMANCE
11mm Dynatec Quickdraw Sling	SP1112ASGY	12cm	Grey	9g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Quickdraw Sling	SP1112ASRD	12cm	Red	9g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Quickdraw Sling	SP1118AS	18cm	Grey	14g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Quickdraw Sling	SP1118ASRD	18cm	Red	14g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Quickdraw Sling	SP1125ASGY	25cm	Grey	18g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Quickdraw Sling	SP1125AS	25cm	Red	18g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104

DESCRIPTION	PRODUCT CODE	LENGTH	COLOUR	WEIGHT	STRENGTH	CONFORMANCE
8mm Dynatec Sling	SP0830GR	30cm	Green	10g	22kN	EN566:2017
8mm Dynatec Sling	SP0830GY	30cm	Grey	10g	22kN	EN566:2017
8mm Dynatec Sling	SP0860GD	60cm	Gold	19g	22kN	EN566:2017
8mm Dynatec Sling	SP0860PR	60cm	Purple	19g	22kN	EN566:2017
8mm Dynatec Sling	SP08120GY	120cm	Grey	35g	22kN	EN566:2017
8mm Dynatec Sling	SP08120RD	120cm	Red	35g	22kN	EN566:2017
8mm Dynatec Sling	SP08240GR	240cm	Green	68g	22kN	EN566:2017
8mm Dynatec Sling	SP08240BL	240cm	Blue	68g	22kN	EN566:2017
8mm Dynatec Sling	SP08400BL	400cm	Blue	110g	22kN	EN566:2017

DESCRIPTION	PRODUCT CODE	LENGTH	COLOUR	WEIGHT	STRENGTH	CONFORMANCE
11mm Dynatec Sling	SP1160OR	60cm	Orange	26g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Sling	SP1160PR	60cm	Purple	26g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Sling	SP1160GD	60cm	Gold	26g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Sling	SP11120GY	120cm	Grey	52g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Sling	SP11120LG	120cm	Lime	52g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Sling	SP11120RD	120cm	Red	52g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Sling	SP11240BL	240cm	Blue	104g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104
11mm Dynatec Sling	SP11240GR	240cm	Green	104g	22kN	EN566:2017, EN354:2010, EN795:2012 B, UIAA104

DESCRIPTION	PRODUCT CODE	LENGTH	COLOUR	WEIGHT	STRENGTH	CONFORMANCE
16mm Nylon Sling 60cm	MA1660BLK	60cm	Black	47g	22kN	EN566:2017, EN354:2010, EN795:2012 B
16mm Nylon Sling 60cm	MA1660RD	60cm	Red	47g	22kN	EN566:2017, EN354:2010, EN795:2012 B
16mm Nylon Sling 120cm	MA16120BLK	120cm	Black	92g	22kN	EN566:2017, EN354:2010, EN795:2012 B
16mm Nylon Sling 120cm	MA16120BL	120cm	Blue	92g	22kN	EN566:2017, EN354:2010, EN795:2012 B
16mm Nylon Sling 240cm	MA16240BLK	240cm	Black	180g	22kN	EN566:2017, EN354:2010, EN795:2012 B
16mm Nylon Sling 240cm	MA16240RD	240cm	Red	180g	22kN	EN566:2017, EN354:2010, EN795:2012 B

DESCRIPTION	PRODUCT CODE	LENGTH	COLOUR	WEIGHT	STRENGTH	CONFORMANCE
26mm Nylon Sling 60cm	MA2660BLK	60cm	Black	72g	30kN	EN566:2017, EN354:2010, EN795:2012 B
26mm Nylon Sling 120cm	MA26120BLK	120cm	Black	138g	30kN	EN566:2017, EN354:2010, EN795:2012 B
26mm Nylon Sling 240cm	MA26240BLK	240cm	Black	276g	30kN	EN566:2017, EN354:2010, EN795:2012 B

DESCRIPTION	PRODUCT CODE	LENGTH	COLOUR	WEIGHT	STRENGTH	CONFORMANCE
Dynatec Daisy Chain	DCDY135BL	135cm	Blue		22kN	EN566:2017
Dynatec Daisy Chain	DCDY135RD	135cm	Red		22kN	EN566:2017



Locking Carabiners

A solid red horizontal bar located at the bottom left of the page, below the main title.



Mick Lovatt and Nick Bullock on day one of the 2nd ascent of Craig Dorys' 1240 ft girdle, *War and Peace* (E6), north Wales.  Ray Wood



Shadow HMS

A large, yet lightweight, HMS carabiner with a short gate to maximise gate opening. The deep and wide top basket can take three clove hitches (<9.5mm rope).



MAJOR AXIS | 27kN
WEIGHT | 70g

SCREWGATE, KWIKLOCK, LOCKSAFE



Phantom HMS

A compact, lightweight carabiner ideally suited for belaying and rigging.



MAJOR AXIS | 25kN
WEIGHT | 56g

SCREWGATE, KWIKLOCK, LOCKSAFE



Ceros

The Ceros features an internal wiregate to correctly align the carabiner on the belay loop; minimising the chance of cross-loading. The horn prevents devices from rotating to the spine of the carabiner.



MAJOR AXIS | 25kN
WEIGHT | 86g

SCREWGATE, KWIKLOCK, LOCKSAFE



Belay Master

A belay carabiner with a nylon clip that prevents cross-loading and ensures the gate is closed and locked.



MAJOR AXIS | 25kN
WEIGHT | 93g

SCREWGATE



Phantom

A lightweight locking carabiner that helps minimise rack weight.



MAJOR AXIS | 24kN
WEIGHT | 42g

SCREWGATE



Shadow

A mid-size multipurpose locking carabiner.



MAJOR AXIS | 24kN
WEIGHT | 50g

SCREWGATE, KWIKLOCK, LOCKSAFE



Ultra O

A very stable locking carabiner that gives predictable loading and allows attachments to sit centrally.



MAJOR AXIS | 25kN
WEIGHT | 67g

SCREWGATE, KWIKLOCK, LOCKSAFE



PerfectO

A compact, true oval carabiner that is easy to use one-handed. It provides effective centring of loads.



MAJOR AXIS | 24kN
WEIGHT | 60g

SCREWGATE, KWIKLOCK, LOCKSAFE




› Revolver

A locking carabiner with an integrated pulley wheel that reduces friction and rope drag. It can be used in lightweight hauling systems.



MAJOR AXIS	24kN
WEIGHT	63g

SCREWGATE, KWIKLOCK, LOCKSAFE



› XSRE Lock

Useful on a harness to organise gear as it is clipping keys onto a belt loop. The screwgate locking version gives increased security when required.



› XSRE Lock Captive Bar

Locking screwgate and captive bar for extra security. The removable threaded captive bar helps ensure the correct orientation with lanyards and holds components securely.



XSRE Lock Captive Bar being used with a tool lanyard.
📷 Ray Wood

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Shadow HMS Screwgate	A682BL	Blue	TBC	70g	26kN	9kN	7kN	22mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Screwgate	A682GR	Green	TBC	70g	26kN	9kN	7kN	22mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Screwgate	A682LG	Lime	TBC	70g	26kN	9kN	7kN	22mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Screwgate	A682MG	Matt Grey	TBC	70g	26kN	9kN	7kN	22mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Screwgate	A682OR	Orange	TBC	70g	26kN	9kN	7kN	22mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Screwgate	A682RD	Red	TBC	70g	26kN	9kN	7kN	22mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Screwgate	A682	Titanium/Lime	TBC	70g	26kN	9kN	7kN	22mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Kwiklock	A683	Titanium/Red	TBC	74g	26kN	9kN	7kN	21mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Kwiklock	A683MG	Matt Grey	TBC	74g	26kN	9kN	7kN	21mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Locksafe	A687	Titanium/Lime	TBC	75g	26kN	9kN	7kN	21mm	EN362:2004 B, EN12275:2013 H
Shadow HMS Locksafe	A687MG	Matt Grey	TBC	75g	26kN	9kN	7kN	21mm	EN362:2004 B, EN12275:2013 H

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Phantom HMS Screwgate	A57BL	Blue	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Screwgate	A572GR	Green	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Screwgate	A572LG	Lime	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Screwgate	A572MG	Matt Grey	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Screwgate	A572OR	Orange	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Kwiklock	A573MG	Red	71 x 96mm	61g	25kN	9kN	7kN	19mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Screwgate	A572	Titanium/Lime	71 x 96mm	56g	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Kwiklock	A573MG	Matt Grey	71 x 96mm	61g	25kN	9kN	7kN	19mm	EN362:2004 B, EN12275:2013 H
Phantom HMS Locksafe	A577MG	Matt Grey	71 x 96mm	62g	25kN	9kN	7kN	19mm	EN362:2004 B, EN12275:2013 H

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Ceros Screwgate	A562LG	Lime	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 T, EN12275:2013 B/H/T
Ceros Screwgate	A562MG	Matt Grey	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 T, EN12275:2013 B/H/T
Ceros Screwgate	A562OR	Orange	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 T, EN12275:2013 B/H/T
Ceros Screwgate	A562	Titanium/Lime	74 x 121mm	86g	25kN	7kN	7kN	20mm	EN362:2004 T, EN12275:2013 B/H/T
Ceros Kwiklock	A563	Titanium/Red	74 x 121mm	92g	25kN	7kN	7kN	19mm	EN362:2004 T, EN12275:2013 B/H/T
Ceros Kwiklock	A563MG	Matt Grey	74 x 121mm	92g	25kN	7kN	7kN	19mm	EN362:2004 T, EN12275:2013 B/H/T
Ceros Locksafe	A567	Titanium/Green	74 x 121mm	93g	25kN	7kN	7kN	19mm	EN362:2004 T, EN12275:2013 B/H/T
Ceros Locksafe	A567MG	Matt Grey	74 x 121mm	93g	25kN	7kN	7kN	19mm	EN362:2004 T, EN12275:2013 B/H/T

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Belay Master	A872LG	Lime	70 x 115mm	93g	25kN	10kN	8kN	20mm	EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009
Belay Master	A872MG	Matt Grey	70 x 115mm	93g	25kN	10kN	8kN	20mm	EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009
Belay Master	A872OR	Orange	70 x 115mm	93g	25kN	10kN	8kN	20mm	EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009
Belay Master	A872	Titanium/Lime	70 x 115mm	93g	25kN	10kN	8kN	20mm	EN362:2004 B/T, EN12275:2013 B/H, UIAA121:2009
Belay Master Clip (Old Gates)	A860-02	Black	ONA	25g	ONA	ONA	ONA	ONA	Not PPE
Belay Master Clip (New Gates)	A860-02S	Black	ONA	25g	ONA	ONA	ONA	ONA	Not PPE

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Phantom Screwgate	A312MG	Lime	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Phantom Screwgate	A312MG	Matt Grey	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Phantom Screwgate	A312OR	Orange	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Phantom Screwgate	A312OR	Titanium/Lime	54 x 94mm	42g	24kN	9kN	9kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Shadow Screwgate	A302BL	Blue	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate	A302GR	Green	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate	A302LG	Lime	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate	A302MG	Matt Grey	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate	A302OR	Orange	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate	A302RD	Red	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate	A302	Titanium/Green	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate Colour 3 Pack	A302-P3	Blue/Red/Green	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Screwgate Colour 3 Pack	A302-P3A	Lime/Orange/Matt Grey	62 x 102mm	50g	24kN	7kN	9kN	18mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009

Shadow Kwiklock	A303	Titanium/Red	62 x 102mm	57g	24kN	7kN	9kN	17mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Kwiklock	A303MG	Matt Grey	62 x 102mm	57g	24kN	7kN	9kN	17mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Locksafe	A307	Titanium/Green	62 x 102mm	58g	24kN	7kN	9kN	17mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Shadow Locksafe	A307MG	Matt Grey	62 x 102mm	58g	24kN	7kN	9kN	17mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Ultra O Screwgate	A322BL	Blue	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate	A322GR	Green	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate	A322LG	Lime	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate	A322MG	Matt Grey	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate	A322OR	Orange	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate	A322RD	Red	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate	A322	Titanium/Green	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate Colour 3 Pack	A322-P3	Blue/Red/Green	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Screwgate Colour 3 Pack	A322-P3A	Lime/Orange/Purple	63 x 109mm	67g	25kN	12kN	7kN	22mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Kwiklock	A323	Titanium/Red	63 x 109mm	74g	25kN	12kN	7kN	19mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Kwiklock	A323MG	Matt Grey	63 x 109mm	74g	25kN	12kN	7kN	19mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Locksafe	A327MG	Titanium/Green	63 x 109mm	74g	25kN	12kN	7kN	19mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Ultra O Locksafe	A327MG	Matt Grey	63 x 109mm	74g	25kN	12kN	7kN	19mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
PerfectO Screwgate	A592LG	Lime	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 X/B, EN362:2004 B
PerfectO Screwgate	A592MG	Matt Grey	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 X/B, EN362:2004 B
PerfectO Screwgate	A592OR	Orange	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 X/B, EN362:2004 B
PerfectO Kwiklock	A592MG	Matt Grey	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 X/B, EN362:2004 B
PerfectO Screwgate	A592MG	Matt Grey	56 X 95mm	60g	24kN	7kN	7kN	16mm	EN12275:2013 X/B, EN362:2004 B

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
Revolver Screwgate	A272LG	Lime	60 x 109mm	63g	24kN	8kN	8kN	16mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Revolver Screwgate	A272MG	Matt Grey	60 x 109mm	63g	24kN	8kN	8kN	16mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Revolver Screwgate	A272	Titanium/Green	60 x 109mm	63g	24kN	8kN	8kN	16mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Revolver Kwiklock	A273	Titanium/Red	60 x 109mm	69g	24kN	8kN	8kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Revolver Kwiklock	A273MG	Matt Grey	60 x 109mm	69g	24kN	8kN	8kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Revolver Locksafe	A277	Titanium/Green	60 x 109mm	70g	24kN	8kN	8kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
Revolver Locksafe	A277MG	Matt Grey	60 x 109mm	70g	24kN	8kN	8kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSION	WEIGHT	MBS (MAJOR AXIS)	GATE OPENING	CONFORMANCE
XSRE Lock	A532BL	Blue	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532GR	Green	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532LG	Lime	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532MG	Matt Grey	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532OR	Orange	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532PK	Pink	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532PR	Purple	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532RD	Red	35 x 57mm	10g	4kN	12mm	NOT PPE
XSRE Lock	A532TQ	Turquoise	35 x 57mm	10g	4kN	12mm	NOT PPE

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS	WEIGHT	MBS (MAJOR AXIS)	GATE OPENING	CONFORMANCE
XSRE Lock Captive Bar	A482CBBL	Blue	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBGR	Green	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBLG	Lime	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBMG	Matt Grey	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBOR	Orange	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBPK	Pink	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBPR	Purple	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBRD	Red	34 x 61mm	12g	4kN	12mm	NOT PPE
XSRE Lock Captive Bar	A482CBTQ	Turquoise	34 x 61mm	12g	4kN	12mm	NOT PPE



Belay & Descent



Zoë Wood and Libby Peter having a day at the seaside on
Mask of the Red Death (E3 5c, 5c), Rhoscolyn, north Wales.
📷 Ray Wood



› Pivot

A versatile, high performance belay device. The Pivot's shackle reduces the force needed to initiate lowering, increasing control when lowering one or two seconds in guide mode.



› Pivot/Phantom HMS Belay Set

A compact and lightweight technical belay set.



› Mantis

A very lightweight belay device that inspires confident belaying. It is suitable for all round climbing with single, half, or twin ropes.



› Mantis/Shadow HMS Belay Set

A compact and lightweight technical belay set.



› Figure 8

The classic abseil device, ideal for walls and centres running group abseil sessions.



DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	ROPE DIAMETER	CONFORMANCE
Pivot	A1160LG	Lime	72g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot	A1160MG	Matt Grey	72g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot	A1160OR	Orange	72g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot/Phantom HMS Set	A1160LG/572	Lime Green	130g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot/Phantom HMS Set	A1160MG/572	Matt Grey	130g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012
Pivot/Phantom HMS Set	A1160OR/572	Orange	130g	half/twin: 7.3mm-9.2mm single: 8.7mm-11mm	EN15151-2:2012

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	ROPE DIAMETER	CONFORMANCE
Mantis	A1165LG	Lime	45g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis	A1165MG	Matt Grey	45g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis	A1165OR	Orange	45g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis	A1165PR	Purple	45g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis/Shadow HMS Set	A1165LG/682	Lime	115g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis/Shadow HMS Set	A1165MG/682	Matt Grey	115g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012
Mantis/Shadow HMS Set	A1165OR/682	Orange	115g	half/twin: 7.3mm-9.2mm single: 8.5mm-11mm	EN15151-2:2012

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	ROPE DIAMETER	CONFORMANCE
Figure 8	A1150PLG	Lime	116g	7.3-9.2mm, 8.5-11mm	EN15151-2:2012
Figure 8	A1150PMG	Matt Grey	116g	7.3-9.2mm, 8.5-11mm	EN15151-2:2012
Figure 8	A1150P	Silver	116g	7.3-9.2mm, 8.5-11mm	EN15151-2:2012



› Bat Plate

Generous radii allow direct attachment of textiles as well as carabiners. The oversized hole allows for effortless centralising of anchors and gives a perfect clipping-in point. Ideal for big walls and complex rigging.

DESCRIPTION	PRODUCT CODE	MBS	WLL	DIMENSIONS	WEIGHT	CONFORMANCE
Bat Plate- XS	RIG-XS-OR	36kN	7kN	62 x 62 x 8mm	37g	Manufacturers Technical Specification QAP99

ROPE PROTECTION



› K-Pro Rope Protector

Heavy duty kevlar/canvas rope protector that can be attached to ropes. The ultimate in-line rope protection.

› ProPad+ Rope Protector



Heavy duty canvas/coir rope protector that can be attached to edges. Replaceable wear sheet adds longevity.

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH
K-Pro Canvas/Kevlar Rope Protector	K-PRO50	Blue/Red	50cm
K-Pro Canvas/Kevlar Rope Protector	K-PRO80	Blue/Red	80cm

DESCRIPTION	PRODUCT CODE	COLOUR	DIMENSIONS
ProPad+ Edge Mat	PROPAD+	Blue/Red/Yellow	61cm x 28cm/66cm
ProPad+ Wear Sheet	WEARSHEET	Yellow	61cm x 28cm/66cm

Harnesses

A solid red horizontal bar.

Mari Salvesen, *The Price of Evil* (5.13b),
Indian Creek, USA.

Mari commented: "*Trickiest offwidth I've
done. Pete has a video of me crying on it,
but I'm not ready to laugh about it yet.*"

📷 Pete Whittaker





› Trance

Lightweight and high performance. Perfect for modern sport climbing and hard trad climbing. Fixed leg loops. Available in XS-L
WEIGHT: 315 / 335 / 355 / 370g



› Mithril

Men's lightweight, highly breathable, fully adjustable harness for climbing in all seasons
WEIGHT: 350 / 365 / 370 / 390g



› Venture

Women's lightweight, highly breathable, fully adjustable harness for climbing in all seasons.
WEIGHT: 320 / 340 / 365 / 380g



› Renegade

All season, all mountain harness with reinforced lumbar support and hypalon inserts for winter racking. Plentiful gear loops for carrying the biggest of racks.
WEIGHT: 395 / 415 / 450g



› Puma

A supportive, fully featured women's all round harness that is suitable for climbing in summer and winter.
WEIGHT: 350 / 370 / 395 / 430g



› Viper

A perfect first harness. Highly featured and comfortable.
WEIGHT: 365 / 400 / 435g



› Vixen

A perfect first harness for women. Highly featured and comfortable.
WEIGHT: 345 / 360 / 370 / 410g



› Trance Kids

Lightweight and high performance kids harness. Fixed leg loops.
WEIGHT: 295g



› Tomcat

The Tomcat is a well featured harness that is sized specifically for younger climbers.
WEIGHT: 385g



› Tom Kitten

A full body kids harness that maximises support and stability for younger climbers.
WEIGHT: 330g

DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Trance	HUI02PR-XS	Purple	XS	315g	28 - 31	70 - 77	19 - 21	49 - 53	EN12277:2015 C
Trance	HUI02PR-S	Purple	S	335g	30 - 33	77 - 84	21 - 22	53 - 57	EN12277:2015 C
Trance	HUI02PR-M	Purple	M	355g	32 - 35	82 - 90	23 - 24	57 - 61	EN12277:2015 C
Trance	HUI02PR-L	Purple	L	370g	36 - 39	90 - 98	24 - 25	60 - 64	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Mithril	HM101RD-S	Red	S	358g	28 - 31	70 - 80	20 - 26	52 - 67	EN12277:2015 C
Mithril	HM101RD-M	Red	M	375g	31 - 35	78 - 88	22 - 28	56 - 71	EN12277:2015 C
Mithril	HM101RD-L	Red	L	391g	34 - 38	86 - 96	24 - 30	60 - 75	EN12277:2015 C
Mithril	HM101RD-XL	Red	XL	408g	37 - 41	94 - 104	25 - 31	64 - 79	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Venture	HW101BL-XS	Blue	XS	320g	22 - 26	56 - 66	18 - 24	46 - 61	EN12277:2015 C
Venture	HW101BL-S	Blue	S	340g	25 - 29	64 - 74	20 - 26	52 - 67	EN12277:2015 C
Venture	HW101BL-M	Blue	M	365g	28 - 32	72 - 82	22 - 28	56 - 71	EN12277:2015 C
Venture	HW101BL-L	Blue	L	380g	31 - 35	80 - 90	24 - 30	60 - 75	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Renegade	HM103RD-S	Red	S	395g	25 - 31	64 - 79	18 - 23	45 - 58	EN12277:2015 C
Renegade	HM103RD-M	Red	M	415g	30 - 36	75 - 91	20 - 25	50 - 63	EN12277:2015 C
Renegade	HM103RD-L	Red	L	450g	34 - 41	87 - 104	22 - 28	55 - 70	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Puma	HW103PR-XS	Purple	XS	350g	22 - 27	57 - 69	17 - 20	43 - 52	EN12277:2015 C
Puma	HW103PR-S	Purple	S	370g	24 - 28	61 - 71	19 - 22	47 - 56	EN12277:2015 C
Puma	HW103PR-M	Purple	M	395g	26 - 31	66 - 80	21 - 24	53 - 62	EN12277:2015 C
Puma	HW103PR-L	Purple	L	430g	30 - 36	75 - 91	23 - 26	58 - 67	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Viper	HM104BL-S	Blue	S	365g	25 - 31	64 - 79	18 - 23	45 - 58	EN12277:2015 C
Viper	HM104BL-M	Blue	M	400g	30 - 36	75 - 91	20 - 25	50 - 63	EN12277:2015 C
Viper	HM104BL-L	Blue	L	435g	34 - 41	87 - 104	22 - 28	55 - 70	EN12277:2015 C
Viper Packs*	HM104PKBL-S	Blue	S	TBC	25 - 31	64 - 79	18 - 23	45 - 58	EN12277:2015 C
Viper Packs*	HM104PKBL-M	Blue	M	TBC	30 - 36	75 - 91	20 - 25	50 - 63	EN12277:2015 C
Viper Packs*	HM104PKBL-L	Blue	L	TBC	34 - 41	87 - 104	22 - 28	55 - 70	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Vixen	HW104BL-XS	Light Blue	XS	345g	22 - 27	57 - 69	17 - 20	43 - 52	EN12277:2015 C
Vixen	HW104BL-S	Light Blue	S	360g	24 - 28	61 - 71	19 - 22	47 - 56	EN12277:2015 C
Vixen	HW104BL-M	Light Blue	M	370g	26 - 31	66 - 80	21 - 24	53 - 62	EN12277:2015 C
Vixen	HW104BL-L	Light Blue	L	410g	30 - 36	75 - 91	23 - 26	58 - 67	EN12277:2015 C
Vixen Packs*	HW104PKBL-XS	Light Blue	XS	TBC	22 - 27	57 - 69	17 - 20	43 - 52	EN12277:2015 C
Vixen Packs*	HW104PKBL-S	Light Blue	S	TBC	24 - 28	61 - 71	19 - 22	47 - 56	EN12277:2015 C
Vixen Packs*	HW104PKBL-M	Light Blue	M	TBC	26 - 31	66 - 80	21 - 24	53 - 62	EN12277:2015 C
Vixen Packs*	HW104PKBL-L	Light Blue	L	TBC	30 - 36	75 - 91	23 - 26	58 - 67	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Trance Kids	HUI02PR-XXS	Purple	XXS	295g	25 - 28	64 - 70	18 - 19	45 - 49	EN12277:2015 C
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS(IN)	LEGS (CM)	CONFORMANCE
Tom Kitten	TOMK	Red/Grey	One size	330g	19 - 25	30 - 62	9 - 22	23 - 55	EN12277:2015 B
Tomcat	TOMC	Red/Grey	One size	385g	20 - 30	50 - 75	16 - 20	40 - 50	EN12277:2015 C

- Harness packs contain a harness, chalk bag, chalk ball, belay device and locking carabiner

Matt Pavitt, *The Runnel (II)*, Stob Coire an t-Sneachda, Scotland.
📷 Ray Wood

Winter Equipment

A solid red horizontal bar located at the bottom left of the page.

New

› Flux

At 35cm in length the Flux will be the lightest and most compact certified ice axe with a full steel pick on the market.

Designed to be an indispensable piece of kit, the Flux is suited for a variety of terrains such as: summer alpine rock climbing, ski mountaineering, ski touring and winter fell running. The Flux is light and compact enough to carry easily, fitting into most backpacks comfortably.

High strength tempered steel pick and hammer for placing pegs and a lightweight Aluminium spike, this little axe is small but mighty with the durability you have come to expect from DMM



FEATURES

- Lightest axe with a full steel pick.
- Shortest axe on the market at 35cm.
- Great for fitting inside a bag or clipping to a harness.
- Durable high-strength steel pick, with hammer for placing pegs.
- Compatible with DMM sliding rest.
- Refined full steel pick optimised for a variety of alpine terrain.
- Strong and light anodised aluminium shaft, with CNC machined grip grooves for extra security.
- Large tethering points in the head and spike for ease of clipping and security.

DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CONFORMANCE
Flux	A0450	Red	35cm	238g	EN13089:2011 Type 1



› Switch

The Switch is instantly recognisable as a top end ice axe. An aggressively curved shaft gives optimal clearance for steep terrain. Both the shaft and pick are T rated, which along with the full strength handle and double riveted construction, means the Switch can stand up to the harshest treatment.



› Apex

A high performance ice axe that excels on steep routes and for technical mountaineering. The shaft curve has been precisely designed to give clearance and stability on steep ground while remaining effective when plunging, daggering and moving on easier angled snow slopes. The Apex is fully T rated, and the head and handle are double riveted onto the lightweight aluminium shaft.



› Vertex

A very lightweight technical mountaineering tool with modular pick system, for use in a wide variety alpine terrain. The shaft geometry is straight enough to be efficient on less steep ground and for plunging in snow yet curved enough to have a precise swing and provide clearance over ice bulges.



› Spire Tech

The Spire Tech is a modern, versatile & lightweight snow & ice tool. The bent shaft and machined grips make it suitable for more technical or sustained terrain when walking, mountaineering or ski touring. The refined design and careful material choices result in a 45cm axe that weighs in at only 323g.



› Spire

The Spire is our new lightweight mountaineering axe that's tough enough to deal with the demands of modern winter mountaineering, yet light enough for general walking and ski touring. Optimised lightweight tubing and a complete re-design of our bungs and steelwork has found a fine balance that means it carries without effort yet can penetrate ice and cut steps when required.



› Deadman

The Deadman offers protection when snow is the only option.



› Bulldog & Terrier

Versatile drive-in pieces of winter protection that can create secure placements in frozen turf and thin cracks.



› Slide Lock Leash

Intuitive to use and operable with one hand featuring a minimalist design for improved functionality and durability.



› Vault

A robust aluminium racking carabiner that keeps valuable ice screws safe and secure, and allows efficient selection of the correct length.



MBS	3kN
WEIGHT	63g




› Grippy Grip Tape

Grippy Grip Tape in three metre rolls is perfect for providing extra grip when using the upper hand rest and provides extra insulation.



› Freedom Single Leash

Single sprung tether that gives the freedom of climbing leashless, but stop you losing your axe if you drop it.




Additional XSRE
Lock Captive Bar




› Freedom Revo Leash



Double sprung tethers with built in swivel that give the freedom of climbing leashless, but stop you losing your axe if you drop it leashless.



Additional XSRE
Lock Captive Bar



XSRE Swivel
minimises tangles



DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CONFORMANCE
Switch Axe	A0391	Red	50cm	684g	EN13089:2011 Type 2
Switch Hammer	A0392	Red	50cm	676g	EN13089:2011 Type 2
DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CONFORMANCE
Apex Axe	A0381	Green	50cm	673g	EN13089:2011 Type 2
Apex Hammer	A0382	Green	50cm	658g	EN13089:2011 Type 2
DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CONFORMANCE
Vertex Adze	A0471	Red	55cm	445g	EN13089:2011 Type 2
Vertex Hammer	A0472	Red	55cm	445g	EN13089:2011 Type 2
Vertex Hammer	A0473	Red	50cm	430g	EN13089:2011 Type 2
Vertex Adze	A0474	Red	50cm	430g	EN13089:2011 Type 2
Sliding Finger Rest	A0470SR	Black	-	24g	N/A
DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CONFORMANCE
Spire Tech	A0441	Matt Grey	45cm	323g	EN13089:2011 Type 1
Spire Tech	A0442	Matt Grey	50cm	337g	EN13089:2011 Type 1
Spire Tech	A0443	Matt Grey	55cm	351g	EN13089:2011 Type 1
DESCRIPTION	PRODUCT CODE	COLOUR	LENGTH	WEIGHT	CONFORMANCE
Spire	A0446	Grey	55cm	352g	EN13089:2011 Type 1
Spire	A0447	Grey	60cm	366g	EN13089:2011 Type 1
Spire	A0448	Grey	65cm	380g	EN13089:2011 Type 1
Spire	A0449	Grey	75cm	409g	EN13089:2011 Type 1
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Deadman	A1300	Red	360g	Manufacturers Technical Specification QAP74	
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Bulldog	C1375	Black	150g	Manufacturers Technical Specification QAP77	
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Terrier	C1385	Black	73g	Manufacturers Technical Specification QAP77	
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Freedom XSRE Single Leash	A0236	Red	39g	N/A	
Freedom Single Leash	A0238	Red	27g	N/A	
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Slide Lock Leash	A0140	Black	25g	N/A	
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Grippy Grip Tape	A0PIB-3	Black	37g	N/A	
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Vault Wire Gate	A558LG	Lime Green	63g	N/A	
Vault Wire Gate	A558MG	Matt Grey	63g	N/A	
Vault Wire Gate	A558	Red/Silver	63g	N/A	
DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	CONFORMANCE	
Freedom Revo XSRE Leash	A0235	Black	94g	N/A	
Freedom Revo Leash	A0237	Black	70g	N/A	

Bags & Chalk



Will Bosi, Mutation (9a+), Raven Tor, England.
 Ray Wood



› Short Haul

A compact version of our popular Flight bag that looks as good going to the office or heading to the gym after work. Laptops up to 15 inches can be carried in a built-in sleeve.

VOLUME: 30l



› Flight

A sport climbing pack, sized to give you maximum carrying capacity and still fit most airline hand luggage restrictions.

VOLUME: 45l





› Classic Rope Bag

The Classic Rope Bag with an internal tarp transports your rope and accessories efficiently and comfortably.

VOLUME: 32l



› Pitcher

A simple and versatile tarp based rope bag that is ideal for the climbing wall.

VOLUME: 26l



› Zenith

A streamlined climbing pack for carrying equipment on multipitch routes.

VOLUME: 18l



› Porter

A robust equipment storage bag that is ideal for moving heavy loads.

VOLUME: 45 / 70l



› Edge

A chalk bucket with plenty of carrying capacity for all your bouldering essentials.



› Traction

A medium sized chalk bag suitable for all types of climbing.



› Trad

A large chalk bag for carrying lots of chalk on long routes.



› Tube

A classic style chalk bag suitable for all types of climbing.





› Chalk Bag Belt

An adjustable belt with a quick release buckle.



› Guide Book Covers

A guidebook cover for transportation and protection of your guidebook.

SIZE: S / L



› Chalk Ball

Chalk balls keep chalk contained, and are sized to give your hands a good covering with just one squeeze.



› Crushed Chalk Bag

The Crushed Chalk bag contains 250g of pure magnesium carbonate, enough for the biggest boulder bucket.



› Liquid Chalk

Liquid chalk forms a dry layer on your skin, keeping your hands dry on routes and boulder problems.



› Finger Tape

Low stretch finger tape for injury support, and taping flappers and cuts.

DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT (G)
Short Haul	BC22BK	Black	30L	795g
Short Haul	BC22BL	Blue	30L	795g
Short Haul	BC22RD	Red	30L	795g
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT
Flight	BC21BK	Black	45L	1560g
Flight	BC21BL	Blue	45L	1560g
Flight	BC21RD	Red	45L	1560g
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT
Classic Rope Bag	RB31BK	Black	32L	650g
Classic Rope Bag	RB31BL	Blue	32L	650g
Classic Rope Bag	RB31RD	Red	32L	650g
Classic Rope Bag	RB31YE	Yellow	32L	650g
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT
Pitcher Rope Bag	RB32BL	Blue	26L	470g
Pitcher Rope Bag	RB32RD	Red	26L	470g
Pitcher Rope Bag	RB32YE	Yellow	26L	470g
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT
Zenith	BC20BL	Blue	18L	580g
Zenith	BC20RD	Red	18L	580g
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT
Porter Rope Bag	BI23BLK-45	Black	45L	1250g
Porter Rope Bag	BI23BLK-70	Black	70L	1420g
DESCRIPTION	PRODUCT CODE	COLOUR		WEIGHT
Edge Boulder Chalk Bag	CB34BL	Blue		278g
Edge Boulder Chalk Bag	CB34RD	Red		278g
Edge Boulder Chalk Bag	CB34YE	Yellow		278g
DESCRIPTION	PRODUCT CODE	COLOUR		WEIGHT
Traction Chalk Bag	CB32BK	Black		109g
Traction Chalk Bag	CB32BL	Blue		109g
Traction Chalk Bag	CB32RD	Red		109g
Traction Chalk Bag	CB32YE	Yellow		109g
DESCRIPTION	PRODUCT CODE	COLOUR		WEIGHT
Trad Chalk Bag	CB33BK	Black		103g
Trad Chalk Bag	CB33BL	Blue		103g
Trad Chalk Bag	CB33RD	Red		103g
Trad Chalk Bag	CB33YE	Yellow		103g
DESCRIPTION	PRODUCT CODE	COLOUR		WEIGHT
Tube Chalk Bag	CB31BK	Black		79g
Tube Chalk Bag	CB31BL	Blue		79g
Tube Chalk Bag	CB31RD	Red		79g
Tube Chalk Bag	CB31YE	Yellow		79g
DESCRIPTION	PRODUCT CODE	COLOUR		SIZE
Chalk Bag Belt	CB2506BK	Black		M/L
Chalk Bag Belt	CB2506G	Grey		M/L
Chalk Bag Belt	CB2506PR	Purple		M/L
DESCRIPTION	PRODUCT CODE		SIZE	WEIGHT
Chalk Ball	DMMCBALLS		One size	56g
Crushed Chalk Bag	DMMCBAG		250g	250g
DESCRIPTION	PRODUCT CODE		SIZE	WEIGHT
Liquid Chalk	DMMCLIQUID		200ml	197g
Finger Tape	DMMCFT25		ONA	62g
DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT
Guide Book Holders	BC24	Grey	S	105g
Guide Book Holders	BC25	Grey	L	115g

Walls & Centres

Mantis, Ceros and Super Big Jim at the Beacon Climbing Centre.

 Ray Wood



› Stal Anchor

A truly independent and equalised stainless steel climbing wall anchor available in three configurations.

Features low profile updated 'puks'. Compatible with Quad Conversion Kit.

DESCRIPTION	PRODUCT CODE	STRENGTH	COLOUR
Stal Stainless Anchor	ST-SSTP	30kN	Black/Silver
Stal Stainless Bottom Rope Anchor	ST-SSTPMR	30kN	Black/Silver
Stal Stainless Lead Anchor	ST-SSTPAS	30kN	Black/Silver
Stal Quad Anchor	ST-SSTPQ	30kN	Black/Silver
Stal Bottom Rope/Lead Anchor	ST-SSTPMRAS	30kN	Black/Silver
10mm Plated Steel PPE Maillon	PPENZIO	55kN	Silver
7mm Stainless Steel Cross Link Maillon	ST-SS-80P	45kN	Silver



› Brenin Threadback

A new harness/buckle combination for 2020, bringing all day confidence buckles to the Brenin design.



› Brenin Slidlock

Improving on our classic Brenin harness, with increased durability, safety point colour coding and new slidlock stainless buckles, vertical tie-in-points & belay loop design.



› Centre Threadback

A robust centre harness with a horizontal tie-in point with increased durability, larger size tolerance for the smaller user, safety point colour coding and threadback stainless buckles.



› Centre Slidlock

A robust centre harness with a horizontal tie-in with increased durability, larger size tolerance for the smaller user, safety point colour coding and new slidlock stainless buckles.



› Chest Harness

For increased security in situations where inversion is possible, using our new slidlock stainless buckles for easy adjustment.



› Bridge Sling

The Bridge increases the speed and security of connecting our Chest and centre sit harnesses. Available in Small and Large sizes.

DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Brenin Threadback	HC301	Blue/Anthracite	1	450	Up to 49	Up to 125	Up to 32	Up to 82	EN12277:2015 C
Brenin Threadback	HC301XL	Orange/Anthracite	2	470	Up to 60	Up to 150	Up to 38	Up to 97	EN12277:2015 C

DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Brenin Slidlock	HC302	Blue/Anthracite	1	450	Up to 49	Up to 125	Up to 32	Up to 82	EN12277:2015 C
Brenin Slidlock	HC302XL	Orange/Anthracite	2	470	Up to 60	Up to 150	Up to 38	Up to 97	EN12277:2015 C

DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Centre Threadback	HC201	Blue/Anthracite	1	405	Up to 49	Up to 125	Up to 32	Up to 82	EN12277:2015 C
Centre Threadback	HC201XL	Orange/Anthracite	2	425	Up to 60	Up to 150	Up to 38	Up to 97	EN12277:2015 C

DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Centre Slidlock	HC202	Blue/Anthracite	1	405	Up to 49	Up to 125	Up to 32	Up to 82	EN12277:2015 C
Centre Slidlock	HC202XL	Orange/Anthracite	2	425	Up to 60	Up to 150	Up to 38	Up to 97	EN12277:2015 C

DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT	WAIST (IN)	WAIST (CM)	LEGS (IN)	LEGS (CM)	CERTIFICATION
Chest Harness Slidlock	CH402	Blue/Anthracite	1	310	Up to 45	Up to 115	-	-	EN12277:2015 D
Chest Harness Slidlock	CH402XL	Orange/Anthracite	2	330	Up to 60	Up to 150	-	-	EN12277:2015 D

DESCRIPTION	PRODUCT CODE	COLOUR	WEIGHT	STRENGTH	DIMENSIONS	CERTIFICATION
Bridge Sling	MA16BS-15	Black/Yellow	35	22kN	15cm x 4cm x 2cm	
Bridge Sling	MA16BS-20	Black/Yellow	45	22kN	20cm x 4cm x 2cm	

DESCRIPTION	PRODUCT CODE	COLOUR
Gear Loop	HS101	Black
Leg Loop Stretch Webbing	HS102	Black



› Coron Helmet

The Coron has an ABS shell with EPS liner developed with intensive use in mind. It has click wheel adjustment and centre replaceable components.
 SIZE RANGE: 54-62CM
 WEIGHT: 365G



› Super Big Jim

A durable dynamic rope built for heavy duty use at climbing walls and outdoor centres.

DIAMETER: 10.5mm



› Statement

A tough, single rope that is suited for use at the wall. Now comes with tangle free 3D coil technology for easy uncoiling.

DIAMETER: 10.0mm



› Accessory Cord

Supple, robust accessory cords of various diameters.



› Low-Stretch Rope Lanyard

Sewn termination, low-stretch rope lanyards.



DESCRIPTION	PRODUCT CODE	COLOUR	SIZE	WEIGHT (G)	SIZE	CONFORMANCE
Coron Helmet Red	HELMC-R	Red	One size	365	54-62cm	EN12492:2012
Coron Helmet White	HELMC-W	White	One size	365	54-62cm	EN12492:2012
Chin Strap	HELMS-001	Black	One size	-	-	-
Cradle System	HELMS-002	Black	One size	-	54-62cm	-
Cradle Adjuster	HELMS-003	Black	One size	-	-	-
Headlamp Clips (4)	HELMS-004	Black	One size	-	-	-

DESCRIPTION	PRODUCT CODE	COLOUR	ROPE DIAMETER	WEIGHT (G/M)	LENGTH	CONFORMANCE
Super Big Jim	RP192BL-30	Midnight Blue	10.5m	70g/m	30m	EN892:2012 + A1 2016
Super Big Jim	RP192BL-40	Midnight Blue	10.5m	70g/m	40m	EN892:2012 + A1 2016
Super Big Jim	RP192BL-100	Midnight Blue	10.5m	70g/m	100m	EN892:2012 + A1 2016
Super Big Jim	RP192BL-200	Midnight Blue	10.5m	70g/m	200m	EN892:2012 + A1 2016
Super Big Jim	RP192BL-300	Midnight Blue	10.5m	70g/m	300m	EN892:2012 + A1 2016
Super Big Jim	RP192OR-30	Orange	10.5m	70g/m	30m	EN892:2012 + A1 2016
Super Big Jim	RP192OR-40	Orange	10.5m	70g/m	40m	EN892:2012 + A1 2016
Super Big Jim	RP192OR-100	Orange	10.5m	70g/m	100m	EN892:2012 + A1 2016
Super Big Jim	RP192OR-200	Orange	10.5m	70g/m	200m	EN892:2012 + A1 2016
Super Big Jim	RP192OR-300	Orange	10.5m	70g/m	300m	EN892:2012 + A1 2016

DESCRIPTION	PRODUCT CODE	COLOUR	ROPE DIAMETER	WEIGHT (G/M)	LENGTH	CONFORMANCE
Statement	RP102BL-30	Blue	10mm	65g/m	30m	EN892:2012 + A1 2016
Statement	RP102BL-40	Blue	10mm	65g/m	40m	EN892:2012 + A1 2016
Statement	RP102BL-50	Blue	10mm	65g/m	50m	EN892:2012 + A1 2016
Statement	RP102BL-60	Blue	10mm	65g/m	60m	EN892:2012 + A1 2016
Statement	RP102BL-100	Blue	10mm	65g/m	100m	EN892:2012 + A1 2016
Statement	RP102BL-300	Blue	10mm	65g/m	300m	EN892:2012 + A1 2016
Statement	RP102CO-30	Copper	10mm	65g/m	30m	EN892:2012 + A1 2016
Statement	RP102CO-40	Copper	10mm	65g/m	40m	EN892:2012 + A1 2016
Statement	RP102CO-50	Copper	10mm	65g/m	50m	EN892:2012 + A1 2016
Statement	RP102CO-60	Copper	10mm	65g/m	60m	EN892:2012 + A1 2016
Statement	RP102CO-100	Copper	10mm	65g/m	100m	EN892:2012 + A1 2016
Statement	RP102CO-300	Copper	10mm	65g/m	300m	EN892:2012 + A1 2016

DESCRIPTION	PRODUCT CODE	COLOUR	ROPE DIAMETER	WEIGHT (G/M)	LENGTH	CONFORMANCE
Accessory Cord	RP002BL-100	Blue	2mm	2.1g/m	100m	N/A
Accessory Cord	RP003NA-100	Indigo	3mm	6g/m	100m	N/A
Accessory Cord	RP004PR-100	Violet	4mm	10g/m	100m	EN564:2014
Accessory Cord	RP005RD-100	Red	5mm	15g/m	100m	EN564:2014
Accessory Cord	RP006OR-100	Orange	6mm	25g/m	100m	EN564:2014
Accessory Cord	RP007YE-100	Yellow	7mm	32g/m	100m	EN564:2014
Accessory Cord	RP008GR-100	Green	8mm	41g/m	100m	EN564:2014

DESCRIPTION	PRODUCT CODE	COLOUR	MBS	LENGTH	CERTIFICATION
Low Stretch Rope Lanyard 60cm	RPT901RD-60	Red	22kN	60cm	EN354:2010
Low Stretch Rope Lanyard 60cm	RPT901BLK-60	Black	22kN	60cm	EN354:2010
Low Stretch Rope Lanyard 80cm	RPT901RD-80	Red	22kN	80cm	EN354:2010
Low Stretch Rope Lanyard 80cm	RPT901BLK-80	Black	22kN	80cm	EN354:2010
Low Stretch Rope Lanyard 140cm	RPT901RD-140	Red	22kN	140cm	EN354:2010
Low Stretch Rope Lanyard 140cm	RPT901BLK-140	Black	22kN	140cm	EN354:2010
Low Stretch Rope Lanyard 175cm	RPT901RD-175	Red	22kN	175cm	EN354:2010
Low Stretch Rope Lanyard 175cm	RPT901BLK-175	Black	22kN	175cm	EN354:2010

CUSTOMER SERVICES

Our Customer Service team is here to help our distributors, retailers and end users with any queries relating to our products and service.

The team have a wide knowledge of production, retail, industry and recreational use of our products. We have completed PPE inspection courses to provide advice and inspect returned products. We pride ourselves by answering any enquiry quickly and concisely.

Our goal is to help you with any queries relating to product, sales, delivery, use, repair, service, inspection and warranty.

If you have any questions/queries about a DMM product or wish to talk to the Customer Services team please email us at cs@dmmwales.com or call +44 (0) 1286 872 222.

We take great pride in our products and strive to produce impeccable goods. However, if a product does not perform to your satisfaction please email cs@dmmwales.com with the following:

- A brief explanation
- Serial number of the product
- Date and place of purchase (with a copy of the receipt)
- Pictures of the product
- Your preferred email, address and telephone number.

We will reply with the appropriate course of action.

Regular inspection and servicing of your kit is essential as this will highlight any possible problems (see the product user instruction leaflet for more information). In the event of finding a fault, damage, or if you are unsure about a product you should stop using it immediately and contact us at cs@dmmwales.com.

Full details about inspection and maintenance of all DMM products are included in the user instructions supplied with every product, these can also be found on the relevant product pages on our website. We highly recommend that our customers read these instructions and adhere to the recommendations set out in them.

Returns

When goods are returned to us we will carry out a full investigation through our quality system and inform you of the outcome.

To return goods for inspection please see dmmclimbing.com/About/Returns-Servicing-Repairs or email us at returns@dmmwales.com for further instruction.

All returned cases are individually investigated and overseen by our group quality assurance manager. We work with our worldwide distributors and retailers to handle this process quickly and efficiently.

Servicing, Repairs and Re-slinging

We offer servicing for DMM Cams and will re-sling Torque Nuts if they pass a safety inspection.

Prior to sending them to us, we ask you to inspect and assess your gear in accordance to the supplied user instructions and inspection criteria. These are also available as PDF's on the product pages of our website. If you feel that your gear has more service to give, please go to dmmclimbing.com/About/Returns-Servicing-Repairs for further information.

NB. We endeavour to carry out this service ASAP but during busy times this may take up to four weeks. Please allow plenty of time for this service and plan well in advance of your next climbing trip.

All DMM Cams & Torque Nuts can now be re-slung in North America

We are very pleased to have a 'Partner in Climb' in the USA.

Mountain Tools in California will re-sling any DMM Cams or Torque Nuts. Their service page has the full details: mntntools.com/cat/rcimb/cams/mt_camresling.htm.

Mountain Tools offer a re-sling service only. They will not perform a safety inspection on the product. If you are in any doubt of the integrity of your DMM products you should stop using it immediately, ask a competent person to check them or contact us for advice at cs@dmmwales.com.

RESPONSIBLE MANUFACTURING

DMM manufactures equipment used for climbing and working at height. Manufacturing these products has an effect on the environment. Conscious of this, we are taking positive steps towards reducing our impact whilst improving the quality of life and well-being of our employees.

What we are doing:

- DMM hardware is made in our factory here in Wales, UK. This allows us to keep our supply chains as short as possible and support the local economy.
- By manufacturing high quality, durable products, we maximise the product lifespan. With careful maintenance, some of our products can potentially last more than a lifetime.
- Our iD system extends the life span of equipment by tracking the life and use of individual products even after serial numbers have worn off.
- Recycling all waste metal from our production process.
- Processing the water used in the rumbling process creating filtered clean water that goes to the local waste water treatment plant to be made safe for household consumption.
- Our packaging is undergoing a redesign, changing over to more environmentally and sustainable materials.
- Using EarthPositive organic clothing in our range, and supporting carbon reduction and the Fair Wear Foundation.
- Offering cam reslinging and servicing to extend their life.
- Making continual improvements to the working environments at DMM.
- DMM is an Investors in People Gold Award company.



BS EN ISO 9001:2015 Quality Assurance Management System

The quality management system maintained by DMM is registered to BS EN ISO 9001:2015 quality management system requirements. The main aim of this system is reflected in our mission statement:

“Together each one of us will make a better, safer product for our customers”

Our system has evolved and continues to evolve as a result of nearly 30 years of development, investment and improvement to all of our activities. ‘Quality’ both actual and perceived is our number one objective, reflecting the fact that each and every day thousands of people around the world rely on DMM products to save their lives. Our system is audited and supervised by SGS (UK) Ltd and other independent third party auditors (e.g. customers and potential customers, trading standards and other regulatory bodies) at regular intervals to ensure continuing compliance to the requirements of BS EN ISO 9001:2015, and as part of our commitment to continuous improvement.

CE Marking and Product Conformance

The CE marking process is known as ‘type examination’ and is an important supplement to our quality management system. In line with the requirements of European Union Personal Protective Equipment [PPE] Directive/Regulation, all products designed and manufactured by DMM which are classified as PPE are independently type examined and tested to the relevant European Standard for Mountaineering and/or Industrial Fall Arrest. Only after meeting the requirements of the PPE Directive/Regulation and the relevant European standard are we allowed to place the “CE” mark on our products. Type examination and CE marking is a legal requirement in Europe for all height safety PPE whether for industrial or leisure use.

BS EN ISO 9001:2015 compliance and CE marking/product conformance are monitored by CEN [Committee for European Normalisation] Notified Body SGS. It is also a legal requirement that we maintain our quality management system as part of the PPE Directive/Regulation ‘CE’ marking process.

In addition, many DMM products also conform to other non-European standards (for example ANSI and CAN/CSA for North American conformance). More information about these products can be found on our web site or by enquiring directly to our sales team.

3-Sigma Testing

This is our system for setting and monitoring the strength ratings as marked on our products, in-line with the minimum requirements of the relevant European and other standards, the ‘3 Sigma Testing’ method. DMM were the first company in our industry to use this Statistical Quality Control [SQC] technique. Using test data derived from samples tested to destruction at the design stage we can set the strength rating of the product. We then have a system of ongoing batch testing which monitors and ensures that the rated strength is maintained and actually exceeded.

Part of our philosophy at DMM is to continue to improve the breaking strength of our products in excess of the standards which may be required. We do this to lessen the chance of failure in situations and conditions which might not be reflected in the standard but which we know as climbers ourselves can cause product failure.

UIAA Safety Labels

The UIAA (Union of International Alpinists Associations) is a body which promotes the safety and interests of all parties involved in mountaineering and related activities worldwide. The UIAA publish standards for mountaineering equipment which supplement the requirements of the corresponding European standards mentioned above.

Investor in People

DMM were the first manufacturing company in Wales to be registered to the Investor in People [IIP] standard [July 1992] and in September 2016 we achieved the prestigious *Gold Award*. This standard is people orientated and its main objectives are: [a] to develop strategies to improve the performance of the organisation through its people; [b] to ensure that the organisation takes action in order to improve its performance through its people; and [c] to evaluate the impact of this investment in people on the performance of the organisation. IIP is more than just a training system. The IIP system is a key mechanism that helps us to target areas for improvement in all aspects of the business.



Belay & Descent

Harnesses

Winter Equipment

Walls & Centres


Bags & Chalk



Metalwork being hot forged at DMM's factory in north Wales.

📷 Ray Wood

MADE IN WALES



Manufacturing high-quality safety equipment since 1981