



Product Services Guide

Australia
June 2026



Introduction

Welcome to the June 2026 Product Services Guide. This Guide was created to provide you with a single document to inform you of the core product portfolios of Avery Dennison Label and Packaging Materials Australia.

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
F12828.1525	*HIGH GLOSS WHITE FSC	S2049	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	 Adhesive is manufactured with at least 30% biobased content	
				EXACT		500	2000	VIC QLD		
				READY WIDTH	↓	500		WA		
F12822.1525	*HIGH GLOSS WHITE FSC	C2075	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	 Adhesive is manufactured with at least 30% sustainably certified biomass	
				HALF MASTER	762	762	1000	VIC QLD		

How to read the Product Services Guide

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the particular adhesive used in the construction.

Liner:

When liner codes end in the letter 'N' this signifies a nil imprint. PET liners never have a backprint.

Service Program:

- FULL DECKLE
Signifies the product is sold with the complete web width and the minimum length of 1000 metres. The trim will be charged, but not dispatched unless

requested on your purchase order.

- EXACT
Items are sold in any width with fixed lengths that vary for each program.
- Ready Width
Offers slit rolls in set widths and lengths. See Ready Width section for details.
- Half Master
Reduces the minimum order quantity (MOQ) by half. Half Master of a 1525mm wide item allows you to purchase from a master that is only 762mm wide by 1000 metres.

Width (mm):

Identifies the available width(s)

MOQ (m²):

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

Length (m):

Identifies the length in lineal meters, offered in a service program

Stocking Location:

The AD site the product is stocked in

Sustainable Advantage Products

Indicates the Sustainable ADvantage categories that the product falls under. See page 4 for more information. FSC® certified facestock or liner

* Only the products identified as such count with Forest Stewardship Council® certification.



Comments:

This column will also highlight any notice of impending change to the final facestock, adhesive or liner.

Additional Service Programs

Mix and Match

Avery Dennison has the capability to produce custom products to meet your requirements. Please contact your Avery Dennison representative to discuss the possibilities of unique product constructions to meet your requirements.

Indent

Sea freight or Airfreight options are available in order to meet your requirements. Please refer to your Avery Dennison representative for further information.

Need more information?

Business Support Team

1300 369 984

Mon to Fri 8:00am - 5:00pm AEST
(excluding Australian Public Holidays)

Avery Dennison has a Business Support Team ready to answer your enquiries. Call them today to discuss product availability, ordering process or anything else you require.

Account Business Managers

Victoria

Lynn Doney 0418 344 345

Angela Liodakis 0417 486 259

New South Wales

Sarah Baserdem 0405 317 600

South Australia

Simon Harris 0409 634 097

Business Support Manager

Australia & New Zealand

Bill Ishak 0400 847 252

Account Enquiries

Australia & New Zealand

P: 03 9271 0312
receivables.aust@ap.averydennison.com

Technical Support

Australia & New Zealand

Steve Brook 03 9271 0300

Contact us:

Australia

4 Duigan Drive
Moorabbin Airport VIC 3194
P: 1300 369 984
aus.sales@ap.averydennison.com
label.averydennison.com

Data & Specification Sheets

Click the product codes listed in this document to view specification sheets, or scan the QR code to search our online Product Finder.

Product Samples

Should you require any samples of the products listed in this brochure please contact your local Avery Dennison representative.


Pallet Pick Up

aus.sales@ap.averydennison.com

Should you have pallets for return, please ensure they are loaded onto the dedicated Avery Dennison truck when you receive your next delivery of stock. Please note: courier deliveries are excluded from this service.




Look for the marked
Sustainable ADvantage
products in this
Product Services Guide



Enables Recycling, Reuse or Compostability

What we use can be used again.


Solutions that enhance recyclability and enable reuse and recycling of packaging as well as the recycling and composting of label waste



Reduction in the use of materials

Use only what is necessary.

Thinner facestock, adhesive, or liner that uses less raw materials to be manufactured



Contains recycled content

Give a second life to what has already been used.

Facestocks and liners that include post-industrial waste or post-consumer recycled content



Responsibly sourced

Products sourced from a supply chain that shows care for people and the environment.

Film made from renewable alternatives and paper certified by FSC® or other organizations

rDT300B Facestock

An advanced back-coated facestock for superior performance and reliability

rDT300B combines a high-performance direct thermal film with an additional backside coating to solve labeling challenges, such as curling, which often occurs when hot melt adhesives are used with PP film. This advanced feature helps deliver a stable, high-quality finish for demanding applications.



Key features

- **Superior curl resistance**
Features a backside coating engineered to mitigate the risk of curl, especially when pairing PP films with hot melt adhesives.
- **Print precision and clarity**
Maintains equivalent performance in print quality and barcode readability to the current rDT300.

Sustainable feature

Facestock:

- **Recycled Content**
Made with 30% recycled content to support the shift toward more sustainable materials.

Transitions

		Code	Facestock	Adhesive	Liner
Prime Films					
Rigid White Films	Q3 2026	BW7045	PP60 Top Pearlized White	SR3013	BG33Wh Imp
		F3540.1525	PP60 TC Pearl WH	SR3013N	BG33Wh Imp FSC
Variable Information Films					
Direct Thermal Film	Q3 2026	F72684.1525	rDT300N		
		F72685.1525	rDT300B	S2049	BG40WH N
	Q3 2026	F72694.1525	rDT300N		
		F72695.1525	rDT300B	AT20	BG40WHN

Prime Papers

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable Advantage	Comments
<u>F12826.1525</u>	*HIGH GLOSS WHITE FSC	S2045	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% biobased content	
				EXACT		500	1500/ 3000	VIC QLD		
				READY WIDTH	↓	500		WA		
<u>F12828.1525</u>	*HIGH GLOSS WHITE FSC	S2049	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% biobased content	
				EXACT		500	2000	VIC QLD		
				READY WIDTH	↓	500		WA		
<u>F12822.1525</u>	*HIGH GLOSS WHITE FSC	C2075	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% sustainably certified biomass	
				HALF MASTER	762	762	1000	VIC QLD		
<u>F12820.1525</u>	*HIGH GLOSS WHITE FSC	rET9MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner	
				READY WIDTH	↓	500		VIC QLD		
<u>F10968.1000</u>	HIGH GLOSS WHITE FSC	R5000	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		
<u>AA042</u>	*HGW PREMIUM FSC	R100	BG40BR	FULL DECKLE	1000	1000		VIC		
Semi-Gloss Papers										
<u>F18828.1525</u>	*AD MC70 FSC	S2049	BG33WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% biobased content Reduction in gsm of facestock & liner	
<u>F18827.1525</u>	*AD MC70 FSC	S2045N	BG33WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% biobased content Reduction in gsm of facestock & liner	
				EXACT		500	1500/ 3000	VIC QLD		
				READY WIDTH	↓	500		WA		
<u>F18900.1525</u>	*AD rMC FSC	S2045N	BG33WH N	INDENT	1525	1525			Facestock contains 30% recycled content Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner	Available via indent

* New

* Forest Stewardship Council® certification

↓ See Ready Width section

Enable Recyclability, Reuse or Compostability












Reduction in the Use of Materials

Contains Recycled or Renewable content






Responsibly Sourced

» Transition (details p6)













Prime Papers

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable Advantage	Comments	
Light Weight											
<u>F16502.1525</u>	*LW60 FSC	S2045	BG40WH N	FULL DECKLE	1525	1525		VIC		Adhesive is manufactured with at least 30% biobased content	
					HALF MASTER	762	762	1000			VIC
					READY WIDTH	↓	500				VIC
Vellum											
<u>F2009.1000</u>	*SUPER VELLUM FSC	ET9	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
<u>F21734.1000</u>	*SUPER VELLUM FSC	R5000	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
<u>AA016</u>	*VELLUM EXTRA FSC	R100	BG40BR	FULL DECKLE	1000	1000		VIC			
Coloured & Specialty Papers											
<u>F45520.1000</u>	*RADIANT YELLOW FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
					READY WIDTH	↓	500			VIC QLD WA	
<u>F45521.1000</u>	*RADIANT ORANGE FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
					READY WIDTH	↓	500			VIC QLD WA	
<u>F45522.1000</u>	*RADIANT GREEN FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
					READY WIDTH	↓	500			VIC QLD WA	
<u>F45523.1000</u>	*RADIANT RED FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
					READY WIDTH	↓	500			VIC QLD WA	
<u>F45524.1000</u>	*RADIANT PINK FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
					READY WIDTH	↓	500			VIC QLD WA	
<u>AD640</u>	*TYRE PLUS FSC	TS79	*BG45WH F	FULL DECKLE	1000	500		VIC QLD			
					READY WIDTH	↓	500			VIC QLD	
<u>BL251</u>	*MC90 OPQ FSC	S2660	BG40BR	FULL DECKLE	1000	500		VIC			















Prime Films

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments	
Conformable Films											
BW7022N	rFlex+ White NTC	S692N	BG33Wh Imp	FULL DECKLE	1525	1525		VIC		Facestock contains 30% recycled content Adhesive meets APR HDPE Critical Guidance recyclability criteria Reduction in gsm of liner	Available in Clear facestock via indent
BW0181	GCX CLEAR NTC	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria	
				READY WIDTH	↓	500		VIC QLD			
BW0182	GCX WHITE NTC	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria	
				EXACT		500	2000	VIC QLD			
BW0064	PE85 TC White	S692N	BG40WH Imp	FULL DECKLE	1525	1525		VIC		Adhesive meets APR HDPE Critical Guidance recyclability criteria	
				READY WIDTH	↓	500		VIC			
BW0065	PE85 CL TC	S692N	BG40WH Imp	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria	
F64526.1000	PRIMAX® PLUS	R5000	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
				READY WIDTH	↓	500		VIC			
AF435	PRIMAX® I	UVR145	BG45WH	FULL DECKLE	1000	1000		VIC QLD			
				READY WIDTH	↓	500		WA			

Prime Films

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
F64226.1525	rPP TOP WHITE	SRP	BG33WHN	FULL DECKLE	1525	1525		VIC QLD	   	Facestock contains 30% recycled content Adhesive meets APR HDPE Critical Guidance recyclability criteria Reduction in gsm of liner
				EXACT		500	2000	VIC QLD		
				READY WIDTH	↓	500		WA		
BW7045	PP60 TC Pearl WH	SR3013	BG33Wh Imp FSC	FULL DECKLE	1525	1525	1000	VIC	 	Cleanflake enables PET recyclability (APR PET Bottles Critical Guidance) Reduction in gsm of liner ▶ to F3540.1525 with SR3013N (APEO free Adhesive) in Q3'26
F64228.1525	rPP TOP WHITE	SPX	BG33WHN	FULL DECKLE	1525	1525		VIC QLD	  	Facestock contains 30% recycled content Reduction in gsm of liner
				EXACT		500	2000	VIC QLD		
				READY WIDTH	↓	500		WA		
F79343.1525	PP60 WH NTC	SPX	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		
F79347.1525	PP60 WH NTC	S692N	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria
				EXACT		500	2000	VIC QLD		
F62109.1000	OPALUX 80N	SRP	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria
F62404.1000	OPALUX 80N	SR2	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		
				READY WIDTH	↓	500		VIC QLD WA		
F62119.1000	PEARLUX 80N	SRP	BG40WH N	FULL DECKLE	1000	1000		QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria

Prime Films

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Rigid Clear Films										
F65100.1525	PP40 TC CL	S692N	rPET23	FULL DECKLE	1525	1525		QLD	  	Reduction in gsm of facestock and liner Adhesive meets APR HDPE Critical Guidance recyclability criteria Liner contains 30% recycled content
					READY WIDTH	↓	500			
BW0237N	PP50 TC CL	S692N	rPET23	FULL DECKLE	1505	1505		QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria Liner contains 30% recycled content Reduction in gsm of liner
					READY WIDTH	↓	500			
F3139.1525	PP50 TC CL	SRP	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria
					EXACT		500	2000		
F3640.1525	PP50 TC CL	SR3013N	BG33Wh Imp FSC	FULL DECKLE	1525	1525	1000		 	Cleanflake enables PET recyclability (APR PET Bottles Critical Guidance) Reduction in gsm of liner
F5418.1000	PP50 TC CL	SR2	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		
					READY WIDTH	↓	500			
F1169.1525	PP OLF-20	SRP	BG40Wh Imp	FULL DECKLE	1525	1525		VIC QLD		
Vinyl (PVC) / Metallised BOPP / Digital Film										
BW0272.1000	PP TC SILVER	S692N	BG40WH	FULL DECKLE	1000	1000		VIC QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria
					READY WIDTH	↓	500			
BW0273A	PP TC SILVER ELITE	S692N	rPET30	FULL DECKLE	1525	1525 (Max 2000LM)		VIC QLD	 	Adhesive meets APR HDPE Critical Guidance recyclability criteria Liner contains recycled content
BW0220.330	PP80 WH DIG	S692N	BG40WH N	FULL DECKLE	330	3 Rolls (pallet)	2000	QLD		Adhesive meets APR HDPE Critical Guidance recyclability criteria
AH932	PVC WHITE	S692N	BG40WH N	FULL DECKLE	1000	1000		VIC		Adhesive meets APR HDPE Critical Guidance recyclability criteria
					READY WIDTH	↓	500			

Variable Information Papers

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable Advantage	Comments
EDP Paper										
<u>AL306</u>	*ZIG ZAG FSC	S2045	HF80 N	FULL DECKLE	1000	1000		QLD	Adhesive is manufactured with at least 30% biobased content	
Direct Thermal Paper										
<u>F33617.1525</u>	*DT200HD FSC	S2049	*BG33WH NF	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner	
				EXACT		500	1500/ 3000	VIC QLD		
				READY WIDTH	↓	500		WA		
<u>F30310.1525</u>	*DT200GP FSC	S2049	*BG33WH NF	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner	
				EXACT		500	1500/ 3000	VIC QLD		
<u>F33564.1525</u>	*DT200GP FSC	rET9MB	*BG33WH NF	FULL DECKLE	1525	1525		QLD	Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner	
<u>F33518.1525</u>	*DT200HD FSC	C2075	*BG40WH NF	FULL DECKLE	1525	1525 (Max 2000LM)		VIC QLD	Adhesive is manufactured with at least 30% sustainably certified biomass	
				HALF MASTER	762	762	1000	VIC QLD		
<u>F33071.1000</u>	*DT200HD FSC	R5000	*BG40WH NF	FULL DECKLE	1000	1000		VIC QLD		
				READY WIDTH	↓	500		VIC QLD WA		
<u>F33547.1525</u>	*rDT300LD BPAF FSC	S2049	*BG33WH NF	FULL DECKLE	1525	1525		VIC QLD	Facestock contains recycled content Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner	
				EXACT		500	1500/ 3000	VIC QLD		

Variable Information Papers

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Direct Thermal Linerless										
NW5900A.1070	Premium Therm TC25 Linerless	HP103		INDENT	58 OR 80	10,000	VARIOUS		Reduction in the use of materials	**Suffix A for 40mm and 76mm Core. Custom roll sizes available
NW5900B.1070	Premium Therm TC25 Linerless	HP103		INDENT	58 OR 80	10,000	VARIOUS		Reduction in the use of materials	**Suffix B for 25mm Core. Custom roll sizes available
NW5920A.1070	Premium Therm TC24 Linerless	HP103		INDENT	58 OR 80	10,000	VARIOUS		Reduction in the use of materials	**Suffix A for 40mm and 76mm Core. Custom roll sizes available
NW5920B.1070	Premium Therm TC24 Linerless	HP103		INDENT	58 OR 80	10,000	VARIOUS		Reduction in the use of materials	**Suffix B for 25mm Core. Custom roll sizes available
NW5940S	Premium-Therm TC25 Linerless	HR630		INDENT	VARIOUS	10,000	VARIOUS		Reduction in the use of materials	Available via indent
Thermal Transfer Paper										
F32601.1525	*TT ELITE FSC	S2049	BG33WH NF	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner	
					EXACT	500	1500/ 3000	VIC QLD		
					READY WIDTH ↓	500		WA		
F22471.1000	*TT ELITE FSC	R5000	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		
					READY WIDTH ↓	500		VIC QLD		
Laser / Inkjet Paper										
AW1584.210	*LCJ PREMIUM FSC	LP430	HF55N	FULL DECKLE	210	630	3000	VIC QLD		
AW1584.222	*LCJ PREMIUM FSC	LP430	HF55N	FULL DECKLE	222	2664	3000			Available via indent
AS492.210	*LCJ PREMIUM FSC	LR2N	HF55	FULL DECKLE	210	630	3000	VIC		
AS492.222	*LCJ PREMIUM FSC	LR2N	HF55	FULL DECKLE	222	666	3000	VIC		
OWK0006.210	*LASERPRO FSC	S692N	CCK55/N	FULL DECKLE	210	630	3000	VIC	Adhesive meets APR HDPE Critical Guidance recyclability criteria	
OWS236.1070	*GLOSS IJ PAPER FSC	AP103	BG40WH N	FULL DECKLE	1070	535	500	VIC		

* New

* Forest Stewardship Council® certification

↓ See Ready Width section

Enable Recyclability, Reuse or Compostability




Reduction in the Use of Materials

Contains Recycled or Renewable content

Responsibly Sourced

» Transition (details p6)



Variable Information Films

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Direct Thermal Film										
F72684.1525	rDT300N	S2049	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	 Facestock contains recycled content Adhesive is manufactured with at least 30% sustainably certified biomass	» to F72685.1525 in Q2'26.
					762	762	1000	VIC QLD		
F72694.1525	rDT300N	AT20	BG40WHN	FULL DECKLE	1525	1525		VIC QLD	 Facestock contains recycled content	» to F72695.1525 in Q3'26
F71688.1000	POLYTHERMAL PLUS	SR2	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		
Thermal Transfer Film										
BW0153.1000	SYNTHETIC PAPER	S4700	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		
					READY WIDTH	↓	500	VIC QLD		
F41675.1000	SYNTHETIC PAPER	CD303	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		
					READY WIDTH	↓	500	VIC QLD		
F41630.1525	DATA PE 80	SRP	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	 Adhesive meets APR HDPE Critical Guidance recyclability criteria	
					READY WIDTH	↓	500	VIC QLD		
F50150.1525	DATA PE 80	CD303	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		
					READY WIDTH	↓	500	VIC QLD		
72828	2M WH PRT PET	S333	50 SCK	FULL DECKLE	1524	775		VIC QLD		UL recognised. Extended PET range available as Indent
					READY WIDTH	↓	500	VIC QLD		
72826	2M MATTE CH PET TC	S333	50 SCK	FULL DECKLE	1524	775		VIC QLD		UL recognised. Extended PET range available as Indent
					READY WIDTH	↓	500	VIC QLD		
F31200.1000	SYNTHETIC PAPER	SR2	BG40WH N	FULL DECKLE	1000	1000		VIC		
					READY WIDTH	↓	500	VIC		













Variable Information Films

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Laser / Inkjet Film										
<u>9168.1060</u>	DATAFLEX	SRP	B100	FULL DECKLE	1060	1060	Max 2500LM	VIC QLD		
<u>9171.1060</u>	DATAFLEX	CD303	B100	FULL DECKLE	1060	1060	Max 2500LM	VIC QLD		
<u>OZS200</u>	100um IJ SYN PAPER	AF101	BG40WH N	FULL DECKLE	1530	765	Max 2500LM	QLD		

Wine and Premium Labeling Portfolio

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Gloss Paper										
<u>F10920.1525</u>	*CAST GLOSS ELITE FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	 Adhesive is manufactured with at least 30% sustainably certified biomass	
					READY WIDTH	↓	500			
<u>F12823.1525</u>	*CAST GLOSS ELITE FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	 Adhesive is manufactured with at least 30% sustainably certified biomass Liner contains recycled content	

Wine and Premium Labeling Portfolio

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Uncoated Paper										
F16000.1525	rFELT BLANC rPLUS FSC	rS2030MB	BG40WHN	FULL DECKLE	1525	1525		VIC	  Facestock contains 30% recycled content Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine contains recycled content	
					READY WIDTH	↓	500			
F16001.1525	rFELT BLANC rPLUS FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	  Facestock contains 30% recycled content Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine and Liner contains recycled content	
					READY WIDTH	↓	500			
F14010.1525	*rSABLE FSC rPLUS	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC	  Facestock contains 100% recycled content Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine contains recycled content	
F14020.1525	*rSABLE FSC rPLUS	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	  Facestock contains 100% recycled content Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine and liner contains recycled content	
					EXACT		500	2000		
AD871L	COTTON WHITE	S2030	BG45WH N	FULL DECKLE	1000	1000		VIC		
					READY WIDTH	↓	500			
BJ387	COTTON TOUCH PLUS FSC	S2047N	*BG45WH FSC	FULL DECKLE	1000	1000				Available on Indent
AW682	COTTON EXTRA WHITE	S2047	BG45WH	FULL DECKLE	1000	1000				Available on Indent
F02785.1525	*SUP WHITE OPAQUE FSC	S3037	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		
					EXACT		500	2000		
F12598.1525	*ARCTIC rPL FSC V2	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	  Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine and liner contain recycled content	

Wine and Premium Labeling Portfolio

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Uncoated Paper (continued)										
F29333.1525	ARTISAN FSC	S2047	BG40WH N	FULL DECKLE	1525	1525		VIC		↳ from F29233.1525 Estate#8 FSC S2047 BG40WH N
F02901.1525	*ARTISAN rPLUS FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine contains recycled content	
				EXACT		500	2000	VIC QLD		
F02900.1525	*ARTISAN rPLUS FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine and liner contain recycled content	Temporary ↳ to virgin PET Liner - F12900.1525
				EXACT		500	2000	VIC		
F02899.1525	*ESTATE #4 PE FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC	Adhesive is manufactured with at least 30% sustainably certified biomass	
				HALF MASTER	762	762	1000	VIC		
F12783.1525	*VINTAGE FSC	S2047	BG40WH N	FULL DECKLE	1525	1525		VIC		Available on rPET liner on Indent
				EXACT		500	2000	WA		
Metallised Papers										
F54169.1000	*MAXFLEX BR SILVER FSC	WLP	BG40WH N	FULL DECKLE	1000	1000		VIC		
				READY WIDTH	↓	500		VIC		
F54206.1000	*MAXFLEX BR SILVER FSC	WLK202	BG40WH N	FULL DECKLE	1000	1000		VIC		
				READY WIDTH	↓	500		VIC		
Specialty Paper										
BZ437	*FROZEN ORION DIAMOND V2 PLUS FSC	S2047N	BG45WH IMP	FULL DECKLE	1000	500		VIC		

Rapid Roll Portfolio

Item	Facestock	Service Program	Width (mm)	MOQ (m ²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
Gloss Paper								
<u>RR5728</u>	VALERONC2S 7.5Mil (190um)	FULL DECKLE	1333	1333	1000	VIC		
<u>RR9000</u>	HIGH TEMP DT BOPP 90UM	FULL DECKLE	1525	1525	1000	QLD		

Ready Width - Queensland

		Item	Description	MOQ (sqm)	Length (LM)	Ready Widths
Prime Papers	CAST COAT	F12820.1525	HIGH GLOSS WHITE FSC rET9MB BG40WH	500	2000	250, 333
	COLOURED & SPECIALTY PRIME PAPERS	F45520.1000	RADIANT YELLOW S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45521.1000	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45522.1000	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45523.1000	RADIANT RED S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45524.1000	RADIANT PINK S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
		AD640	TYRE PLUS TS79 BG45WH F	500	500	125, 166, 250, 333
Prime Films	CONFORMABLE FILMS	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
	RIGID WHITE FILMS	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
		F62404.1000	OPALUX 80N SR2 BG40WH N	500	2000	250, 333
	RIGID CLEAR FILMS	F65100.1525	PP40 TC CL S692N rPET23	500	2000	200, 250, 333, 375
		F5418.1000	PP50 TC CLEAR SR2 BG40WH N	500	2000	250, 333
		BW0237N	PP50 TC CL S692N rPET23	500	2000	250, 333
	METALLISED BOPP	BW0272.1000	PP TC SILVER ELITE S692N BG40WH N	500	2000	125, 145, 165, 200, 250, 300, 333
Variable Information Papers	THERMAL TRANSFER PAPER	F22471.1000	TT ELITE FSC R5000 BG40WH N	500	1500	250, 333
	DIRECT THERMAL PAPER	F33071.1000	DT200HD FSC R5000 BG40WH N	500	2000	166, 200, 250, 333
Variable Information Films	THERMAL TRANSFER FILM	BW0153.1000	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
		F41630.1525	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
		F50150.1525	DATA PE 80 CD303 BG40WH N	500	1000	200, 250, 333
		72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
		72826	2M MATTE CH PET S333 50 SCK	500	508	117, 254
		F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333
Wine Portfolio	GLOSS PAPER	F10920.1525	CAST GLOSS ELITE rS2030MB BG40WH N	500	2000	200, 225, 250, 275, 300, 330

Ready Width - Victoria

		Item	Description	MOQ (sqm)	Length (LM)	Ready Widths
Prime Papers	CAST COAT	F12820.1525	HIGH GLOSS WHITE FSC rET9MB BG40WH	500	2000	250, 333
	LIGHTWEIGHT	F16502.1525	LW60 FSC S2045 BG40WH	500	2000	250, 333
	COLOURED & SPECIALTY PRIME PAPERS	F45520.1000	RADIANT YELLOW S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45521.1000	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45522.1000	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45523.1000	RADIANT RED S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45524.1000	RADIANT PINK S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	AD640	TYRE PLUS TS79 BG45WH F	500	500	125, 166, 250, 333	
Prime Films	CONFORMABLE FILMS	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
		BW0064	PE85 WH TC S692N BG40WH IMP	500	2000	250, 333
		F64526.1000	PRIMAX® PLUS	500	2000	250, 333
	RIGID WHITE FILMS	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
		F62404.1000	OPALUX 80N SR2 BG40WH N	500	2000	200, 250, 333
	RIGID CLEAR FILMS	F5418.1000	PP50 TC CLEAR SR2 BG40WH N	500	2000	250, 333
	METALLISED BOPP	BW0272.1000	PP TC SILVER ELITE S692N BG40WH N	500	2000	125, 145, 165, 200, 250, 300, 333
	Variable Information Paper	THERMAL TRANSFER PAPER	F22471.1000	TT ELITE FSC R5000 BG40WH N	500	1500
DIRECT THERMAL PAPER		F33071.1000	DT200HD FSC R5000 BG40WH N	500	2000	166, 200, 250, 333
Variable Information Films	THERMAL TRANSFER FILM	BW0153.1000	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
		F41630.1525	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
		F50150.1525	DATA PE 80 CD303 BG40WH N	500	1000	200, 250, 333
		72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
		72826	2M MATTE CH PET S333 50 SCK	500	508	117, 254
		F31200.1000	SYNTHETIC PAPER SR2 BG40	500	2000	200, 250, 333
		F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333

Ready Width - Victoria

		Item	Description	MOQ (sqm)	Length (LM)	Ready Widths
Wine Portfolio	GLOSS PAPER	F10920.1525	CAST GLOSS ELITE rS2030MB BG40WH N	500	2000	200, 225, 250, 275, 300, 330
	UNCOATED PAPER	AD871L	COTTON WHITE S2030 BG45WH N	500	2000	330
		F16000.1525	rFELT BLANC rPLUS FSC rS2030MB BG40WHN	500	2000	250 & 333
		F16001.1525	rFELT BLANC rPLUS FSC rS2030MB rPET30	500	2000	250 & 333
	METALLISED PAPER	F54169.1000	MAXFLEX BR SILVER FSC	500	1000	330
		F54206.1000	MAXFLEX BR SILVER FSC	500	1000	330

Ready Width - Western Australia

		Item	Description	MOQ (sqm)	Length (LM)	Ready Widths
Prime Papers	CAST COAT	F12826.1525	HIGH GLOSS WHITE FSC S2045 BG40WH N	500	1500	200, 225, 250, 270, 333
		F12828.1525	HIGH GLOSS WHITE FSC S2049 BG40WH N	500	2000	333
	MACHINE COAT	F18827.1525	AD MC70 FSC S2045N BG33WH N	500	1500	125, 145, 165, 180, 200, 250
	RADIANT	F45520.1000	RADIANT YELLOW FSC S2090 BG40WH N	500	1000	166, 250
		F45521.1000	RADIANT ORANGE FSC S2090 BG40WH N	500	1000	166, 250
		F45522.1000	RADIANT GREEN FSC S2090 BG40WH N	500	1000	166, 200, 250
		F45523.1000	RADIANT RED FSC S2090 BG40WH N	500	1000	166, 200, 250
		F45524.1000	RADIANT PINK FSC S2090 BG40WH N	500	1000	166, 250
Prime Films	CONFORMABLE FILMS	AF435	PRIMAX® UVR145 BG45WH	500	1000	250
	RIGID WHITE FILMS	F64226.1525	rPP TOP WHITE SRP BG40WH N	500	2000	180, 200, 250, 333
		F64228.1525	rPP TOP WHITE SPX BG33WH N	500	2000	125, 166, 200, 222, 250, 333
		F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	333
	VINYL (PVC)	AH932	PVC WHITE S692N BG40WH N	500	1000	250
Variable Information Papers	DIRECT THERMAL PAPER	F33617.1525	DT200HD FSC S2049 BG33WH NF	500	1500	145, 166, 180, 200, 225, 250, 333
		F33071.1000	DT200HD FSC R5000 BG40WH N	500	1000	200, 250
	THERMAL TRANSFER PAPER	F32601.1525	TT ELITE FSC S2049 BG33WH NF	500	1500	125, 200, 225, 250, 333
Wine Portfolio	UNCOATED PAPER	F12783.1525	VINTAGE FSC S2047 BG40WH N	500	2000	225, 250

Commercial Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted

Minimum Order Quantity and/or Value

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

GST

All prices quoted are excluding GST. GST of 10% will be added to all Australian invoices.

Service Policy

Business Support Team hours are Monday to Friday, 8.00am to 5.00pm AEST. The office is closed on Australian Public Holidays.

All orders received prior to 2.00pm AEST will be dispatched the following day.

Please refer to Transit Lead Times to calculate interstate deliveries.

Please note that all orders should be received via e-mail as we cannot accept phone orders.

WA orders	Deliveries from Melbourne:	Cut-off time is 2:00pm AEST each Monday, for a Tuesday dispatch, and 2:00pm AEST each Thursday, for a Friday dispatch.
	Deliveries out of Perth:	There is a 10:00am (Perth Local Time) cut-off time for all same-day dispatches out of Perth. Orders after 10:00 am will be dispatched the following day.

Indent Products Sea Freight orders for all states delivery within 12-19 weeks*.

Non stocked product codes supplied only on confirmed order

Availability and manufacturing lead times to be confirmed with Business Support Team.

Delivery Charges

No delivery fee will apply on shipping to a single metropolitan customer branch. A fee will apply:

- if an urgent delivery is requested
- delivery is requested to non-metropolitan destinations

The Customer can choose to book and pay for a courier to pick up their goods.

No deliveries will be made to alternative locations without prior authorisation from Avery Dennison.

Transit Times for Interstate Deliveries

Destination	Days from Melbourne DC	Days from Brisbane DC
Adelaide	1-2	3-4
Brisbane /Gold Coast	2	same day/ next day
Canberra / ACT	2	2
Melbourne	same day/ next day	2-3
Perth	4 (Tue & Fri trucks)	6
Sydney	1	1
Auckland	2 weeks	2 weeks

All interstate deliveries will be made by close of business, 5.00pm.

Transit times to non metropolitan areas will incur longer transit lead times.

Should you require further clarification, please contact our Business Support Team.

Commercial Terms & Conditions

Re-stocking Fee

There is a \$50.00 AUD fee per roll to re-stock customer orders that were placed incorrectly at the time of ordering (customer error). This fee covers the cost of collecting the goods and delivering a new order. Product must be un-opened, in the original packaging, and a Goods Returned Docket must accompany all returned items. Acceptance of return will be at the discretion of Avery Dennison.

Product Quality Complaints

An Avery Dennison Quality Complaint Form must be filled out and a sample and/or photographs of the product sent to Avery Dennison within 15 days of the complaint occurring. No Returns or Claims will be accepted on packaged or partially consumed products that have exceeded their shelf life.

Product Changes

Avery Dennison reserves the right, without liability to the CUSTOMER, to discontinue or limit the manufacture or sale of PRODUCTS, to make any technical, material, colour or design changes in PRODUCT, add new and additional products to its line, substitute such altered products for the prior PRODUCTS in filling orders and/or change its sales and distribution policies, after giving the CUSTOMER appropriate notification, in advance thereof.

Prices

The prices at which the PRODUCTS shall be sold to the CUSTOMER shall be the prices as set forth in the PRICE LIST. All prices are in Australian Dollars unless otherwise stated. Avery Dennison's standard terms and conditions of sale shall apply to all sales hereunder, as set forth on Avery Dennison's invoice and upon request, and as may be subsequently modified by Avery Dennison, except to the extent expressly inconsistent with this Agreement.

Orders and Delivery

The parties may use their normal commercial forms in placing and acknowledging orders hereunder. Any such forms shall be used for convenience only and any terms or provisions which may be contained therein inconsistent with or in addition to those contained herein, other than provisions specifying the quantity and type of PRODUCTS ordered, requested delivery dates and invoicing and shipping instructions, shall have no force or effect whatsoever between the parties. Shipping dates given prior to actual shipment shall be deemed to be estimates only. A purchase order number is required on every purchase order request.

Confidential Information

All information designated in writing by Avery Dennison as being confidential or proprietary shall be received and held by the CUSTOMER in strict confidence and shall not at any time be disclosed to others, used for the CUSTOMER's benefit or the benefit of others or in any manner detrimental to Avery Dennison.

Force Majeure

Avery Dennison shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by accident, fire, strike, riot, civil commotion, insurrection, war, the elements, embargo, failure of carrier, inability to obtain transportation facilities, government requirements, acts of God or public enemy, prior orders from others or limitations on Avery Dennison's or its suppliers' products or marketing activities or any other cause or contingency beyond Avery Dennison's control.

Non-waiver

Avery Dennison's (a) failure to insist upon strict performance of any of the terms or conditions, (b) failure or delay to exercise any rights or remedies provided herein or by law, (c) failure properly to notify the CUSTOMER in the event of breach or (d) acceptance of payment for any PRODUCTS sold hereunder, shall not be deemed a waiver of any right of Avery Dennison to insist upon strict performance hereof or of any of its rights or remedies, or as to any prior or subsequent default hereunder.

Imported Container Charges

Avery Dennison offers our customers the option to import full container loads of label material direct to a specified warehouse. Under this service arrangement, charges relating to the shipment, unloading and cleaning of containers are the responsibility of the customer. Charges additional to shipment can include, but are not limited to:

Detention

Detention is a fee charged for the use of a shipping container outside the port terminal. Consignees are permitted a limited number of free days starting from when the container is available from the port (these will vary depending on the carrier and location but are typically 8-10 days). Detention starts when the full container is picked up from the terminal, continues during its delivery to the consignee, and ends upon return of the empty container to the container yard.

Detention charges are billed per container per day and will vary depending on carrier, location and container type. This cost can range between \$175 - \$250 a day and will increase incrementally, for example: 1-5 days may cost \$200, increasing to \$250 for 6-10 days

Cleaning

A container cleaning fee may be charged by shipping lines to consignees for cleaning a container after it has been imported and returned to the container depot. Desiccant bags and the rings they hang on must be removed from the container before it is sent back, otherwise the consignee may be charged by the shipping line once they receive the container back. These charges are typically between \$80-\$85.

Waiting time

Fee for holding up a delivery driver. Consignees are given 1 hour free for a delivery driver once on site. If the delivery driver is held up 25 minutes over 1 hour the consignee will be charged. This charge can range anywhere between \$120-\$130 per hour.

Futile Trip

This fee is incurred when an empty container is not available for collection upon arrival of the cartage vehicle at the consignee's premises. This may be because the container was not ready at the time of pickup or the driver could not access the container.

Operational Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted

Mix and Match Ordering Guidelines

Talk with your local Avery Dennison representative to find an emulsion Mix and Match solution. Different MOQs and lead times apply, pending agreed product selection.

Core Diameter

76mm

Splice Standard

Maximum:

- 500 lm - 0 splice
- 1000 lm - 1 splice
- 1500 lm - 1 splice
- 2000 lm - 2 splices
- 3000 lm - 3 splices

Minimum Distance Between Splices and to Start/End of a Roll

200 lm

Splice Tape

- Top tape 24mm wide red
- Middle tape 19mm wide clear
- Bottom tape 36mm wide red

Splice Configuration

3 part splice is standard

Splice Indication

Number of splices recorded on cheese label, located on the side of the roll

Offcut Disposition

Offcuts less than 90 mm are scrapped, customer will be charged

Slit Width

- Minimum slit width is 90mm
- Maximum slit width is 1524mm

Slit Roll Width Tolerances

- Full width tolerance +/- 2mm
- 1mm +/- each side

Roll Length Tolerance

- Roll length tolerance +/- 10%
- Minimum standard roll length 1000lm

Minimum Roll Length

Metre wide items in the Half Master program are sold in lengths of 500 metres or greater

Maximum Roll Length

Approximately 4500 linear metres depending on each product

Total Order Quantity

Orders supplied +/- 10%

Packaging Method

- Rolls less than 1500lm will be 'Chimney Stacked'
- Rolls greater than 1500lm will be packaged with the 'Roll On' Style

Roll Tag Labels

Roll label on outside of roll with 1 core label in core

Separate Sizes by Width

One width size per stack, will segregate sizes within stack if less than sufficient quantity

Pallet sizes

- Size 770mm x 1050mm
- Size 1200mm x 1200mm

Pallets and Chocks

Remain the property of Avery Dennison and are to be returned. Coordination of return is the responsibility of the customer

Maximum Stack Height

1 metre

Minimum Order Quantity

- Standard MOQ is 1000 lineal metres of the full web width. Specified programs like Half Master, Ready Width & Exact have different MOQ's
- Standard products only, not custom make or indent

Custom Make Products

Refer to Avery Dennison representatives for business rules

Returns / Claims

- Should be made within 30 days of receipt of material
- Avery Dennison approval required before material is picked up

Material Quality Matters

- Material is to remain at customers pending testing/evaluation
- Roll label details to be provided to Avery Dennison and full justification of any amount

Avery Dennison
Label and Packaging Materials Australia

4 Duigan Dr
Moorabbin Airport, VIC 3194
Sales: 1300 369 984

General Enquiries:

lpm.anz@ap.averydennison.com

Orders can be placed at:

aus.sales@ap.averydennison.com

Learn more at label.averydennison.com



#MakingPossible

© 2026 Avery Dennison Corporation. All rights reserved. The Making Possible tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.