

Product Services Guide

Philippines Q3 2026



How to read the Product Services Guide

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
AAG535 (AW0271)	High Gloss Paper	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•			1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AAG529 (AW0153)	High Gloss Paper	S2090	*BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAD904 (AW0380-N)	High Gloss Paper	S2025N	*BG40Wh Imp FSC	Malaysia	1525		•			1 roll x 1525mm x 1000m	

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol *



Origin

Which country the product is sourced from.

Service Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ - 1roll x 1525mm x 2000m

Available Length - 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

» Product Transition - signifies changes in Item code, MOQ, Width, Length or Service Program

* New Product - signifies new items being offered

Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Ordering Point

Customer Service Department, Avery Dennison Singapore (Pte) Ltd
Email: cs.sg@ap.averydennison.com
Mon to Fri 8:30am – 5:30pm SGT (excluding Malaysia public holidays)

Order Processing

Origin	Production lead time	Transit time	Inland	Sea	Total lead time (days)
Thailand	Manufacturing (12 days) Slitting (4 days)	North Port	6	5	27
		South Port	3	12	31
		Cebu Port	3	9	27
		Davao Port	3	10	29
		Batangas Port	3	5	29
Malaysia	Manufacturing (12 days) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31
China	Manufacturing (5 weeks) Transit to ASEAN (4 weeks) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31
US	Manufacturing (6 weeks) Transit to ASEAN (10 weeks) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31
EU	Manufacturing (6 weeks) Transit to ASEAN (10 weeks) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31

Requirements and Standards

Forecast and Availability

Demand impacts supply availability.

To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To provide status of orders via e-mail within two weeks from receipt of purchase order.

Formal confirmation will be made through issuance of Proforma

Invoice with final pricing and tentative delivery schedule.

Order Cancellation / Changes

All confirmed orders with Proforma Invoice cannot be changed or cancelled.

Minimum Order Quantity

SKU products

Full jumbo roll's width and length as specified on sales quotation/product listing.

Non SKU products

Based on plant's MOQ.

Max. Quantity per Container

Please note: This may change depending on product and load requirements especially for combination of Jumbo and Slitted rolls.

Thailand origin / All paper / All film

MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark
1000mm x 1000m	17	165kg	96,000sqm	146,000sqm	Jumbo or Slitted or Combination
1000mm x 2000m	24	330kg	96,000sqm	146,000sqm	
1000mm x 1000m	17	165kg	152,000sqm	180,000sqm	
1000mm x 2000m	24	330kg	152,000sqm	180,000sqm	
1000mm x 1000m	17	165kg	96,000sqm	160,000sqm	
1000mm x 2000m	24	330kg	96,000sqm	160,000sqm	

Paper and film mix / Malaysia origin / Standard

MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark
1525mm x 1000m	17	165kg	96,075sqm	152,500sqm	Slitted only
1525mm x 1000m	24	330kg	91,500sqm	152,500sqm	20' Jumbo only / 40' Combination

Delivery Tolerance

±10% of order quantity

Width Tolerance

±1mm

Length Tolerance

±10%

Splice Quantity Indication

Printed on roll labels

Slitting Capability

Please note: This may vary depending on facility capabilities. Please contact our customer service for further details.

Roll Length	Max # of Splice	Min Width	Max Width	Max # Slits
1000m	1-2	80mm	1000mm	12 Slits
2000m	2	100mm	1000mm	10 Slits

Requirements and Standards (continued)

Packaging

Core Inside Diameter

77mm core, ± 0.15 mm

Core Thickness

12mm for master roll; 10mm for slitted roll

Roll Labels

2 labels – inner core and outside of rolls

Packaging (rolls)

Stretch wrap pallets

Maximum Stack Height

Up to 1.2m (including pallet height)

Roll Length Tolerance All materials

$\pm 5\%$

Slit Roll Width Tolerance

± 1 mm

Splice Quantity Indication

Printed on roll labels

Minimum Distance of Splices

100m

Maximum Number of Splices

TBC

Shipping Details

Delivery Terms

Manila

CIF Manila (indicate port of discharge:
either North or South port)

Vis/Min area

CIF depending on port of destination

General Description All orders

“Self Adhesive Label Materials” on invoice,
packing list and ocean bill of lading

Shipping Instructions All orders

Customer to provide name of consignee,
notify party, bill-to and ship-to address

Shipping Documents All orders

3 sets each of invoices, delivery orders,
packing lists, ocean bill of lading (all original)

1 set of certificate of analysis (all batches)

1 copy of fumigation certificate (original)

*Advance copy of complete set of
shipping docs will be sent by e-mail.

*Original documents will be sent by courier and
tracking number will be provided by e-mail.

Complaint Handling Policy

Contact Point

**Customer Care Cell Department,
Avery Dennison (Singapore) Pte. Ltd**
Email: ads-claim@ap.averydennison.com
ad-sg-ph-claim@ap.averydennison.com
[My Avery Dennison Portal](#)



Resolution Lead Time

Investigation needed	Manufactured location	Typical Lead Time
No (Standard)		3 business days
Yes	ASEAN	7 business days *
	Non-ASEAN	14 business days *

* Investigation can take up to 21 business days if the root cause is unclear.

Required Documents

To enable a quick resolution, kindly include the following information when submitting your complaints.

- Item number
- Roll ID & Lot Number
- Claim Quantity in m²
- Defect type
- Photographic or video evidence
- CAR / CAPA, if needed
- Defect roll return request, if any

Damaged Roll

Days past delivery	Compensation
1 - 3 days	Full compensation
4 - 10 days	Only on damaged portions

Claim Type

Quality Related

Claims related to the product on performance & appearance.

Non-Quality Related

Claims related to other issues such as delivery and invoice errors.

Claim Acknowledgement

To be acknowledged within 1 working day upon submission.

Claim Approval or Rejection

Upon claim approval or rejection, an email notification will be sent to requester. For approved claims, credit note will be issued and will be notified by our Customer Care Cell (CCC).

CAR & CAPA Issuance

Corrective Action Report (CAR) & Corrective Action Preventive Action (CAPA) will only be issued on request.

Investigation Updates

We are committed to keep our requester informed on the investigation and hence an update will be sent via email on a weekly basis.

Claim Status

It is available on [My Avery Dennison Portal](#)

Converting & Application Support

Available through our Technical Service team.

Prime Paper

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500		
Cast Coat											
AAG535 (AW0271)	High Gloss Paper	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m		
AAG529 (AW0153)	High Gloss Paper	S2090	*BG40Wh Imp FSC	Thailand	1000		•	•	1 roll x 1000mm x 1000m		
AAD904 (AW0380-N)	High Gloss Paper	S2025N	*BG40Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
Machine Coat											
AAK097(AW0331AF)	*Fascoat 2 FSC	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m		
AAH099 (AW0331P)	Fascoat 2 PEFC	S1010	*BG40Wh Imp FSC	Thailand	1525		•	•	1 roll x 1525mm x 1000m		
AAG557 (AW0333AF)	*Fascoat 2 FSC	S1010	*BG40Bl Imp FSC	Thailand	1525		•	•	1 roll x 1525mm x 1000m		
AAG558 (AW0333P)	Fascoat 2 PEFC	S1010	*BG40Bl Imp FSC	Thailand	1525		•	•	1 roll x 1525mm x 6000m		
AAG626 (AW0435F)	*Fascoat 2 FSC	S1002	*BG40Bl Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG550 (AW0332AF)	*Fascoat 2 FSC	S2090	*BG40Wh Imp FSC	Thailand	1000		•	•	1 roll x 1000mm x 1000m		
AAI024 (SW7325AF)	*Fascoat 2 FSC	S2420	*BG40Wh Imp FSC	Thailand	1000		•	•	1 roll x 1000mm x 1000m		
AAG541 (AW0320FM)	*MC Elite FSC	S1005	*BG40Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG631 (AW0469F)	*MC Elite FSC	S2010N	*BG40Bl Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 6000m		
AAG612 (AW0421FM)	*MC Elite FSC	S2025N	*BG33Wh FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG598 (AW0411F)	*MC Prime FSC	S2090	PET23	Malaysia	1525		•	•	1 roll x 1525mm x 5000m		
AAG615 (AW0422FT)	*MC Primecoat GP FSC	S1010	*BG40Wh FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG602 (AW0416FT)	*MC Primecoat GP FSC	S2025N	*BG40Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG603 (AW0416P)	Fascoat 2 PEFC	S2025N	*BG40Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 6000m		
AAG617 (AW0424FT)	*MC Primecoat GP FSC	S2025N	*BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG618 (AW0425FT)	*MC Primecoat GP FSC	S1002	*BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG626 (AW0435F)	*MC Primecoat GP FSC	S1002	*BG40Bl Imp FSC	Thailand	1525		•	•	1 roll x 1525mm x 1000m		
Uncoated											
AAG629 (AW0455F)	*Vellum Elite FSC	S2010N	*BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AAG540 (AW0316F)	*Vellum Elite FSC	S1010	*BG40Bl Imp FSC	Thailand	1525		•	•	1 roll x 1000mm x 1000m		
AAG538 (AW0289F)	*Vellum Elite FSC	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1525 1525		•	•	1 roll x 1525mm x 1000m 1 roll x 1525mm x 1000m		

Specialty Paper

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500		
Cast Coat											
AAG574 (AW0361N.1200)	High Gloss Paper	R450	✱BG40Wh Imp FSC	Thailand	1200			•			1 roll x 1200mm x 1000m
Machine Coat											
AAG580 (AW0362F.1200)	✱Fascoat Elite FSC	R450	✱BG40Wh Imp FSC	Thailand	1200			•			1 roll x 1200mm x 1000m
AAG627 (AW0445F)	✱MC Prime FSC	S2025N	✱BG40Wh Imp FSC	Malaysia	1525			•	•		1 roll x 1525mm x 1000m
AAG772 (SW7342F)	✱MC Prime PB FSC	S2090	✱BG40Wh Imp FSC	Thailand	1000			•			1 roll x 1000mm x 1000m
AAH997 (SW7045AF)	✱Fascoat 2 PB FSC	S2090	✱BG40Wh Imp FSC	Thailand	1000			•	•		1 roll x 1000mm x 1000m
AAH773 (SW7038F)	✱Fascoat 2 PB FSC	S2420	✱BG40Wh Imp FSC	Thailand	1000			•	•		1 roll x 1000mm x 1000m
Uncoated											
AAG581 (AW0363F.1200)	✱Vellum Elite FSC	R450	✱BG40Wh Imp FSC	Thailand	1200			•			1 roll x 1200mm x 1000m
AAG590 (AW0401F.1000)	✱Radiant Red FSC	M3000	✱B100 FSC	Thailand	1000			•			1 roll x 1000mm x 1000m
AAG591 (AW0402F.1000)	✱Radiant Orange FSC	M3000	✱B100 FSC	Thailand	1000			•			1 roll x 1000mm x 1000m
AAG592 (AW0403F.1000)	✱Radiant Green FSC	M3000	✱B100 FSC	Thailand	1000			•			1 roll x 1000mm x 1000m
AAG594 (AW0404F.1000)	✱Radiant Yellow FSC	M3000	✱B100 FSC	Thailand	1000			•			1 roll x 1000mm x 1000m

Specialty Paper (continued)

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500		
Uncoated											
AAG566 (AW0405F.1000)	✱Radiant Pink FSC	M3000	✱B100 FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAH266 (F45520.1000)	✱Rad Yellow FSC	S2090	✱BG40WHN FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAH274 (F45521.1000)	✱Rad Orange FSC	S2090	✱BG40WHN FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAH280 (F45522.1000)	✱Rad Green FSC	S2090	✱BG40WHN FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAH291 (F45523.1000)	✱Rad Red FSC	S2090	✱BG40WHN FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAG939 (F02901.1525)	✱Artisan rPLUS FSC	r2030MB	✱BG40WHN FSC	Malaysia	1525					1 roll x 1525mm x 4500m	
Direct Thermal											
AAI009 (SW7075F)	✱Direct Thermal 200GP PB FSC	S2090	✱BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAI010 (SW7082F)	✱Direct Thermal 200GP FSC	R423	✱BG40BI FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
Thermal Transfer											
AAH590 (MW0057F)	✱Transtherm 2C FSC	R423	✱BG40Wh FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAH598 (MW0068F.1000)	✱Transtherm 2C FSC	R450	✱BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
Foil											
AAG564 (AW0354.1060)	Matte Gold Foil	M3300	✱BG40Wh Imp FSC	Thailand	1060		•			1 roll x 1060mm x 1000m	
AAG773 (SW7339.1525)	Bright Silver Foil Prime	M3300	✱BG40Wh Imp FSC	Thailand	1525		•			1 roll x 1525mm x 1000m	
Others											
AAC558 (OW2350)	Gloss Inkjet Paper	AP103	BG40Wh Imp	China	1070		•			1 roll x 1070mm x 1000m	
AAC075 (OW2150)	Matte Inkjet Paper	AP103	BG40Wh Imp	China	1070		•			1 roll x 1070mm x 1000m	

Variable Information Printing

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500		
Direct Thermal											
AAH905 (NW0045F-N)	✳️Direct Thermal 150RL FSC	S2025N	✳️BG40Wh Imp FSC	Malaysia	1525		•			•	1 roll x 1525mm x 1000m
AAD921 (NW0066F)	✳️Direct Thermal 150RL FSC	S2025N	✳️BG33Wh Imp FSC	Malaysia	1525		•			•	1 roll x 1525mm x 1000m
AAH913 (NW0068F)	✳️Direct Thermal 150RL FSC	S2025N	✳️BG40BI Imp FSC	Malaysia	1525		•			•	1 roll x 1525mm x 1000m
AAH917 (NW0080F)	✳️Direct Thermal 200GPL FSC	S2025N	✳️BG33Wh Imp FSC	Malaysia	1525		•			•	1 roll x 1525mm x 1000m
AAH919 (NW0083F)	✳️Direct Thermal 200LL FSC	S2025N	✳️BG33Wh Imp FSC	Malaysia	1525		•			•	1 roll x 1000m
AAH992 (SW7005AF)	✳️Baggage Tag Elite FSC	S2025N	✳️BG40Wh FSC	Malaysia	1525		•			•	1 roll x 1525mm x 1000m
Thermal Transfer											
AAH589 (MW0052F)	✳️Transtherm 2C FSC	S2090	✳️BG40Wh Imp FSC	Thailand	1525		•			•	1 roll x 1525mm x 1000m
AAH610 (MW1616F)	✳️Transtherm 2C FSC	S2090	✳️BG40Wh FSC	Thailand	1525		•			•	1 roll x 1525mm x 1000m
AAD855 (MW0066F)	✳️Transtherm Plus FSC	S1010	✳️BG40Wh Imp FSC	Malaysia	1525		•			•	1 roll x 1525mm x 1000m
AAD918 (MW0069F)	✳️Transtherm Plus FSC	S2025N	✳️BG40Wh Imp FSC	Malaysia	1525		•			•	1 roll x 1525mm x 1000m

Prime Film

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500		
Conformable White											
AAG790 (BW0064)	PE85 Top White	S692N	✳️BG40Wh Imp FSC	Thailand	1000			•		1 roll x 1000mm x 1000m	
AAG798 (BW0147)	PE85 NTC White	S692N	✳️BG40Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
AAG842 (BW0291)	PE75 NTC White	S692N	✳️BG33Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
Conformable Clear											
AAD290 (BW0146)	PE85 NTC Trans	S692N	✳️BG40Wh Imp FSC	Thailand Malaysia	1000 1505			•		1 roll x 1000mm x 1000m 1 roll x 1505mm x 1000m	
AAG840 (BW0290)	PE75 NTC Trans	S692N	✳️BG33Wh Imp FSC	Malaysia	1505			•		1 roll x 1505mm x 1000m	
Conformable Silver											
AAC355 (BW9320A)	Bright Silver PE85 TC	AF101	✳️BG40Wh Imp FSC	Thailand	1000			•		1 roll x 1000mm x 1000m	
Semi Conformable White											
AAG806 (BW0184)	Global Co-Ex™ White NTC	S692N	✳️BG40Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
AAG874 (BW7022)	Flex+ White NTC	S692N	✳️BG33Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
AAG889 (BW7051)	Flex+ White NTC	SR3013	✳️BG33Wh Imp FSC	Malaysia	1525					1 roll x 1525mm x 2000m	
AAC788 (BW0151)	Primax® 300	S692N	✳️BG40Wh Imp FSC	Thailand	1000			•		1 roll x 1000mm x 1000m	
AAG913 (BW7123)	CleanFlake rFlex+ White	SR3013N	✳️BG33Wh Imp FSC	Malaysia	1525					1 roll x 1525mm x 2000m	
AAG892 (BW7059)	CleanFlake rFlex+ WHITE	SR3013N	rPET23	Malaysia	1525					1 roll x 1525mm x 2000m	
Semi Conformable Clear											
AAC784 (BW0183)	Global Co-Ex™ Clear NTC	S692N	✳️BG40Wh Imp FSC	Thailand Malaysia	1000 1525			•		1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AAG868 (BW7016)	Flex+ Clear NTC	S692N	✳️BG33Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
AAG873 (BW7020)	Flex+ Clear NTC	S692N	PET23	Malaysia	1505			•		1 roll x 1505mm x 1000m	
AAJ513 (BW7134)	Flex+ Clear NTC	S692N	✳️BG40Wh Imp FSC	Thailand	1525					1 roll x 1525mm x 2000m	
AAG907(BW7114)	CleanFlake Flex+ Clear NTC	SR3013N	rPET23	Malaysia	1525					1 roll x 1525mm x 2000m	
AAG905(BW7111)	CleanFlake Flex+ Clear NTC	SR3013N	✳️BG33WH Imp FSC	Malaysia	1525					1 roll x 1525mm x 2000m	
AAG800 (BW0150)	FasClear® 300	S692N	✳️BG40Wh Imp FSC	Thailand	1000			•		1 roll x 1000mm x 1000m	
AAG781 (BW0060)	FasClear® 250	S692N	✳️BG40Wh Imp FSC	Thailand	1000			•		1 roll x 1000mm x 1000m	
Rigid White											
AAG879 (BW7032)	rPP Top White	S692N	✳️BG33Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
AAH273 (BW7087)	rPP Top White	S7210	✳️BG33Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
AAG910 (BW7117)	rPP Top White	SR3013N	✳️BG33Wh Imp FSC	Malaysia	1525					1 roll x 1525mm x 2000m	
BAA957 (BW7131)	rPP50 Top White	S692N	✳️BG40Wh Imp FSC	Malaysia	1525					1 roll x 1525mm x 2000m	
AAG912 (BW7122)	rPP Top Pearlized White	S692N	✳️BG40Wh Imp FSC	Thailand	1525					1 roll x 1525mm x 2000m	
AAE728 (BW0174)	PPNg Top Pearlized White	S692N	✳️BG40Wh Imp FSC	Thailand Malaysia	1000 1525			•		1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AAG824 (BW0255SN)	PP60 Top Pearlized White	SR3013N	✳️BG33Wh Imp FSC	Malaysia	1525					1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Malaysia	1525					1 roll x 1525mm x 2000m	
AAG906 (BW7113)	PP60 Top Pearlized White	SR3013N	✳️BG33Wh Imp FSC	Malaysia	1525					1 roll x 1525mm x 2000m	
AAG861 (BW7004)	PP60 Top White	S692N	✳️BG40Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	
AAC795 (BW0227)	PP50 Top White	S692N	✳️BG40Wh Imp FSC	Thailand Malaysia	1000 1525			•		1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AAG890 (BW7053)	PP50 Top Pearlized White	S3010N	✳️BG33Wh Imp FSC	Malaysia	1525			•		1 roll x 1525mm x 1000m	

Prime Film (continued)

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500		
Rigid White (continued)											
BW7054	PP50 Top Pearalized White	SR3013	✳️BG33Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 2000m
AAD934 (BW0293)	Opalux 55	S692N	✳️BG40Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 1000m
Synthetic Paper											
AAG720 (SY7094)	LW Synthetic Paper	S2025N	✳️BG40Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 1000m
AAD953 (BW0153)	Synthetic Paper	S4700N	✳️BG40Wh Imp FSC	Thailand Malaysia	1000 1525					•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m
AAG826 (BW0264)	Synthetic Paper 65	S4700N	✳️BG40Wh Imp FSC	Thailand	1525					•	1 roll x 1525mm x 1000m
AAG865 (BW7005)	PP Top Matte White	S692N	✳️BG33Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 1000m
Rigid Clear											
AAG788 (BW0062N)	PPNg Top Trans	S692N	✳️BG40Wh Imp FSC	Thailand Malaysia	1000 1525					•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m
AAG815 (BW0237N)	PPNg Top Trans	S692N	PET23	Malaysia	1505					•	1 roll x 1505mm x 1000m
AAG899 (BW7090)	PPNg Top Trans	S7210	rPET30	Malaysia	1505						1 roll x 1505mm x 2000m
AAJ524	PP50 Std. Top Clear	S692N	✳️BG40Wh Imp FSC	Malaysia	1525						1 roll x 1525mm x 2000m
AAG894 (BW7072)	PP50 Top Trans	SR3013N	✳️BG40Wh Imp FSC	Malaysia	1525						1 roll x 1525mm x 2000m
AAG896 (BW7081)	PP50 Top Trans	SR3013N	rPET23	Malaysia	1525						1 roll x 1525mm x 2000m
AAG573 (BW0266A)	PP50 TC Clear	S692N	✳️BG40Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 2000m
AAG858 (BW7000)	PP50 NTC Clear	S692N	✳️BG40Wh Imp FSC	Malaysia	1525					•	1 roll x 1000m
AAG80 (BW7017)	PP40 Top Clear	S692N	✳️BG40Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 1000m
BW7092	PP40 Top Clear	S7210	✳️BG40Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 1000m
BW7056	PP40 Top Clear	SR3013N	✳️BG40Wh Imp FSC	Malaysia	1525						1 roll x 1525mm x 2000m
BW7055	PP40 Top Clear	SR3013N	rPET23	Malaysia	1525						1 roll x 1525mm x 2000m
AAG807 (BW0226)	PP30 Clear NTC	S692N	✳️BG40Wh Imp FSC	Thailand	1000					•	1 roll x 1000mm x 1000m
AAG793 (BW0112N)	Overlaminating Gloss PP	S6800	✳️BG40Wh Imp FSC	Thailand	1000					•	1 roll x 1000mm x 1000m
AAG732 (SY7025N)	Overlaminating Matte PP	S6800	✳️BG40Wh Imp FSC	Thailand	1000					•	1 roll x 1000mm x 1000m
Rigid Silver											
AAG820 (BW0243)	PP50 Top Silver	S692N	✳️BG40Wh Imp FSC	Thailand	1000					•	1 roll x 1000mm x 1000m
AAG822 (BW0254)	PP Silver TC	S631	PET 30	Thailand	1525					•	1 roll x 1525mm x 1000m
AAG830 (BW0272)	PP TC Silver Elite	S692N	✳️BG40Wh Imp FSC	Malaysia	1525					•	1 roll x 1525mm x 1000m

Specialty Film

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
Conformable White												
AAG694 (SY7179)	PE HD TAMPER EVIDENT	S700N	✱BG40Wh Imp FSC	Malaysia	1525		•				1 roll x 1525mm x 1000m	
AAG710 (SY7123)	PE75 White NTC	S477A.MB	✱BG40Wh Imp FSC	Thailand	1525		•				1 roll x 1525mm x 1000m	

Specialty Film (continued)

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500		
Rigid White											
AAG707 (SY7138)	WBIJ PP Top Gloss White	S4700F	✱BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAG729 (SY7051N.1000)	PPNg Top White	R480	✱BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAG917 (BW7569)	50um BOPP Clear TC	SR133	BG50#Wh Ni	China	1530				•	1 roll x 1530mm x 2000m	
AAH288 (BW7678)	100u White PP TC	SR136	BG50#WH Ni	China	1070				•	1 roll x 1070mm x 2000m	
AAG521 (AL442)	PP125 Top White	S697	BG45Wh	EU	1000		•			2 roll x 1000mm x 1000m	
AAG825 (BW0259N)	PP40 Top Matte White II	S692N	✱BG40Wh Imp FSC		1000		•			1 roll x 1000mm x 500m	
Synthetic Paper											
AAG733 (SY7022)	Synthetic Paper II	C7501	✱BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
AAG834 (BW0278)	Synthetic Paper TR75	C2075	✱BG40Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
AAG711 (SY7122)	WBIJ synthetic paper	S4700F	✱BG40Wh Imp FSC	Thailand	1525		•			1 roll x 1525mm x 1000m	
AAG730 (SY7050N.1000)	Synthetic Paper	R480	✱BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAG916 (BW7567)	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	China	1070				•	1 roll x 1070mm x 2000m	
AAH286 (BW7667)	Synthetic Paper7 TC	SR136	BG50#WH Ni	China	1070				•	1 roll x 1070mm x 2000m	
Rigid Clear											
AAG731 (SY7049.1000)	PPNg Top Trans	R480	✱BG40Wh FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
AAH287 (BW7669)	50u Clear PP TC	SR136	BG50#WH Ni	China	1070				•	1 roll x 1070mm x 2000m	
BAA924 (BW5208)	Clear BOPP TC	UR136	BG50#WH FSC Mix Credit Imp	China	1070				•	1 roll x 1070mm x 2000m	
AAG915 (BW7534)	100u Clear PET TC	SR123	80g glassine liner Imp	China	1000		•			1 roll x 1000mm x 1000m	
AAG927 (BWS1324)	45um PET TC	S6000	PET30 ni	China	1000		•			1 roll x 1000mm x 1000m	
Rigid Silver											
AAG717 (SY7106)	PP50 Top Silver	S692N	PET23	Malaysia	1525		•		•	1 roll x 1525mm x 5000m	

Durable Film

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						250	500	1000	1500	2000	
AAG488 (41044)	2M Mat Chrome PET TC	S730	50#SCK	US	1372			•			1 roll x 1372mm x 1000m
AAG472 (40443)	2M White PETC TC	S730	50#SCK	US	1372			•			1 roll x 1372mm x 1000m
BAC278 (70006)	2M White Print-Treated Polyester	S730	1.5MPET	US	1372			•			1 roll x 1372mm x 1000m
AAG908 (75560)	2M White PET TC	R143	50#SCK	US	1372			•			1 roll x 1372mm x 1000m
AAH678 (ADS1385)	2M White PET TC	S333	BG50Wh	Thailand	1000			•			1 roll x 1000mm x 1000m
AAH678 (MZ0102)	2M WH PET TC	S333	BG50Wh	Thailand	1000			•			1 roll x 1000mm x 1000m
AAB975 (MZ0104)	2M MAT CH PET TC	S333	BG50Wh	Thailand	1000			•			1 roll x 1000mm x 1000m
AAH698 (MZ0111)	1M CL PET TC	S8020	PET30	Thailand	1525			•			1 roll x 1525mm x 1000m
AAH705 (MZ0112)	1M Matte PET	S8020	G80	Thailand	1065			•			1 roll x 1065mm x 1000m
AAH749 (MZ0212)	2M WH PETC TC	S369	BG50Wh Imp	Thailand	1000			•	•		1 roll x 1000mm x 500m
AAH859 (MZ2000W)	25um Matte White PI HTC	S8088S	BG50Wh	Malaysia	250, 500	•					1 roll x 250mm x 250m 6-8 weeks lead time if stock is out

Durable Film (continued)

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
AAD051 (MZ2001W)	25um Gloss White PI HTC	S8088S	BG50Wh	Malaysia	250,500	•					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAC035 (MZ2002W)	50um Matte White PI HTC	S8088S	BG50Wh	Malaysia	250,500	•					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
MZ2003W (MZ2003W)	50um Gloss White PI HTC	S8088S	BG50Wh	Malaysia	250,500	•					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAH903 (MZS2601)	50mic White PET TC	UP601	BG50WH	Thailand	255,1530		•			•	1 roll x 255mm x 1000m	
BAA875 (ADS1676)	2mil WH PET TC	P8030EX	BG50WH	Malaysia	1070		•				1 roll x 500m	EXACT program available
BAA845 (ADS1677)	2mil MAT CH PET TC	P8030EX	BG50WH	Malaysia	1070		•				1 roll x 500m	EXACT program available
BAA918 (ADS1678)	2mil CL PET TC	P8030EX	BG50WH	Thailand	214,535		•				1 roll x 214mm x 500m	
AAH518 (MZS903)	50 micron White PET TCY	S692N	Embossed Polycoated liner ni	Thailand	214,535		•				1 roll x 214mm x 500m	
BAA948 (ADS1680)	1mil WH PET TC	P8030EX	BG50WH	Thailand	214,535		•				1 roll x 214mm x 500m	
BAA951 (ADS1681)	1mil MAT CH PET TC	P8030EX	BG50WH	Thailand	214,535		•				1 roll x 214mm x 500m	
AAH040 (ADS1621)	1mil Clear PET TC	S8022	PET23	Malaysia	214,535		•				1 roll x 214mm x 500m	
BAC030 (BW9668)	75mic Synthetic Paper	S4700N	BG40Wh Imp	Malaysia	1525		•				1roll x 1000m	

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas

New Approaches

New Products

New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Singapore (Pte) Ltd
Customer Service Department
Email: cs.sg@ap.averydennison.com
Mon to Fri 8:30am - 5:30pm SGT
(excluding Malaysia public holidays)

Find more label solutions at
label.averydennison.com



#MakingPossible

© 2026 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



MAKING POSSIBLE™