

Retrotouch® Switches & Sockets





WIRING ACCESSORIES | SMART SWITCHES | PLUG SOCKETS

Retrotouch

Switches & Sockets

Retrotouch is a UK company that designs, and manufactures innovative switches & sockets for consumers, interior designers and developers. Founded in 2008, we are a team of designers and engineers. The consumer range is designed for the homeowner who wants the utmost in modern sophistication at a price which is affordable and easy installation and with design a priority.

Retrotouch products don't require expensive and time-consuming rewiring or complicated installations, and thanks to the continuity of the ranges, you can start small and add over time. With touch glass panels and surrounds, the switches and sockets bring a stylish finish to a room and give you the power to create ambience and mood lighting wherever and whenever you wish. There's no need for expensive controllers and transmitters as all of Retrotouch's light switches have the technology already built-in.

Our philosophy has always been that "We work forwards from what our customer needs are, and not backwards from what the technology allows. Everything we sell must be simple and intuitive to use for everyone from the installer to the whole family."

Co-Founders

funt Kunt cools







Switches & Sockets With A Touch Of Glass

LIGHT SWITCHES PAGE 5 - 10

SMART SWITCHES PAGE 13 - 20

DIMMERS PAGE 23 - 26

PLUG SOCKETS PAGE 29 - 32

WIRING ACCESSORIES PAGE 35 - 46

SIMPLICITY

Premium Switches & Sockets

LIGHT SWITCHES PAGE 49 - 50

DIMMERS PAGE 51 - 52

PLUG SOCKETS PAGE 53 - 54

WIRING ACCESSORIES PAGE 55 - 56

HOTEL ACCESSORIES PAGE 57 - 58

PART M SWITCHES PAGE 59







AUGMENTED REALITY

See our switches and sockets on your wall.

Simply open your phone camera and scan the QR code anywhere you see the AR logo and follow the onscreen instructions



Try it now



Retrotouch

WITH A TOUCH OF GLASSTM











CRYSTAL TOUCH LIGHT SWITCHES



WITH A TOUCH OF GLASSTM



TOUCH CONTROLLED.

Retrotouch Crystal Touch Light Switches are available in 1 to 3 gang options. With backlit LED touch areas, you can easily locate your switches at night. This model is available in four different colours and can be linked to 1-3 lights - whether your refurbishing or renovating, your interior will be brought up to date with our touch-sensitive switches.











SPECIFICATIONS / FEATURES

Our Crystal Touch model replaces the traditional light switch with a stunning LED indicator to bring your home up to date. These screwless covers are easy to install and fit a 35mm back box using standard wiring with no neutral required.



RETROFIT. NO NEUTRAL REQUIRED.



Features

Sophisticated glass finish

ling a touch of glass for the ultimate finish

Touch Operation

Feather-touch panel with only the slightest of touches needed to turn on and off

Backlit LED indicators

The indicators glow blue when off and red when on for locating your switches in the dark

Fits 35mm back box

Offers quick and easy installation

Screwless fronts

The screws are hidden giving your switch a seamless design

Ultra-thin 4mm glass panel

Low profile panel that sits flush on your wall

Retrofit

No neutral required

What's in the box

Back plate with Module

Glass front plate in Black, White, Grey & Brass finish

2 screws for back box fixing

Instruction manual

Specifications

Voltage: 110 ~ 240V ~ 50/60HZ

Working Temperature: 0oC ~ 40oC Relative

Humidity: 10% - 93%

Energy Consumption: <0.02W

Measurement: $86 \times 86 \times 29$ mm

Backbox depth: 35mm

Life: 100,000 touches

Touch 1-3G 1WAY

Power Supply: 100 - 240V AC 50/60HZ

Load Power: 3 - 300W

Touch 1-3G 2WAY

Power Supply: 100 - 240V AC 50/60HZ

Load Power: 3 - 800W/G (2000W Max)

*Not all LED bulbs are compatible and depends on brand, please call for more information

Certifications

2-year warranty

CE & RoHS certified

MODELS & FINISHES

2G 1W: 01402

WHITE PG TOUCH







2G 2W: 01403





ONE, TWO & THREE GANG

1G 1W:	01406	1G 2W:	01407
2G 1W:	01408	2G 2W:	01409
3G 1W:	01410	3G 2W:	01411

PG TOUCH \succeq

ONE, TWO & THREE GANG

1G 1W:	01412	1G 2W:	01413
2G 1W:	01414	2G 2W:	01415
3G 1W:	01416	3G 2W:	01417

TOUCH ASS PG

ONE, TWO & THREE GANG

1G 1W: 01418 1G 2W: 01419 2G 1W: 01420 2G 2W: 01421 3G 1W: 01422 3G 2W: 01423

Scan the QR code to view our new Touch Switch product page.









ROCKER LIGHT SWITCHES

WITH A TOUCH OF GLASS™




TIMELESS. ELEGANT. DESIGN.

Our unique design features large easy to use switches, framed by an elegant combination of glass or glass with chrome trim. But that's not all, Retrotouch goes that extra mile and brings this together in a package that's so streamlined there isn't a screw in sight!











These Crystal Rocker Light Switches are a sophisticated way to revitalise the light switches in your home and modernise any interior.



EASY INSTALL SYSTEM. SCREWDRIVER.



Features Specifications

Sophisticated glass finish

Adding a touch of glass for the ultimate finish

Screwless fronts

The screws are hidden giving your switch a seamless design

Large easy press buttons

Providing ease of use while keeping a premium look

Fits 25mm back box

Offers quick and easy installation

Rocker Mechanical Switch

1-4 gang (1 or 2 ways)

1-2 gang (Intermediate)

10 Amn Rated

Glass Surround available with or without chrome

Concealed Fixing Screws

Fits in 25mm depth Back Box

What's in the box Certifications

Back plate with Module

Glass front plate in Black or White finish

Screws for back box fixing x2

Instruction manual

10 Year Warranty

BS60669

CE & RoHS Certified

ONE GANG



ONE WAY / TWO WAY



INTERMEDIATE

PG:	00194	0020
CT:	00192	0020

FWO GANG



ONE WAY / TWO WAY

PG:	00213	00217
CT:	00211	00221

INTERMEDIATE

G:		00214		0022
ъ.	FF	00212	(-1-1)	002

CT: 00212

THREE GANG

ONE WAY / TWO WAY



TWO GANG



ONE WAY / TWO WAY

PG:	00252	Æ	00262
CT:	 00251		00261


Scan the QR code on your phone camera for augmented reality















lighting system look as good as they function.




WALL OR APP CONTROL Switch on/off and have constant

control of your smart home from the

wall or your smart home system



FOR HOME AUTOMATION SYSTEMS.



Features

Retractive / Pulse switch

A quick, easy and affordable way to modernise either your current home, business, hotel or project.

Screwless fronts

screws are hidden giving your switch a seamless design

Sophisticated glass finishAdding a touch of glass for the ultimate finish

Backlit LED indicators (Touch version)
The indicators glow blue when off and red when on for locating your The indicators glow switches in the dark

Ultra-thin 4mm glass panel

Low profile panel that sits flush on your wall

Specifications

Glass Surround with Chrome trim versions

Concealed fixing screws

86 x 86mm (Standard Single)

Rated Voltage: 220~240V AC (50/60Hz)

Operating Power: 3W - 1000W

Working Temperature: 0°C~40°C

Relative Humidity: 10% - 93%

Energy Consumption: <0.02W

Rocker

1-4 Gang (Controls 1-4 Lights) Fits In 25mm Depth Back Box (Rocker Version)

Touch

1-3 Gang (Controls 1-3Lights) Blue glow for easy night use

Fits In 35mm Depth Back Box (Touch Version)

What's in the box

Retractive swtich with glass plate in Black or White finish

2 screws for back box fixing

Instruction manual

Certifications

2 Year Warranty

CE & RoHS Certified

MODELS & FINISHES

ONE GANG



ROCKER / TOUCH



TWO GANG



ROCKER / TOUCH

PG:		00219		00218
CT:		00220		00223
12V:	00	02014	00	02020
			0.0	

THREE GANG



ROCKER / TOUCH



00495


00492

FOUR GANG

240V



PULSE / RETRACTIVE





Scan the QR code on your phone camera for augmented reality





Retrotouch SMART SWITCHES

WALL. APP. VOICE. SMART.









CRYSTAL+



SMART WI-FI SWITCHES

WITH A TOUCH OF GLASSTM







SMART CONTROL.

Our Crystal Touch WiFi Switches have a sophisticated glass finish and backlit LED inidcators have been integrated to help locate your switches in the dark. You have the option of managing your lighting via our Smart App or you can connect to your Amazon Alexa or Google Mini for voice control services.










SPECIFICATIONS / FEATURES

Our Crystal Smart model replaces the traditional light switch with a stunning LED indicator to bring your home or business up to date. These screwless covers are easy to install and fit a 35mm back box using standard wiring.



RETROFIT. NO NEUTRAL REQUIRED.



Features

Sophisticated glass finish

Adding a touch of glass for the ultimate finish

Touch Operation

Feather-touch panel with only the slightest of touches needed to turn on and off

App Control

Manage your lighting with our App

Voice Control

Connect to your Amazon Alexa

Backlit LED indicators

The indicators glow soft blue when off and bright blue when on for locating your switches in the dark

Fits 35mm back box

Offers quick and easy installation

Screwless fronts

The screws are hidden giving your switch a seamless design

What's in the box

Back plate with Module

Glass front plate in Black, White. Grey & Brass finish

2 screws for back box fixing

Instruction manual

Specifications

Voltage: 110 ~ 240V ~ 50/60HZ

Working Temperature: 0oC ~ 40oC Relative

Humidity: 10% - 93%

Energy Consumption: <0.02W

Measurement: 86 x 86 x 35mm

Backbox depth: 35mm

Life: 100,000 touches

Power Supply: 100 - 240V AC 50/60HZ

Load Power: 3 - 800W/G (2000W Max)

Certifications

2-year warranty

CE & RoHS certified

MODELS & FINISHES

WHITE PG TOUCH

BLACK PG TOUCH

GREY PG TOUCH

ONE, TWO & THREE GANG

1G: 01450 2G: 01451

3G: 01452

ONE, TWO & THREE GANG

1G: 01453 2G: 01454

ONE, TWO & THREE GANG

1G: 01456 2G: 01457

BRASS PG TOUCH




ONE, TWO & THREE GANG

1G: 01459 2G: 01460 3G: 01461

Scan the QR code to view our new Wi-Fi Smart Switch product page.





SWITCHES FOR HUE.

Retrotouch has become an official supplier of Philips Hue light switches, working together to provide consumers with a beautifully-designed 'always on' system for effortless control over their Philips Hue lighting.

Addressing the issue of a homes wireless smart lighting connections being cut off from smart functions, if a light switch is manually switched off, the new Retrotouch switches ensure that the lighting circuit is always on. While the switches will work as normal to flip lights on and off, the lighting circuit will remain on so that Hue is always ready and working when you want it, seamlessly delivering smart App, HomeKit and motion functions.









PLAIN GLASS



ONE & TWO GANG

02802 02803

02801 02800

ALSO AVAILABLE

SMART BUTTON PLATE FOR PHILIPS HUE BUTTON



ONE & TWO GANG

02832

02833



02831

Plate Features

Sophisticated Glass Finish

Stick Anywhere

Magnetic Connection

Replace Your Existing Switch

Always On Hue system



OPEN YOUR PHONE CAMERA & SCAN THE QR CODE FOR AUGMENTED REALITY




iOS 13+, iPADOS 13+ or Android with ARCore 1.9+ required

Seamlessly integrate with the Phillips Hue lighting system, this switch is the missing piece of the Hue system jigsaw for a user experiance that works from wall, voice, motion or app.



ALWAYS ON HUE EXPERIANCE.



Features

Wireless, stick-anywhere, battery-free switch

SPECIFICATIONS / FEATURES

Can control up to 50 Philips Hue lights and lamps simultaneously from a Hue hub.

Ensures that the Hue lighting system is always-on no more having to leave a light switch on for the lamps to have power and hue system work

Switch connects directly to the Philips Hue Bridge

Stylish, premium glass design

to perfectly complement the smart Philips Hue system

Certified Friends of Hue

What's in the box

Back plate with Module

3M Wall sticky pad

2 Button & 1 Button included

2 screws for back box fixing

Glass front plate in Black or White finish

Compatible and certified to work with all Philips Hue lighting

Works with Apple Homekit

Apple HomeKit via Hue Bridge. Take control of your home from your walls.

Certifications

Altitude: 2000m

Limited Warranty: 2 Year

Specifications

Indoor Range: Up to 20m

Outdoor Range: Up to 300m

Material: ABS & Toughened Glass Frequency: Zigbee, 2.4Ghz

86 × 86 × 14mm (Standard Single)

2 Button (4 channels) & 1 Button (2 channel)

Operational temperature: 0°C to 40°C

Europe, CE & RoHS Certified

EN 60950-1:2006+A11:2009+, A1:2010+A12:2011+A2:2013

EN 301489-3 V1.6.1, EN 61000-3-2:2013, EN 61000-3-3:2013, EN 300220-2:V3.1.1, EN 62479:2010,

USA, FCC & IC Rules

Hue, Friends of Hue, and all related logos are trademarks of Signify Holding. Philips is a trademark of Koninklijke Philips N.V.

Terminal connector block for retrofit applications Instruction manual




WIRELESS. BATTERY-FREE. TIMELESS.TM

The Retrotouch EnOcean switches don't require batteries or a power cable and they are as durable and reliable as a traditional wired switch. Thanks to EnOcean's innovative harvesting technology, each press of the switch generates enough energy to send a radio signal to a relay for a totally wireless and robust control solution.





Powered by EnOcean's energy harvesting technology, each press of the switch generates enough energy to send a radio signal to a relay for a totally wireless and battery-free solution.



THE FUTURE OF LIGHTING CONTROL.

Features

High quality toughened glass

vith a chrome trim finish

Batteries not required

Wireless operation

Control your lighting / smart system with set functions

Mount anywhere Using included 3M sticky pad

Multi-Function Buttons

Retrofit on any UK or European standard back-box

Specifications

2 Button (4 channels) & 1 Button (2 channel)

Kinetic powered By EnOcean Technology

Operational temperature: 0°C to 40°C

Altitude: 2000m

Dimensions: 86*86*14mm

Limited Warranty: 2 Year

Module Protocols Available

EnOcean™

BLE™

 $ZigBee^{TM}$

Friends of Hue^TM

Certifications

What's in the box

Back plate with Module

Glass front plate in Black or White finish

2 Button & 1 Button

3M Wall sticky pad

2 screws for back box fixing

Terminal connector block for retrofit applications

Europe

EN 60950-1:2006+A11:2009+, A1:2010+A12:2011+A2:2013, EN 301489-3 V1.6.1, EN 61000-3-2:2013, EN 61000-3-3:2013,

EN 300220-2:V3.1.1, EN 62479:2010

USA

FCC & IC Rules

ONE & TWO GANG

02622

02620 02621

02623

ZIGBEE

BLUETOOTH®



ONE & TWO GANG

02642 02643

02641 02640

ENOCEAN



ONE & TWO GANG

02602

02603

02601

02600

PART-M



ONE & TWO GANG

PG: 02677





iOS 13+, iPADOS 13+ or Android with ARCore 1.9+ required








NOD-ON WIRELESS RELAYS

SPECIFICATIONS / FEATURES

Control your lighting and other devices via an EnOcean smart home system. Wirelessly connect our switches to the relay and convert any powered device into a smart device which you can control from your phone or smart hub.









MOST ADVANCED ENOCEAN RELAY.

Specifications

Power supply: 230V AC ~ 50Hz

Switching capabilities: 230V AC $-2 \times 5A$

Consumption: <1W

Radio frequency range: 868,0 to 868,6 Mhz

RF power max: +3dBm

Range: Up to 30m inside

Operational temperature: 0°C to 40°C

Protection rating: IP 2X

Pairing: up to 22 controllers

EEP (EnOcean Profile): D2-01-12

Dimension: 40 mm (I) \times 44 mm (L) \times 16.9 mm (h)

Certifications

EN60669-1:1999+A1:02+A2:08

EN60669-2-1:2004+A1:09+A12:10

EN300220-2 V3.1.1

EN301489-01 V2.1.1

EN301489-03 V2.1.1

EN62479:2010

What's in the box

Quick connector

User guide

ENOCEAN KINETIC SWITCHES

ENOCEAN



ONF & TWO GANG

PG:

02602

02603

CT: 02600 02601

LIGHTING RELAY

JN/OFF



SIN-2-2-01

POWER RELAY

MULTIFUNCTION





SIN-2-1-01

Relay Features

Power supply: 230V AC ~ 50Hz Range: Up to 30m inside

ENOCEAN SWITCH ANDRECEIVER STARTER KIT

 $\overline{\Gamma}$ STARTER



Starter Kits:



B-EN-M-B-CT-NOD



B-EN-M-W-CT-NOD




B-EN-M-B-PG-NOD



B-EN-M-W-PG-NOD








EnOcean relay module

Bluetooth KOZEE WIRELESS RELAYS

SPECIFICATIONS / FEATURES

The Kozee receiver can control two lighting circuits - you can control these circuits from the wall using a Retrotouch Bluetooth Smart Switch via the Kozee App or voice control from Alexa. It can be wired discreetly into any household LED light system.



CONTROL WITH APP & VOICE.

Specifications

Input: Voltage Range 220-240VAC - Frequency 50HZ

Max Mains Current: 1.4A

Output: Channel 1 120W max / Channel 2 120W max

Radio transmitter: WiFi IEEE802.11 b/g/n, BLE

Operating Frequency: 2.4Ghz Transceiver

Max Output Power: 120W per Channel

Operating Temp: 20°C + 45°C

Max Relative Humidity: 0-80%

Connections: 0.5 - 1.5mm AWG

Mechanical Dimensions: H30mm X W45mm X L115mm

Weight: 68g

Protection Rating: IP20 (indoor use only)

Range: 10m Clear Air, 8m Indoor (dependent on barriers)

Features

2 Channel 120W Receiver

Bluetooth and Wifi

Works with Alexa Voice Control (WiFi Version)

Works with Retrotouch Bluetooth Smart Switch

What's in the box

EnOcean relay module

Quick connector

User guide

BLUETOOTH KINETIC SWITCHES

BLUETOOTH



ONE & TWO GANG

02602

02603 02601

02600

LIGHTING RELAY

PG:

C.T:

DN/OFF



BT-RC2C/DWIFI

Relay Features

Control your switches via the wall, the Kozee App or even through Alexa.

Maximum output power: 120W per

BLUETOOTH WIRELESS SWITCH AND RECEIVER STARTER KIT

 $\overline{\Gamma}$ STARTER



Starter Kits:



B-EN-M-B-CT-KOZ

B-EN-M-W-CT-KOZ

B-FN-M-B-PG-KO7

B-EN-M-W-PG-KOZ

B-FN-S-B-PG-KO7

For videos & image gallery visit our website.





Retrotouch

SETTING THE MOOD.





LATEST DIMMING TECHNOLOGY.

Our Touch Dimmer switches come in four different colours - Black, White, Grey and Brass - 1 to 2 gang model options are available. These beautifully simple devices glow blue when off, to allow for easy night time use. Our units are designed to work with LED bulbs.











Our Crystal Touch Dimmer switches replace the traditional dimmer model with stunning LED indicators to bring your home or business up to date.



TOUCH & HOLD TO DIM.



Features

Sophisticated glass finish

ling a touch of glass for the ultimate finish

Feather-touch panel with only the slightest of touches needed to turn on and off

Backlit LED indicators

The indicators glow soft blue when off and bright blue when on for locating your switches in the dark

Fits 35mm back box

Offers quick and easy installation

Screwless fronts

The screws are hidden giving your switch a seamless design

Leading-edge dimmingOur dimmers use the latest dimming technology

Wi-Fi Dimmer

App Control Manage your li

ge your lighting with our App

Voice Control

onnect to your Amazon Alexa

What's in the box

Back plate with Module

Glass front plate in Black, White. Grey & Brass finish

2 screws for back box fixing

Capacitors included (DIMMER ONLY)

Instruction manual

Specifications

Voltage: 110 ~ 240V ~ 50/60HZ

Working Temperature: 0oC ~ 40oC Relative

Humidity: 10% - 93%

Energy Consumption: <0.02W

Measurement: $86 \times 86 \times 29$ mm

Backbox depth: 35mm

Life: 100,000 touches

Touch Dimmer

Power Supply: 100 - 240V AC 50/60HZ

Load Power: 3 - 200W (10 Lamps Max)

Note: Our dimmer switches are not suitable for use with fluorescent loads, including energy saving lamps and certain non dimming LED bulbs.

*Not all LED bulbs are compatible and depends on brand, please call for more information.

Certifications

2-year warranty

CE & RoHS certified

MODELS & FINISHES

WHITE PG TOUCH

-ACK PG TOUCH

ONE & TWO GANG (TOUCH)

1G: 01430 2G: 01431

ONE GANG (WI-FI)

1G: 01480

ONE & TWO GANG (TOUCH)

1G: 01432 2G: 01433

ONE GANG (WI-FI)

1G: 01481

GREY PG TOUCH

ONE & TWO GANG (TOUCH)

1G: 01434 2G: 01435

ONE GANG (WI-FI)

1G: 01482

BRASS PG TOUCH

ONE & TWO GANG (TOUCH)

1G: 01436 2G: 01437


ONE GANG (WI-FI)

1G: 01483

Scan the QR code to view our new Touch Switch product page.







LIGHTS. DIM. ACTION.


Retrotouch's dimmer switch collection features a premium glass design, making your home both timeless and elegant. Designed for dimming LED's, they use the latest in trailing edge dimming technology to create an appealing ambience to any interior.












TRAILING EDGE LED DIMMING



Features

Screwless fronts

The screws are hidden giving your switch a seamless design

Fits 25mm back box

Offers quick and easy installation

Maximum compatibility

Multi-use, compatible with a variety of loads: incandescent, lv halogen and led dimmable lamps and all dimmer switch plates.

Extend lamp life

oft start operation to prolong the life of the lamp and dimmer.

Functionality
Push on/off for 2-way functionality with rotary dimming.

Dual dimming modes

Leading and trailing edge modes: for electronic transformers, integral dimmable led lamps, iron-core transformers, motor loads and more.

Intelligent setupSet min/max brightness settings to prevent flicker or flashing for a perfect dimming experience.

Specifications

1-4 gang (1 or 2 way)

1-2 gang 86 x 86mm (standard single)

3-4 gang 146 x 86mm (standard double)

Max load rating: LED lamps max. 150w (max. 10 lamps)

Max load rating: halogen lamps max 400w

Trailing edge/leading edge

Works with LEDs, halogens and standard bulbs

Rated voltage: 220~240v ac (50Hz)

Operating power: 3w - 200w *

Working temperature: 0°c~40°c

Relative humidity: 10% - 93%

Please check led lamp compatibility

Note: 1-10 dimmable LED lamps (max. 120w)

What's in the box

Back plate with Module

Glass front plate in Black or White finish

2 screws for back box fixing

Instruction manual

Certifications

5-year warranty

Ce & RoHS certified

MODELS & FINISHES

DNE GANG



ONE WAY / TWO WAY

02042-SM 02043-SM

02040-SM 02041-SM

TWO GANG



ONE WAY / TWO WAY

PG: 02062-SM 02063-SM

CT: 02060-SM 02061-SM

THREE GANG



ONE WAY / TWO WAY

PG: 02082-SM 02083-SM

CT: 02080-SM 02081-SM

FOUR GANG



ONE WAY / TWO WAY

PG: 02102-SM 02103-SM

CT: 02100-SM 02101-SM





Retrotouch

POWER & CHARGE.




CRYSTAL



DOUBLE SOCKET WITH USBC

WITH A TOUCH OF GLASSTM













SPECIFICATIONS / FEATURES

The elegant selection of USBC sockets match the rest of our Crystal range and brings an ideal finish to any interior. Only available in double socket models.



POWER IT IN STYLE.



Features

Sophisticated glass finish

Adding a touch of glass for the ultimate finish

Dual USB model

ree up your sockets with one USBA and USBC ports

Screwless fronts

The screws are hidden giving your switch a seamless design

5-year warranty

Ve've got you covered

Fits 25mm back box

ffers quick and easy installation

Specifications

2 gang switched UK plug socket

146 x 86mm (standard double)

Double pole

13 amp rated

Short circuit & overload protection

Input voltage: 220~240v ac (50/60hz)

Glass surround with chrome trim

Concealed fixing screws

Fits in 25mm depth backbox

5V 3.1A USB output (Type C / Type A)

What's in the box

USB Double Socket

Glass front plate in Black or White finish

2 screws for back box fixing

Instruction manual

Certifications

5-year warranty

BS1363, BS5733, BS62368, CE & RoHS certified

MODELS & FINISHES

PG



USBC PLAIN GLASS SOCKET



00662

 \Box WHITE



USBC CHROME TRIM SOCKET





BLACK PG



USBC PLAIN GLASS SOCKET



00659

 \Box



USBC CHROME TRIM SOCKET



00663

Scan the QR code to view our new **USBC** sockets product page.







UNSWITCHED SOCKETS

WITH A TOUCH OF GLASSTM



DESIGN & FUNCTION

Retrotouch also provides a range of stylish unswitched sockets, with screwless fronts matching the same modern glass that is used throughout our Crystal products. Our sockets are available with conventional British plugs, as well as EU styles and multifunction


We offer options with chrome trim or full glass and all of our plug sockets are screwless. Whether you need a single socket or a standard switched dual socket, we have the perfect item for you.





PLUG SOCKETS

UK, EUROPEAN AND INTERNATIONAL



















FOR SPECIFICATIONS VISIT OUR WEBSITE



Retrotouch WIRING ACCESSORIES

WITH A TOUCH OF GLASSTM



CRYSTAL* SMART WI-FI SHUTTER SWITCHES



WITH A TOUCH OF GLASSTM



CONTROL YOUR CURTAINS & BLINDS.

Retrotouch Crystal Wi-Fi Shutter Switches are available in four different colours and have backlit LED indicators built-in so you can easily locate your switches at night. Whether your refurbishing or renovating, make your home smarter and up-to-date with our touch-sensitive shutter switches.











Our Crystal Shutter switches control blinds and shutters and have a stunning LED indicator to bring your home up to date. These screwless covers are easy to install and fit a 35mm back box.



TOUCH AND APP CONTROL.



Features

Sophisticated glass finish

adding a touch of glass for the ultimate finish

Touch Operation

Feather-touch panel with only the slightest of touches needed to turn on and off

Backlit LED indicators

The indicators glow blue when off and red when on for locating your switches in the dark

Fits 35mm back box

Offers quick and easy installation

Screwless fronts

The screws are hidden giving your switch a seamless design

Ultra-thin 4mm glass panel

Low profile panel that sits flush on your wall

Works with

Blinds and Curtains

What's in the box

Back plate with Module

Glass front plate in Black, White, Grey & Brass finish

2 screws for back box fixing

Instruction manual

Specifications

Voltage: 110 ~ 240V ~ 50/60HZ

Working Temperature: 0oC ~ 40oC Relative

Humidity: 10% - 93%

Energy Consumption: <0.02W

Measurement: 86 x 86 x 29mm

Backbox depth: 35mm

Life: 100,000 touches

Power Supply: 100 - 240V AC 50/60HZ

Load Power: 3 - 800W/G (2000W Max)

*Not all LED bulbs are compatible and depends on brand, please call for more information

Certifications

2-year warranty

CE & RoHS certified

MODELS & FINISHES

ONE GANG

1G: 01490

BLACK PG TOUCH

WHITE PG TOUCH



ONE GANG

1G: 01491

GREY PG TOUCH



ONE GANG

1G: 01492

BRASS PG TOUCH



ONE GANG

1G: 01493

Scan the QR code to view our new Touch Switch product page.





LCED COUR



FUSED SPUR

WITH A TOUCH OF GLASSTM














Our patented fused spur models are designed to offer outstanding functionality while maintaining the exquisite style of our Crystal range, earning their place as the best looking fuse spur on the market.




PATENTED TECHNOLOGY.





53mm



Features

Sophisticated glass finish

Adding a touch of glass for the ultimate finish

Concealed Fuse Location

Hidden behind the front plate for a clean look

Screwless fronts The screws are hidden giving your switch a seamless design

Large easy press buttons Providing ease of use while keeping a premium look

Fits 25mm back box

ers quick and easy installation

10-year warranty

Specifications

Fused spur with switch

Red neon LED

13 amp rated

Flex outlet push through port

Glass surround

Concealed fixing screws

86 x 86mm (standard single)

Fits in 25mm depth backbox

Patented design

What's in the box

Fused Spur

Glass front plate in Black or White finish

2 screws for back box fixing

Instruction manual

Certifications

10-year warranty

CE & RoHS certified

FUSED SPUR



WHITE CHROME TRIM



FUSED SPUR



WHITE PLAIN GLASS





FUSED SPUR



BLACK CHROME TRIM

CT:



01762

FUSED SPUR



BLACK PLAIN GLASS



01763

For videos & image gallery visit our website.









COOKER SWITCH

WITH A TOUCH OF GLASSTM



DESIGN MEETS FUNCTION

These stylish Crystal Cooker Switch & Sockets boast the screwless glass faceplate characteristic of our Crystal range. The elegant selection of cooker sockets match the rest of our Crystal range and brings an ideal finish to any kitchen. Complement our range of light switches with this stunning yet minimal Cooker socket.











Our new cooker switches combine functionality with the style established through our Crystal range of sockets and switches. Typically an overlooked switch, we're keen to make every switch and socket something you'd want to have on display.



DETAILS MATTER.



Features

Sophisticated glass finish

Adding a touch of glass for the ultimate finish

Screwless fronts

The screws are hidden giving your switch a seamless design

Large easy press buttons Providing ease of use while keeping a premium look

Fits 25mm back box

Offers quick and easy installation

10-year warranty

Specifications

Fused spur with switch

Red neon

13 amp rated

Flex outlet

Glass surround

Concealed fixing screws

86 x 86mm (standard single)

Fits in 25mm depth backbox

Patented design

What's in the box

Back plate with Module

Glass front plate in Black or White finish

2 screws for back box fixing

Instruction manual

Certifications

10-year warranty

CE & RoHS certified

For videos & image gallery visit our website.

COOKER SWITCH

COOKER SWITCH


PLAIN GLASS PG: .:13 01842

CHROME TRIM CT: 01840 01843

01841










ISOLATOR SWITCHES

WITH A TOUCH OF GLASSTM











SAFETY AND POWER

Our Crystal range isolator models are designed to provide excellent quality while fitting the aesthetic of your household. Boasting a pristine glass exterior, this cooker switch perfectly compliments the rest of our Crystal range to bring a consistent style throughout your home.





LCY5TEL®


TV, PHONE & AV SOCKETS

WITH A TOUCH OF GLASS™




















FOR FULL RANGE VISIT OUR WEBSITE



INTELLIGENT DIMMER MODULE

WITH A TOUCH OF GLASSTM



LEADING & TRAILING EDGE

For maximum flexibility, we also offer our LED dimmer module and dummy on/off modules to use with your existing plates and to create a combination of dimmer and On/Off switches on one plate.

AUTO CONFIGURING

LED DIMMER PLATES

WITH A TOUCH OF GLASS™





02052

02050

02051

02053

TWO GANG

PG: 02072

CT: 02070

02073 02071

THREE GANG

02092

02090

02093 02091

FOUR GANG

02112 02110 02113 02111

Rotary Dimmer Plate With Knob Only

1-4 Gang

Does Not Include Dimmer Modules

Plain Glass Surround Models

Chrome Trim Finishes

Concealed Fixing Screws

5 Year Warranty

Ce & Rohs Certified

Set the mood for your home with our dimmer plates. Our plates boast a premium glass design with a smoothly adjustable dimming knob. Furnished with a sleek glass exterior and very easy to install, our rotary dimmer plates are perfect for setting the right ambience for your home.



OUR PLATES WORK WITH ANY DIMMER MODULE





USE ANY BRANDS DIMMER MODULE

ADD TO RETROTOUCH DIMMER PLATE



LED INTELLIGENT **DIMMER MODULE 5-150W**



Features

Maximum compatibility

Multi-use, compatible with a variety of loads: incandescent, lv halogen and led dimmable lamps and all dimmer switch plates.

Extend lamp life

Soft start operation to prolong the life of the lamp and dimmer.

Functionality
Push on/off for 2-way functionality with rotary dimming.

Dual dimming modes

Leading and trailing edge modes: for electronic transformers, integral dimmable led lamps, iron-core transformers, motor loads

Intelligent setup Set min/max brightness settings to prevent flicker or flashing for a perfect dimming experience.

Safety at heart Auto thermal and overload protection to protect the circuit.

Specifications

Rotary intelligent dimmer (module only)

Retrofit solution (uses existing wiring)

Max load rating: LED lamps max. 150w (max. 10

Max load rating: halogen lamps max 400w (1 or 2 way)

Trailing edge/leading edge

Push on/off

Intelligent dimming setup

Works with LEDs, halogens and standard bulbs

23mm depth

Rated voltage: 220~240v ac (50hz)

Working temperature: 0°c~40°c

Relative humidity: 10% - 93%

What's in the box

Intelligent dimmer module

Instruction manual

Certifications

5-year warranty

Ce & RoHS certified

Please check led lamp compatibility

FLICKER-FREE GUARANTEE.

We're confident our dimmers work with 99% of lamps in the market. If it doesn't, we will give you a full refund and help you find a dimmer module suitable for your lamp.

> For videos & image gallery visit our website.







EURO PLATES & EURO MODULES

WITH A TOUCH OF GLASSTM



PICK AND MIX.

Create wiring plates with exactly the modules you need for the perfect customised wiring accessory.

In white & black with every wiring accessory imaginable, using modules you can create a plate to your exact requirements. If you can't see the module you require, just contact our sales team.

















CUSTOM PLATE CONFIGURATION

PICK YOUR PLATE.



ADD YOUR MODULES.









































BRUSH PLATE



Retrotouch

PREMIUM SWITCHES & SOCKETS











SIMPLICITY ROCKER LIGHT SWITCHES



PREMIUM SWITCHES & SOCKETS



MODERN. SOPHISTICATED.

Our fantastic mechanical rocker light switches are now available in a high quality & durable plastic finish.

With a sleek, modern design, these switches are the ideal choice for a contemporary home. They come with large, easy press buttons and screwless fronts, creating a streamlined and sophisticated look in any room. At Retrotouch we think the smallest details make the largest difference.











These Simplicty Rocker Light Switches are a sophisticated way to revitalise the light switches in your home and modernise any interior.



INTERCHANGABLE COVERS.



Specifications **Features**

Modern	and so	phisticated design
An ideal	choice	for a contemporary

Screwless fronts The screws are hidden giving your switch a seamless design

Large easy press buttons
Providing ease of use while keeping a premium look

Fits 25mm back box

Offers quick and easy installation

Rocker switch

Interchangeable surround

Large easy press button(s)

1-4 gang (1 or 2 ways)

1-2 gang (Intermediate)

10 amp rated

Material: plastic (PC)

Concealed fixing screws

Fits in 25mm back box

What's in the box

Certifications

Back plate with Module

Glass front plate in Black or White finish

2 screws for back box fixing

Instruction manual

10 Year Warranty

BS60669

CE & RoHS Certified

MODELS & FINISHES

ONE GANG



ONE WAY / TWO WAY

WHITE:

07000

INTERMEDIATE

WHITE:

07140

TWO GANG



ONE WAY / TWO WAY

WHITE:

07020

THREE GANG



ONE WAY / TWO WAY

WHITE:

07040

FOUR GANG



ONE WAY / TWO WAY

WHITE:

07060

ALSO AVAILABLE **PART-M VERSIONS** MAKING IT EASIER FOR PEOPLE WITH A DISABILITY

ONE TO FOUR GANG PLATES

SIMPLICITY ROTARY DIMMER SWITCHES



INTELLIGENT DIMMERS




LIGHTS. DIM. ACTION.

Retrotouch's dimmer switch collection features a premium glass design, making your home both timeless and elegant. The switches are suitable for dimming LED and conventional bulbs and they use the latest in trailing edge dimming technology to create that 'just so' ambience to any interior.





These Crystal Rocker Light Switches are a sophisticated way to revitalise the light switches in your home and modernise any interior.



FLICKER FREE DIMMING.



Features

Modern and sophisticated design

The screws are hidden giving your switch a seamless design

Large easy press buttons
Providing ease of use while keeping a premium look

Fits 25mm back box

Offers quick and easy installation

Specifications Trailing edge

Push on/off

Potentiometer to vary dimming level

Interchangeable Surround

Material: Plastic (PC)

Works with LEDs, Halogens and standard bulbs

Rated Voltage: 220~240V AC (50/60Hz)

Operating Power: 3W - 200W

Working Temperature: 0°C~40°C

Relative Humidity: 10% - 93%

Note: 1-10 Dimmable LED lamps (max. 120W) per gang

Halogen Lamps (Max 200W) per gang

What's in the box

Back plate with Module

Front plate in Black or White finish

2 screws for back box fixing

Instruction manual

Certifications

5-year warranty

Ce & RoHS certified

For videos & image gallery visit our website.

MODELS & FINISHES

WHITE:

WHITE:

MID GREY:

MID GREY:

ONE WAY / TWO WAY

ONE WAY / TWO WAY

07251-SM

07253-SM

07220-SM

07222-SM

ONE GANG

TWO GANG







SIMPLICITY PLUG SOCKETS



SCREWLESS DESIGN



DETAILS MATTER.

Our outstanding Simplicity 13A double switched sockets are now available in a high-quality and durable plastic finish. With a sleek, modern design, these sockets are the ideal choice for a contemporary home. They come with screwless fronts, creating a streamlined and sophisticated look in any room.

At Retrotouch we think the small details make the biggest difference.












The elegant selection of electric sockets match the rest of our Crystal range and brings an ideal finish to any interior.



A TOUCH OF DESIGN.







Features

Sophisticated glass finish Adding a touch of glass for the ultimate finish

The screws are hidden giving your switch a seemless design

10-year warranty We've got you covered

Fits 25mm back box

Offers quick and easy installation

Specifications

2 gang switched UK plug socket

Double pole

13 amp rated

Interchangeable surround

Material: plastic (PC)

Concealed fixing screws

146 x 86mm (standard double)

Fits in 25mm depth backbox

What's in the box

Back plate with Module

Front plate in Black or White finish

2 screws for back box fixing

Instruction manual

Certifications

10-year warranty

BS1363

CE & RoHS certified

MODELS & FINISHES

TWO GANG



13A DP SOCKET

WHITE: 07440 $\Lambda^{(0)}\Lambda$

 $L^{-}L$

MID GREY: 07442

ONE GANG



13A DP SOCKET

WHITE: 07320

MID GREY: 07322

ONE GANG + USB



13A DP SOCKET

WHITE: 07360

MID GREY: 07362

B D

For videos & image gallery visit our

website.





SIMPLICITY ISOLATOR SWITCHES

WITH STYLE AND SUBSTANCE















SIMPLICITY WIRING ACCESSORIES

FOR THE WHOLE HOME



















FOR FULL RANGE OF ACCESSORIES VISIT OUR WEBSITE

SIMPLI©ITY[™] HOTEL ROOM SWITCHES

IMPRESS YOUR GUESTS





LIGHTS. DIM. ACTION.

A great value option for hotel projects but also for people wanting multi plates by the bedside or behind the TV. This Pick and Mix solution gives maximum flexibility to create plates with any combination on a budget. Simply pick your wiring accessories and combine together with a single plate.












HOTEL PLATE CONFIGURATION

PICK YOUR PLATE.



ADD ANY SIMPLICITY SWITCH OR ACCESSORY



ROCKER SWITCH



DIMMER SWITCH



13A SOCKET



TV / SATELLITE



FUSED SPUR



FAN ISOLATOR



CAT5E SOCKET



FLEX OUTLET









FREE COLOUR **SAMPLES**

RETROTOUCH.CO.UK/ **COLOUR-SAMPLES**

FIND A LOCAL RETAILER

RETROTOUCH.CO.UK/ WHERE-TO-BUY







RETROTOUCH.CO.UK

