

Product Services Guide

Indonesia Q3 2026



How to read the Product Services Guide

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000		
AAG641 (AW0511F)	*MC Elite FSC	S2050N	*BG40Wh Imp FSC	EXACT	✓	1525			•	•	1 roll x 1000m	
AAH128 (AW0530)	MC Prime Plus	S2025N	*BG40BI FSC	Full Deckle	✓	1525			•	•	1 roll x 1525 mm x 2000m	
AAG568 (AW0501F)	*rMC Primecoat FSC	S1010	*BG33Wh Imp FSC	Indent		1525			•	•	1 roll x 1525 mm x 2000m	

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol *



Service Program:

The service program details how the product is sold to the market.

Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m

Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

» Product Transition – signifies changes in Item code, MOQ, Width, Length or Service Program

* New Product – signifies new items being offered

Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Ordering Point

Customer Service Department, Avery Dennison Indonesia

Phone: +62 21 8060 8060

Hand phone: +62 81 5921 8161

Fax: +62 21 8060 8061

Email: lgm.ido.cs@averydennison.com

Delivery Service

Product Type	Cut-off Time	Delivery
Stock Keeping Products	Before 16:00 WIB	Next working day
	After 16:00 WIB	Day after next working day
Non Stock Keeping Products	As per plant delivery lead times	Indent items

The delivery lead time is subject to clearance by the Finance Department relating to credit and payment matters

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

All materials, Non EXACT Products. 500m² per delivery. Otherwise, transportation charges of Rp 200,000.00 per trip will be imposed. Full width and length as specified in sales quotation or product list.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Blanket Orders

Stock Keeping Products

All goods to be shipped out and invoiced within one week from customer purchase order date. Size and delivery date must be included in the purchase order, otherwise considered invalid.

Non Stock Keeping Products

All goods to be shipped out and invoiced within one month upon arrival of goods at local distribution centre.

Core Inside Diameter

77mm core, ± 0.15 mm

Roll Labels

Outside of the rolls and inner core.

Minimum Slit Widths

60mm

Roll Length Tolerance

$\pm 5\%$

Slit Roll Width Tolerance

± 1 mm

Splice Quantity Indication

Printed on roll labels

Minimum Distance of Splices

100m

Maximum Number of Splices

Length	Paper	Film
<1000m	1	1
<2000m	2	2

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Complaint Handling Policy

Contact Point

Customer Care Cell Department,
PT. Avery Dennison Indonesia
Email: adi-claim@ap.averydennison.com
[My Avery Dennison Portal](#)



Resolution Lead Time

Investigation needed	Manufactured location	Typical Lead Time
No (Standard)		3 business days
Yes	ASEAN	7 business days *
	Non-ASEAN	14 business days *

* Investigation can take up to 21 business days if the root cause is unclear.

Required Documents

To enable a quick resolution, kindly include the following information when submitting your complaints.

- Item number
- Roll ID & Lot Number
- Claim Quantity in m²
- Defect type
- Photographic or video evidence
- CAR / CAPA, if needed
- Defect roll return request, if any

Damaged Roll

Days past delivery	Compensation
1 - 3 days	Full compensation
4 - 10 days	Only on damaged portions

Claim Type

Quality Related

Claims related to the product on performance & appearance.

Non-Quality Related

Claims related to other issues such as delivery and invoice errors.

Claim Acknowledgement

To be acknowledged within 1 working day upon submission.

Claim Approval or Rejection

Upon claim approval or rejection, an email notification will be sent to requester. For approved claims, credit note will be issued and will be notified by our Customer Care Cell (CCC).

CAR & CAPA Issuance

Corrective Action Report (CAR) & Corrective Action Preventive Action (CAPA) will only be issued on request.

Investigation Updates

We are committed to keep our requester informed on the investigation and hence an update will be sent via email on a weekly basis.

Claim Status

It is available on [My Avery Dennison Portal](#)

Converting & Application Support

Available through our Technical Service team.

Prime Paper

Prime Paper						Stock Keeping	Length (m)					MOQ	Remark	
Item	Description Facestock	Adhesive	Liner	Service Program	Width (mm)		250	500	1000	1500	2000			3000
Cast Coat														
AAH086 (AW0153P)	High Gloss Paper	S2090	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAG535 (AW0271)	High Gloss Paper	S1010	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•	•		1 roll x 1000m		
AAG559 (AW0335)	High Gloss Paper	S1010	rCCK80Wh Imp	Full Deckle	✓	1525		•	•			1 roll x 1525mm x 1000m		
AAD904 (AW0380-N)	High Gloss Paper	S2025N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
Machine Coat														
AAK097 (AW0331AF)	✳️Fascoat 2 FSC	S1010	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•	•		1 roll x 1000m		
AAG550 (AW0332AF)	✳️Fascoat 2 FSC	S2090	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•	•		1 roll x 1000m		
AAC030 (AW0383FM)	✳️MC Elite FSC	S2025N	rCCK80 imp	Full Deckle	✓	1525		•	•			1 roll x 1525mm x 1000m		
AAI025 (SW7325PF)	✳️Fascoat 2 FSC	S2420	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•	•			1 roll x 1525mm x 1000m		
AAG602 (AW0416FT)	✳️MC Primecoat GP FSC	S2025N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•	•		1 roll x 1000m		
AAH126 (AW0528)	MC Prime Plus	S2025N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAG640 (AW0510F)	✳️MC Primecoat GP FSC	S2050N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAH123 (AW0510P)	MC Prime Plus	S2050N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAG541 (AW0320FM)	✳️MC Elite FSC	S1005	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAD910 (AW0486F)	✳️MC Elite FSC	S2025N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•	•		1 roll x 1000m		
AAG641 (AW0511F)	✳️MC Elite FSC	S2050N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAH128 (AW0530)	MC Prime Plus	S2025N	✳️BG40BI FSC	Full Deckle	✓	1525			•			1 roll x 1525 mm x 2000m		
AAG568 (AW0501F)	✳️rMC Primecoat FSC	S1010	✳️BG33Wh Imp FSC	Indent		1525		•	•			1 roll x 1525 mm x 2000m		
Uncoated														
AAG538 (AW0289F)	✳️Vellum Elite FSC	S1010	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAG600 (AW0412F)	✳️Vellum Elite FSC	S2025N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m		
AAG543 (AW0326F)	✳️Vellum Elite FSC	S2492	rCCK80Wh	Indent		1525		•	•			1 roll x 1525mm X 1000m		

Specialty Paper

Specialty Paper													
Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Machine Coat													
AAH776 (SW7053PF)	✳️LW60 FSC	S2090	✳️BG40Wh Imp FSC	EXACT	✓	1000		•	•			1 roll x 2000m	
AAG580 (AW0362F:1200)	✳️Fascoat Elite FSC	R450	✳️BG40Wh Imp FSC	Full Deckle	✓	1200		•				1 roll x 1200mm x 1000m	
AAH997 (SW7045AF)	✳️Fascoat 2 PB FSC	S2090	✳️BG40Wh Imp FSC	Full Deckle	✓	1000		•	•			1 roll x 1000mm x 1000m	
Uncoated													
AAG590 (AW0401F:1000)	✳️Radiant Red FSC	M3000	B100	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG591 (AW0402F:1000)	✳️Radiant Orange FSC	M3000	B100	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG592 (AW0403F:1000)	✳️Radiant Green FSC	M3000	B100	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG594 (AW0404F:1000)	✳️Radiant Yellow FSC	M3000	B100	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG566 (AW0405F:1000)	✳️Radiant Pink FSC	M3000	B100	Indent		1000		•				1 roll x 1000mm x 1000m	
AAH109 (AW0409F:1000)	✳️Radiant Blue FSC	M3000	B100	Indent		1000		•				1 roll x 1000mm x 1000m	
Direct Thermal													
AAI006 (SW7068F)	✳️DT200HD FSC	C7501	✳️BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 1000m	

Specialty Paper

Specialty Paper

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Foil													
AAG773 (SW7339)	Bright Silver Foil Prime	M3300	✳️BG40Wh Imp FSC	Indent		1000		•	•			1 roll x 1000mm x 1000m	
AAG565 (AW0356.1060)	Matte Silver Foil	M3300	✳️BG40Wh Imp FSC	Full Deckle	✓	1060			•			1 roll x 1060mm x 2000m	
AAH769 (SW2438)	Matte Gold Foil Paper	AP103	BG40#WH imp	Indent		1070		•				1 roll x 1070mm x 1000m	
Rapid Roll													
AAH940 (RWP503)	High Gloss Paper 1S-80			Indent		1010		•				1 roll x 1010mm x 1000m	
AAH942 (RWP508AF)	✳️Fascoat 2 FSC			Full Deckle	✓	1545		•				1 roll x 1545mm x 1000m	
AAH945 (RWP528F)	✳️Direct Thermal 200GP FSC			Indent		1535		•				1 roll x 1535mm x 1000m	
Others													
AAH996 (SW7039F)	✳️Metallica FSC	S2090	✳️BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 2000m	
AAC558 (OW2350)	Gloss Inkjet Paper	AP103	BG40Wh imp	EXACT	✓	1070		•				1 roll x 1000mm x 1000m	

Variable Information Printing

Variable Information Printing						Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
Item	Description Facestock	Adhesive	Liner	Service Program	250			500	1000	1500	2000	3000		
Direct Thermal														
AAD921 (NW0066F)	✳️Direct Thermal 150RL FSC	S2025N	✳️BG33Wh Imp FSC	EXACT		1525		•	•			1 roll x 1000m		
AAH905 (NW0045F-N)	✳️Direct Thermal 150RL FSC	S2025N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAH915 (NW0076F)	✳️Direct Thermal 200GP FSC	S2025N	✳️BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAH917 (NW0080F)	✳️Direct Thermal 200GPL FSC	S2025N	✳️BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAH919 (NW0083F)	✳️Direct Thermal 200LL FSC	S2025N	✳️BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m		
AAH992 (SW7005AF)	✳️Baggage Tag Elite FSC	S2025N	✳️BG40Wh FSC	Indent		1525			•			1 roll x 1525mm x 2000m		
Thermal Transfer														
AAH589 (MW0052F)	✳️Transtherm 2C FSC	S2090	✳️BG40Wh Imp FSC	Indent		1525		•				1 roll x 1000mm x 1000m		
AAD931 (MW0074F)	✳️Transtherm 2C FSC	S2025N	✳️BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m		
AAD855 (MW0066F)	✳️Transtherm Plus FSC	S1010	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 1000m		
AAD918 (MW0069F)	✳️Transtherm Plus FSC	S2025N	✳️BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m		

Prime Film

Prime Film													
Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Conformable White													
AAG798 (BW0147)	PE85 NTC White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 2000m	
AAG842 (BW0291)	PE75 NTC White	S692N	✳️BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 2000m	
Conformable Clear													
AAD290 (BW0146)	PE85 NTC Trans	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1505		•	•			1 roll x 2000m	
AAG840 (BW0290)	PE75 NTC Trans	S692N	✳️BG33Wh Imp FSC	EXACT	✓	1505		•	•			1 roll x 2000m	
Conformable Silver													
AAC355 (BW9320A)	Bright Silver PE85 TC	AF101	✳️BG40Wh Imp FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 1000m	
Rigid White													
AAH273 (BW7087)	rPP Top White	S7210	✳️BG33Wh Imp FSC	Indent		1525		•	•			1 roll x 1525mm x 1000m	
AAG910 (BW7117)	rPP Top White	SR3013N	✳️BG33Wh Imp FSC	Indent		1525				•		1 roll *1525mm x 6000m	
BAA957 (BW7131)	rPP50 Top White	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•	•			1 roll *1525mm x 6000m	
AAG912 (BW7122)	rPP Top Pearlized White	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•	•			1 roll *1525mm x 8000m	
AAE728 (BW0174N)	PPNg Top Pearlized White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m	
AAG824 (BW0255SN)	PP60 Top Pearlized White	SR3013N	✳️BG33Wh Imp FSC	Indent		1525				•		1 roll x 1525mm x 2000m	
AAG906 (BW7113)	PP60 Top Pearlized White	SR3013N	✳️BG40Wh Imp FSC	EXACT		1525		•	•			1 roll x 1000m	
AAG861 (BW7004)	PP60 Top White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m	
AAC795 (BW0227)	PP50 Top White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•	•		1 roll x 1000m	
AAG890 (BW7053)	PP50 Top Pearlized White	S3010N	✳️BG33Wh Imp FSC	EXACT		1525		•	•			1 roll x 1000m	
Synthetic Paper													
AAD953 (BW0153)	Synthetic Paper	S4700N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m	
AAG826 (BW0264)	Synthetic Paper 65	S4700N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m	
AAG833 (BW0277)	3 Mil Synthetic Paper	S2060	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m	
AAG865 (BW7005)	PP Top Matte White	S692N	✳️BG33Wh Imp FSC	Indent		1525				•		1 roll x1525mm x 2000m	
Rigid Clear													
AAG788 (BW0062N)	PPNg Top Trans	S692N	✳️BG40Wh Imp FSC	EXACT		1505		•	•			1 roll x 1000m	
AAG815 (BW0237N)	PPNg Top Trans	S692N	PET23	EXACT	✓	1505				•		1 roll x 2000m	
AAG570 (BW0230N)	PPNg Top Trans	S692N	PET30	EXACT	✓	1505				•		1 roll x 2000m	
AAG899 (BW7090)	PPNg Top Trans	S7210	rPET30	EXACT		1525		•	•			1 roll x 1000m	
AAG894 (BW7072)	PP50 Top Trans	SR3013N	✳️BG40Wh Imp FSC	Indent		1525				•		1 roll x 1525mm x 2000m	
AAG896 (BW7081)	PP50 Top Trans	SR3013N	rPET23	Indent		1525				•		1 roll x 1525mm x 2000m	
AAG573 (BW0266A)	PP50 TC Clear	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525				•	•	1 roll x 2000m	
AAJ524	PP50 Std. Top Clear	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•	•	•		1 roll x 1525mm x 8000m	
AAG807 (BW0226)	PP30 Clear NTC	S692N	✳️BG40Wh Imp FSC	EXACT		1525				•		1 roll x 2000m	
AAG732 (SY7025N)	Overlaminating Matte PP	S6800	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 1000m	
AAG793 (BW0112N)	Overlaminating Gloss PP	S6800	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m	
Rigid Silver													
AAG820 (BW0243)	PP50 Top Silver	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 2000m	
AAG822 (BW0254)	PP Silver TC	S631	PET30	Indent		1525				•		1 roll x 1525mm x 2000m	
AAG830 (BW0272)	PP TC Silver Elite	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525				•		1 roll x 2000m	

Prime Film (continued)

Prime Film (continued)

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Semi Conformable White													
AAG806 (BW0184)	Global Co-Ex™ White NTC	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•	•			1 roll x 1525mm x 1000m	
AAG874 (BW7022)	Flex+ White NTC	S692N	✳️BG33Wh Imp FSC	EXACT		1525			•			1 roll x 2000m	
AAG876 (BW7023)	Flex+ White NTC	S692N	PET23	Full Deckle	✓	1525			•			1 roll x 1525mm x 2000m	
AAG889 (BW7051)	Flex+ White NTC	SR3013	✳️BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m	
AAC788 (BW0151)	Primax® 300	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 1000m	
AAG913 (BW7123)	Cleanflake rFlex+ WHITE	SR3013N	✳️BG33Wh Imp FSC	Indent		1525			•			1 roll *1525mm x 6000m	
AAG892 (BW7059)	Cleanflake rFlex+ WHITE	SR3013N	rPET23	Indent		1525			•			1 roll *1525mm x 6000m	
Semi Conformable Clear													
AAC784 (BW0183)	Global Co-Ex™ Clear NTC	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 2000m	
AAK868 (BW7016A)	Flex+ Clear NTC	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525			•			1 roll x 2000m	
AAG873 (BW7020A)	Flex+ Clear NTC	S692N	PET23	EXACT	✓	1505			•			1 roll x 2000m	
AAJ513 (BW7134)	Flex+ Clear NTC	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1525			•			1 roll x 1525mm x 6000m	
AAG907(BW7114)	CleanFlake Flex+ Clear NTC	SR3013N	rPET23	Indent		1525			•			1 roll *1525mm x 5000m	
AAG905(BW7111)	CleanFlake Flex+ Clear NTC	SR3013N	✳️BG33WH Imp FSC	Indent		1525			•			1 roll *1525mm x 6000m	
AAG800 (BW0150)	FasClear® 300	S692N	✳️BG40Wh Imp FSC	Indent		1525		•				1 roll x 1000mm x 1000m	

Specialty Film

Specialty Film

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Conformable White													
AAG694 (SY7179)	PE HD TAMPER EVIDENT	S700N	✳️BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 1000m	
AAG710 (SY7123)	PE75 White NTC	S477A.MB	✳️BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m	
Rigid White													
AAG825 (BW0259N)	PP40 Top Matte White II	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1000			•			1 roll x 1000mm x 2000m	
AAG722 (SY7083)	PET Top White 50 Micron	C7050	✳️BG50Wh FSC	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG707 (SY7138)	WBIJ PP Top Gloss White	S4700F	✳️BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG 729 (SY7051N.1000)	PPNg Top White	R480	✳️BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 1000m	
AAH288 (BW7678)	100u White PP TC	SR136	BG50#WH Ni	Indent		1070			•			1 roll x 1070mm x 2000m	
Synthetic Paper													
AAG724 (SY7074M)	Synthetic Paper	AT20	✳️BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m	
AAG699 (SY7155)	rPP Synthetic paper	C7501	✳️BG40Wh Imp FSC	Indent		1000		•				1 roll 1000mm x 1000m	
AAG711 (SY7122)	WBIJ synthetic paper	S4700F	✳️BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m	
AAG700 (SY7154)	rPP Synthetic paper	S2800	✳️BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG730 (SY7050N.1000)	Synthetic Paper	R480	✳️BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG916 (BW7567)	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	Indent		1070			•			1 roll x 1070mm x 2000m	
AAH286 (BW7667)	Synthetic Paper7 TC	SR136	BG50#WH Ni	Indent		1070			•			1 roll x 1070mm x 2000m	

Specialty Film (continued)

Specialty Film (continued)

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Rigid Clear													
AAG731 (SY7049:1000)	PPNg Top Trans	R480	✧BG40Wh FSC	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG723 (SY7080)	PP30 Clear NTC	R480	✧BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG917 (BW7569)	50um BOPP Clear TC	SR133	BG50#Wh Ni	Indent		1530				•		1 roll x 1530mm x 2000m	
AAH287 (BW7669)	50u Clear PP TC	SR136	BG50#WH Ni	Indent		1070				•		1 roll x 1070mm x 2000m	
BW5203	Clear BOPP	UR136	BG50# WH imp	Indent		1070				•		1 roll x 1070mm x 2000m	
BAA924 (BW5208)	Clear BOPP TC	UR136	BG50#WH FSC Mix Credit Imp	Indent		1000				•		1 roll x 1000mm x 2000m	
AAG924 (BWS1231)	45um Clear PET	S6000	PET30 ni	Indent		1000		•				1 roll x 1000mm x 1000m	
Rapid Roll													
AAH958 (RYB616)	Direct Thermal BOPP 105			Indent		1535		•				1 roll x 1535mm x 1000m	
AAH956 (RYB601)	Synthetic Paper 1S-75			Indent		1015		•				1 roll x 1015mm x 1000m	

Durable Film

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000	3000	
AAH678 (MZ0102)	2M WH PET TC	S333	BG50Wh	Full Deckle	✓	1000		•					1 roll x 1000mm x 500m
AAB975 (MZ0104)	2M MAT CH PET TC	S333	BG50Wh	Full Deckle	✓	1000		•					1 roll x 1000mm x 500m
AAH859 (MZ2000W)	1M Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•					1 roll x 250mm x 250m 8-12 weeks lead time if stock is out
AAD051 (MZ2001W)	1M Gloss White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•					1 roll x 250mm x 250m 8-12 weeks lead time if stock is out
AAC035 (MZ2002W)	2M Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•					1 roll x 250mm x 250m 8-12 weeks lead time if stock is out
AAC728 (MZ2003W)	2M Gloss White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•					1 roll x 250mm x 250m 8-12 weeks lead time if stock is out
AAH665 (MZ0097:1000)	50 micron Matte White Polyester TC	S333	✳BG50WH FSC	Indent		1000				•			1 roll x 1000mm x 2000m
AAH749 (MZ0212)	2M WH PETC TC	S369	BG50Wh Imp	Indent		1000		•					1 roll x 1000mm x 2000m
AAG520 (AFU475)	FASSON Tyre Plus	TS79	BG50 Wh Imp	Full Deckle	✓	1000		•					1 roll x 1000mm x 1000m
AAH003 (ADS1434)	Tamperfas VNL EZ MX	Permanent	BG50Wh	Full Deckle	✓	1070		•					1 roll x 1070mm x 500m
AAG740 (SY5003N:1525)	Barrier Foil 25 mic White PET TC	TS79N	P140Wh Imp	Full Deckle	✓	1525				•			1 roll x 1525mm x 2000m
AAC318 (SD8310:1525)	PPNg Top White	TS79N	BG50Wh double silicone liner	Full Deckle	✓	1525				•			1 roll x 1525mm x 2000m
AAH857 (SYS508N)	PP Top NG White	TS79N	CCK80 Imp	Full Deckle	✓	1525				•			1 roll x 1525mm x 2000m
AAG496 (ADS1410)	25mic Matte White VOID PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•					1 roll x 1070mm x 500m
AAD072 (ADS1413)	38mic Matte Blue "VOID OPEN" PET TC	Non Trans. Perm.	BG50Wh ni	Ready Width		267, 1070		•					1roll x 267mm x 1000m
AAG502 (ADS1454S)	50mic Bright Silver Void Pos-SM PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•					1 roll x 1070mm x 500m
AAH698 (MZ0111)	1M CL PET TC	S8020	PET30	Indent		1525		•					1 roll x 1525mm x 1000m
AAH703 (MZ0111N)	1M CL PET TC	S8020	BG40Wh Imp	Indent		1525		•					1 roll x 1525mm x 1000m
AAH577 (LMH9602)	2 Mil Matte Void PET	Permanent	CK40	Indent		1000		•					1 roll x 1000mm x 1000m
AAH903 (MZS2601)	50mic White PET TC	UP601	BG50Wh	Ready Width		255, 1530		•	•				1roll x 255mm x 1000m
AAH859 (MZ2000M)	1M MATT TC WH PI	S8088A	BG50Wh	Indent		1000			•				1 roll x 1000mm x 1500m
BAA875 (ADS1676)	2mil WH PET TC	P8030EX	BG50WH	EXACT		1070		•					1 roll x 500m

Durable Film (continued)

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000	3000	
BAA845 (ADS1677)	2mil MAT CH PET TC	P8030EX	BG50WH	EXACT		1070	•						1 roll x 500m
BAA918 (ADS1678)	2mil CL PET TC	P8030EX	BG50WH	Ready Width		214, 535	•						1 roll x 214mm x 500m
AAH518 (MZS903)	50 micron White PET TCY	S692N	Embossed Polycoated liner ni	Ready Width		214, 535	•						1 roll x 214mm x 500m
BAA948 (ADS1680)	1mil WH PET TC	P8030EX	BG50WH	Ready Width		214, 535	•						1 roll x 214mm x 500m
BAA951 (ADS1681)	1mil MAT CH PET TC	P8030EX	BG50WH	Ready Width		214, 535	•						1 roll x 214mm x 500m
AAH040 (ADS1621)	1mil Clear PET TC	S8022	PET23	Ready Width		214, 535	•						1 roll x 214mm x 500m
BAC030 (BW9668)	75mic Synthetic Paper	S4700N	BG40Wh Imp	EXACT		1525	•						1roll x 1000m

Sheet Fed Portfolio

Sheet Fed Portfolio								
Item	Description	Adhesive	Liner	Sizes Offered (mm)	Stock Keeping	Qty per Pack (EA)	MOQ (EA)	Remark
	Facestock							
Prime Paper								
AAG559 (AW0335)	High Gloss Paper	S1010	rCCK80Wh Imp	485 x 325	✓	100	10000	
Prime Film								
AAG843 (BW0295)	Synthetic Paper	S692N	*CCK130Wh Imp FSC	485 x 325		100	10000	

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas

New Approaches

New Products

New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Indonesia

Phone: +62 21 8060 8060

Fax: +62 21 8060 8061

Email: cs.ido@ap.averydennison.com

Find more label solutions at

label.averydennison.com



#MakingPossible

© 2026 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



MAKING POSSIBLE™