

Product Services Guide

Vietnam Q3 2026



How to read the Product Services Guide

Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)			MOQ	Remark
								500	1000	2000		
AAH115 (AW0450P)	MC Prime Plus	S2010N	✱BG33Wh Imp FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m	
				HND	EXACT	✓	1525	•			1 roll x 1000m	
AAD912 (AW0379F-N)	✱MC Elite FSC	S2025N	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•			1 roll x 1525mm x 1000m	
AAG568 (AW0501F)	✱rMC Primecoat FSC	S1010	✱BG33Wh Imp FSC		Indent		1525	•	•		1 roll x 1525mm x 1000m	

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ✱

Stocking Location:

The AD site the product is stocked in

Service Program:

The service program details how the product is sold to the market.

Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m

Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

» Product Transition – signifies changes in Item code, MOQ, Width, Length or Service Program

* New Product – signifies new items being offered



Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Ordering Point

Ho Chi Minh City

Customer Service Department, Avery Dennison Vietnam Ltd.
Phone: + 84 28 37655678
Fax: + 84 28 37657934
Email: advcustservice@ap.averydennison.com

Hanoi

Customer Service Department,
Branch of Avery Dennison (Vietnam) Ltd in Bac Ninh
Phone: +84 222-6565-222
Fax: +84 222 6565 111
Email: hanoics@averydennison.com

Delivery Service

Product Type		Cut-off Time	Delivery
Stock Keeping Products	EXACT	Before 4:00 PM	Next working day
		After 4:00 PM	Day after next working day
	Non-EXACT	Before 10:00 AM	Same working day
		After 10:00 AM	Next working day
Non Stock Keeping Products	As per plant delivery lead times		Indent items
	Sheet Product	Before 4.00pm	Day after next working day

Forecast and Availability

Requirements and Standards
This Service Policy is accurate at the time of publication and is subject to change at the discretion of Avery Dennison.

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

500m² per delivery.
Otherwise, transportation charges will be imposed.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Indent Orders / Blanket Orders

All goods to be shipped out and invoiced within one month upon arrival of goods.

Core Inside Diameter

77mm core, ± 0.15 mm

Roll Labels

Outside of the rolls and inner core

Minimum Slit Widths

60mm

Roll Length Tolerance

$\pm 5\%$

Slit Roll Width Tolerance

± 1 mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

	Paper	Film
500m	1	1
1000m	2	1
1500m	2	2
2000m	2	2
3000m	2	2

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Complaint Handling Policy

Contact Point

**Customer Care Cell Department,
Avery Dennison (Vietnam) Ltd**
Email: adv-claim@ap.averydennison.com
[My Avery Dennison Portal](#)



Resolution Lead Time

Investigation needed	Manufactured location	Typical Lead Time
No (Standard)		3 business days
Yes	ASEAN	7 business days *
	Non-ASEAN	14 business days *

* Investigation can take up to 21 business days if the root cause is unclear.

Required Documents

To enable a quick resolution, kindly include the following information when submitting your complaints.

- Item number
- Roll ID & Lot Number
- Claim Quantity in m²
- Defect type
- Photographic or video evidence
- CAR / CAPA, if needed
- Defect roll return request, if any

Damaged Roll

Days past delivery	Compensation
1 - 3 days	Full compensation
4 - 10 days	Only on damaged portions

Claim Type

Quality Related

Claims related to the product on performance & appearance.

Non-Quality Related

Claims related to other issues such as delivery and invoice errors.

Claim Acknowledgement

To be acknowledged within 1 working day upon submission.

Claim Approval or Rejection

Upon claim approval or rejection, an email notification will be sent to requester. For approved claims, credit note will be issued and will be notified by our Customer Care Cell (CCC).

CAR & CAPA Issuance

Corrective Action Report (CAR) & Corrective Action Preventive Action (CAPA) will only be issued on request.

Investigation Updates

We are committed to keep our requester informed on the investigation and hence an update will be sent via email on a weekly basis.

Claim Status

It is available on [My Avery Dennison Portal](#)

Converting & Application Support

Available through our Technical Service team.

Prime Paper

Prime Paper							Stock Keeping	Length (m)			MOQ	Remark	
Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Width (mm)		500	1000	2000			
								3000					
Cast Coat													
AAG529 (AW0153)	✳️High Gloss Paper FSC	S2090	✳️BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•		1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
Machine Coat													
AAD913 (AW0331F)	✳️Fascoat 2 FSC	S1010	✳️BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•	•	1 roll x 1000m		
				HND	EXACT	✓	1525	•			1 roll x 1000m		
AAG553 (AW0332F)	✳️Fascoat 2 FSC	S2090	✳️BG40Wh Imp FSC	HCD	EXACT	✓	1525		•		1 roll x 2000m		
AAH104 (AW0339F)	✳️Fascoat 2 FSC	S1010	✳️BG40Wh FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
AAI025 (SW7325F)	✳️Fascoat 2 FSC	S2420	✳️BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•	•	1 roll x 1000m		
				HND	EXACT		1525	•	•		1 roll x 1000m		
AAI027 (SW7329F)	✳️Fascoat 2 FSC	S1010	rCCK80Wh Imp	HCD HND	Full Deckle	✓	1525	•	•		1 roll x 1525mm x 1000m		
AAD908 (AW0416F)	✳️MC Primecoat GP FSC	S2025N	✳️BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAG608 (AW0417P)	Fascoat 2 PEFC	S2025N	✳️BG40Wh FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
AAG611 (AW0421F)	✳️MC Elite FSC	S2025N	✳️BG33Wh FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
				HND	EXACT	✓	1525	•			1 roll x 1000m		
AAG613 (AW0422F)	✳️MC Primecoat GP FSC	S1010	✳️BG40Wh FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
				HND	EXACT	✓	1525	•			1 roll x 1000m		
AAH115 (AW0450P)	MC Prime Plus	S2010N	✳️BG33Wh Imp FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
				HND	EXACT	✓	1525	•			1 roll x 1000m		
AAD912 (AW0379F-N)	✳️MC Elite FSC	S2025N	✳️BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•			1 roll x 1525mm x 1000m		
AAG568 (AW0501F)	✳️rMC Primecoat FSC	S1010	✳️BG33Wh Imp FSC		Indent		1525	•	•		1 roll x 1525mm x 1000m		
AAG638 (AW0502F)	✳️rMC Primecoat FSC	S2010N	✳️BG33Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•		1 roll x 1525mm x 1000m		
Uncoated													
AAG538 (AW0289F)	✳️Vellum Elite FSC	S1010	✳️BG40Wh Imp FSC	HCD	EXACT	✓	1525	•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAG633 (AW0473F)	✳️Vellum Elite FSC	S2010N	✳️BG40BI Imp FSC	HCD	Full Deckle	✓	1525	•	•	•	1roll x 1525mm x 500m		
AAG647 (AW0520F-VN)	✳️Vellum Elite FSC	S1010	✳️BG40BI FSC	HCD HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAG543 (AW0326F)	✳️Vellum Elite FSC	S2492	rCCK80Wh	HCD	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAH993 (SW7014F)	✳️Vellum Elite FSC	S1002	✳️BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAI029 (SW7330F)	✳️Vellum Elite FSC	S2090	✳️BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•			1 roll x 1525mm x 1000m		
AAG651 (AW1418F)	✳️WOODFREE 70 FSC	AP104	BG40#WHITE NI	HCD HND	Full Deckle	✓	1530	•			1 roll x 1530mm x 1000m		
AAG609 (AW0418F)	✳️Vellum Paper FSC	S2025N	✳️BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•		1 roll x 1525mm x 1000m		

Specialty Paper

Specialty Paper							Stock Keeping	Length (m)				MOQ	Remark
Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Width (mm)		500	1000	2000	3000		
Cast Coat													
AAG574 (AW0361N.1200)	High Gloss Paper	R450	✱BG40Wh Imp FSC		Indent	1200			•			1 roll x 1200mm x 2000m	
Machine Coat													
AAH999 (SW7053F)	✱LW 60 FSC	S2090	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•				1 roll x 1525mm x 1000m	
AAG580 (AW0362F.1200)	✱Fascoat Elite FSC	R450	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1200	•				1 roll x 1200mm x 1000m	
AAH997 (SW7045AF)	✱Fascoat 2 PB FSC	S2090	✱BG40Wh Imp FSC		Indent		1000		•			1 roll x 1000mm x 2000m	
AAH773 (SW7038F)	✱Fascoat 2 PB FSC	S2420	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 1000m	

Specialty Paper (continued)

Specialty Paper (continued)

Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)			MOQ	Remark
								500	1000	2000		
Uncoated												
AAG581 (AW0363F.1200)	*Vellum Elite FSC	R450	*BG40Wh Imp FSC		Indent		1200		•		1 roll x 1200mm x 2000m	
AAG590 (AW0401F.1000)	*Radiant Red FSC	M3000	B100		Indent		1000		•		1 roll x 1000mm x 2000m	
AAG591 (AW0402F.1000)	*Radiant Orange FSC	M3000	B100		Indent		1000		•		1 roll x 1000mm x 2000m	
AAG592 (AW0403F.1000)	*Radiant Green FSC	M3000	B100		Indent		1000		•		1 roll x 1000mm x 2000m	
AAG594 (AW0404F.1000)	*Radiant Yellow FSC	M3000	B100		Indent		1000		•		1 roll x 1000mm x 2000m	
AAG566 (AW0405F.1000)	*Radiant Pink FSC	M3000	B100		Indent		1000		•		1 roll x 1000mm x 2000m	
AAH266 (F45520.1000)	*Rad Yellow FSC	S2090	BG40WHN		Indent		1000		•		1 roll x 1000mm x 2000m	
AAH274 (F45521.1000)	*Rad Orange FSC	S2090	BG40WHN		Indent		1000		•		1 roll x 1000mm x 2000m	
AAH280 (F45522.1000)	*Rad Green FSC	S2090	BG40WHN		Indent		1000		•		1 roll x 1000mm x 2000m	
AAH291 (F45523.1000)	*Rad Red FSC	S2090	BG40WHN		Indent		1000		•		1 roll x 1000mm x 2000m	
AAH.397 (F45524.1000)	*Rad Pink FSC	S2090	BG40WHN		Indent		1000		•		1 roll x 1000mm x 2000m	
AAG654 (AW1579CF)	*Lasercopy Jet	LP435	CCK85	HCD HND	Full Deckle	✓	1530		•	•	1 roll x 1530mm x 1000m	
Direct Thermal												
AAI010 (SW7082F)	*Direct Thermal 200GP FSC	R423	*BG40BI FSC		Indent		1000		•		1 roll x 1000mm x 2000m	
AAI009 (SW7075F)	*Direct Thermal 200GP PB FSC	S2090	*BG40Wh Imp FSC	HND	Full Deckle	✓	1000		•		1 roll x 1000mm x 1000m	
AAH524 (NW0040F)	*Direct Thermal 200GP PB FSC	S2090	*BG40Wh Imp FSC	HCD	Full Deckle	✓	1000		•		1 roll x 1000mm x 1000m	
Thermal Transfer												
AAH598 (MW0068F.1000)	*Transtherm 2C FSC	R450	*BG40Wh Imp FSC		Indent		1000		•		1 roll x 1000mm x 2000m	
Others												
AAG773 (SW7339F)	Bright Silver Foil Prime	M3300	*BG40Wh Imp FSC	HCD	EXACT	✓	1000		•		1 roll x 1000m	
AAC075 (OW2150)	Matte Inkjet Paper	AP103	BG40 Wh Imp		Indent		1070		•		1 roll x 1070mm x 1000m	

Variable Information Printing

Variable Information Printing													
Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Direct Thermal													
AAG922 (NW1568)	Premium Therm 20WS FSC Mix Credit	AP103	BG40Wh Imp	HCD	Full Deckle	✓	1530	•	•				
				HND	Full Deckle	✓	1530	•	•				
AAH904 (NW0033F)	✱Direct Thermal Premium FSC	S1010	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•		1 roll x 1525mm x 500m		
AAH905 (NW0045F-N)	✱Direct Thermal 150RL FSC	S2025N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAD921 (NW0066F)	✱Direct Thermal 150RL FSC	S2025N	✱BG33Wh Imp FSC	HCD	EXACT	✓	1525	•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAH917 (NW0080F)	✱Direct Thermal 200GPL FSC	S2025N	✱BG33Wh Imp FSC	HCD HND	EXACT	✓	1525	•			1 roll x 1000m		
AAH910 (NW0056F)	✱Direct Thermal 200GP FSC	S2025N	✱BG40Wh Imp FSC	HND	Full Deckle	✓	1525	•			1 roll x 1525mm x 1000m		
AAH919 (NW0083F)	✱Direct Thermal 200LL FSC	S2025N	✱BG33Wh Imp FSC	HCD	Full Deckle	✓	1525	•			1 roll x 1525mm x 1000m		
				HND	Indent		1525		•		1 roll x 1525mm x 2000m		

Variable Information Printing (continued)

Variable Information Printing (continued)

Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Thermal Transfer													
AAH589 (MW0052F)	✱Trantherm 2C FSC	S2090	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•				1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
AAD855 (MW0066F)	✱Trantherm Plus FSC	S1010	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•			1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
AAD918 (MW0069F)	✱Trantherm Plus FSC	S2025N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•				1roll x 1000m	
AAD931 (MW0074F)	✱Trantherm 2C FSC	S2025N	✱BG33Wh Imp FSC	HCD	EXACT	✓	1525	•				1 roll x 1000m	

Prime Film

Prime Film													
Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Conformable White													
AAG790 (BW0064)	PE85 Top White	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•			1 roll x 1000m	
AAH230 (BW0147R)	PE85 NTC White	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525		•			1 roll x 2000m	
AAG842 (BW0291)	PE75 NTC White	S692N	✱BG33Wh Imp FSC		Indent		1525		•			1 roll x 1525mm x 2000m	
Conformable Clear													
AAH225 (BW0146R)	PE85 NTC Trans	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1505		•			1 roll x 2000m	
AAG840 (BW0290)	PE75 NTC Trans	S692N	✱BG33Wh Imp FSC		Indent		1505		•			1 roll x 1505mm x 2000m	
Conformable Silver													
BAA606 (BW9335)	Bright Silver PE85 TC	S692N	✱BG40Wh Imp	HCD HND	Full Deckle	✓	1000		•			1 roll x 1000mm x 2000m	
Semi Conformable White													
AAG806 (BW0184)	Global Co-Ex™ White NTC	S692N	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•			1 roll x 1525mm x 1000m	
AAG874 (BW7022)	Flex+ White NTC	S692N	✱BG33Wh Imp FSC	HCD	EXACT	✓	1525		•			1 roll x 2000m	
AAJ469 (BW7022A)	Flex+ White NTC	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525		•			1 roll x 2000m	
AAG876 (BW7023)	Flex+ White NTC	S692N	PET23		Indent		1525		•			1 roll x 1525MM X 2000m	
AAG889 (BW7051)	Flex+ White NTC	SR3013	✱BG33Wh Imp FSC		Indent		1525		•			1 roll x 1525mm x 2000m	
AAG913 (BW7123)	CleanFlake rFlex+ White	SR3013N	✱BG33Wh Imp FSC		Indent		1525					1 roll *1525mm x 2000m	
AAG892 (BW7059)	CleanFlake rFlex+ WHITE	SR3013N	rPET23		Indent		1525					1 roll *1525mm x 2000m	
Semi Conformable Clear													
AAG800 (BW0150)	FasClear® 300	S692N	✱BG40Wh Imp FSC	HCD HND	Indent		1525	•	•			1 roll x 1525mm x 1000m	
AAG868 (BW7016A)	Flex+ Clear NTC	S692N	✱BG340Wh Imp FSC	HCD	EXACT	✓	1525		•			1 roll x 2000m	
AAG873 (BW7020)	Flex+ Clear NTC	S692N	PET23		Indent		1505		•			1 roll x 1505MM X 2000m	
AAG907(BW7114)	Flex+ Clear NTC	SR3013N	rPET23		Indent		1525					1 roll *1525mm x 2000m	
AAG905(BW7111)	CleanFlake Flex+ Clear NTC	SR3013N	✱BG33WH Imp FSC		Indent		1525					1 roll *1525mm x 2000m	
AAJ513 (BW7134)	Flex+ Clear NTC	S692N	✱BG40Wh Imp FSC		Indent		1525					1 roll *1525mm x 2000m	

Prime Film (continued)

Prime Film (continued)						Stock Keeping	Width (mm)	Length (m)			MOQ	Remark	
Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program			500	1000	2000			3000
Rigid White													
AAG879 (BW7032)	rPP Top White	S692N	✱BG33Wh Imp FSC	HCD	EXACT	✓	1525	•			1 roll x 1000m		
				HND	Indent		1525	•	•	•	1 roll x 1525mm x 500m		
AAH273 (BW7087)	rPP Top White	S7210	✱BG33Wh Imp FSC	HCD	Indent		1525	•	•		1 roll x 1525mm x 1000m		
AAG910 (BW7117)	rPP Top White	SR3013N	✱BG33Wh Imp FSC		Indent		1525				1 roll *1525mm x 2000m		
BAA957 (BW7131)	rPP50 Top White	S692N	✱BG40Wh Imp FSC		Indent		1525				1 roll *1525mm x 2000m		
AAG912 (BW7122)	rPP Top Pearlized White	S692N	✱BG40Wh Imp FSC		Indent		1525				1 roll *1525mm x 2000m		
AAE728 (BW0174)	PPNg Top Pearlized White	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
				HND	Full Deckle		1525	•	•	•	1 roll x 1525mm x 500m		
AAG824 (BW0255SN)	PP60 Top Pearlized White	SR3013N	✱BG33Wh Imp FSC	HCD	Indent		1525		•		1 roll x 1525mm x 2000m		
AAG906 (BW7113)	PP60 Top Pearlized White	SR3013N	✱BG33Wh Imp FSC		Indent		1525				1 roll *1525mm x 2000m		
AAG862 (BW7004T)	PP60 Top White	S692N	✱BG40Wh Imp FSC	HCD	Full Deckle	✓	1525	•			1 roll x 1525mm x 1000m		
AAC795 (BW0227)	PP50 Top White	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525		•		1 roll x 2000m		
AAG890 (BW7053)	PP50 Top Pearlized White	S3010N	✱BG33Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•		1 roll x 1525mm x 2000m		
AAD934 (BW0293)	Opalux 55	S692N	✱BG40Wh Imp FSC	HCD	Indent		1525	•			1 roll x 1525mm x 1000m		
Synthetic Paper													
AAD953 (BW0153)	Synthetic Paper	S4700N	✱BG40Wh Imp FSC	HCD HND	EXACT	✓	1525	•			1 roll x 1000m		
AAG826 (BW0264)	Synthetic Paper 65	S4700N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAG829 (BW0270)	3 Mil Synthetic Paper	S4700N	✱BG40Wh Imp FSC	HCD HND	EXACT		1525	•			1 roll x 1000m		
AAG865 (BW7005)	PP Top Matte White	S692N	✱BG33Wh Imp FSC	HCD HND	EXACT	✓	1525	•			1 roll x 1000m		
AAK085 (BW7101)	LW Synthetic Paper	S692N	✱BG33Wh Imp FSC	HCD HND	EXACT		1525	•			1 roll x 1000m		
Rigid Clear													
AAG783 (BW0062C)	PPNg Top Trans	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525		•		1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAG573 (BW0266A)	PP50 TC Clear	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525		•		1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAG815 (BW0237N)	PPNg Top Trans	S692N	PET23	HCD	Full Deckle	✓	1505		•	•	1 roll x 1505mm x 1000m		
AAG899 (BW7090)	PPNg Top Trans	S7210	rPET30		Indent		1525	•	•		1 roll x 1000m		
AAJ524	PP50 Std. Top Clear	S692N	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525				1 roll *1525mm x 2000m		
AAG894 (BW7072)	PP50 Top Trans	SR3013N	✱BG40Wh Imp FSC		Indent		1525		•		1 roll x 1525mm x 2000m		
AAG896 (BW7081)	PP50 Top Trans	SR3013N	rPET23		Indent		1525		•		1 roll x 1525mm x 2000m		
AAG80 (BW7017)	PP40 Top Clear	S692N	✱BG40Wh Imp FSC		Indent		1525		•		1 roll x 1525mm x 2000m		
BW7092	PP40 Top Clear	S7210	✱BG40Wh Imp FSC		Indent		1525	•	•		1 roll x 1525mm x 1000m		
AAG877 (BW7026)	PP40 Top Clear	S631	rPET23	HCD	EXACT	✓	1525		•		1 roll x 2000m		
BW7056	PP40 Top Clear	SR3013N	✱BG40Wh Imp FSC		Indent		1525		•		1 roll x 1525mm x 2000m		
BW7055	PP40 Top Clear	SR3013N	rPET23		Indent		1525		•		1 roll x 1525mm x 2000m		
AAG858 (BW7000)	PP50 NTC Clear	S692N	✱BG40Wh Imp FSC		Indent		1525		•		1 roll x 1525mm x 2000m		
AAG732 (SY7025N)	Overlaminating Matte PP	S6800	✱BG40Wh Imp FSC	HCD	Full Deckle	✓	1525	•			1 roll x 1525mm x 1000m		
AAG793 (BW0112N)	Overlaminating Gloss PP	S6800	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•		1 roll x 1525mm x 500m		

Prime Film (continued)

Prime Film (continued)						Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program			500	1000	2000	3000		
Rigid Silver													
AAG799 (BW0148)	PPNg Top Silver	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•		1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAH269 (BW7019SE)	PP45 Top Silver	S692N	✱BG40Wh IMP FSC	HCD	EXACT	✓	1525	•	•		1 roll x 1000m		
AAG830 (BW0272)	PP TC Silver Elite	S692N	✱BG40Wh Imp FSC	HCD	EXACT	✓	1525	•	•	•	1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AAG822 (BW0254)	PP Silver TC	S631	PET30	HCD HND	Full Deckle	✓	1525		•		1 roll x 1525mm x 2000m		
BAB185 (BWS427)	Bright Silver BOPP	S2001	BG40#White NI	HCD	EXACT	✓	1530	•			1 roll x 1530mm x 1000m		

Specialty Film

Specialty Film												
Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)			MOQ	Remark
								500	1000	2000		
Conformable White												
AAG694 (SY7179)	PE HD TAMPER EVIDENT	S700N	✱BG40Wh Imp FSC		Indent		1525	•			1 roll x 1525mm x 1000m	
AAG710 (SY7123)	PE75 White NTC	S477A.MB	✱BG40Wh Imp FSC		Indent		1525		•		1 roll x 1525mm x 2000m	
Semi Conformable White												
AAG737 (SY7008)	Transcode Plus White	C7501	✱BG40Wh Imp FSC		Indent		1000		•		1 roll x 1000mm x 2000m	
AAD544 (SY0047L)	TransCode White Plus	S4905L	BG50Wh		Indent		1530	•	•		1 roll x 1530mm x 2000m	
AAC787 (SY0039L)	TransCode White Plus	S4905L	P140Wh Imp		Indent		1530	•	•		1 roll x 1530mm x 2000m	
AAD078 (SY0046A)	TransCode White Plus	R115	P140Wh Imp		Indent		1530	•	•		1 roll x 1530mm x 1000m	
AAD018 (SYS078HL)	60u Apparel Film White BHT free	S4905L	P140 whi	HCD	Full Deckle	✓	1530	•	•		1 roll x 1530mm x 1000m	
AAG669 (SYS082)	60u Apparel Film White BHT free	R115	P95White i	HCD	Full Deckle	✓	1530	•	•		1 roll x 1530mm x 1000m	
AAG670 (SYS080L)	60u Apparel Film White BHT free	S4905L	BG50#White imp	HCD	Full Deckle	✓	1530	•	•		1 roll x 1530mm x 1000m	
Semi Conformable Clear												
AAC786 (SY0053B)	TransCode Clear Plus	S4905L	50# Brown ni	HCD	Full Deckle	✓	1530	•	•		1 roll x 1530mm x 1000m	
AAD860 (SY0038L)	TransCode Clear Plus	S4905L	P140Wh Imp		Indent		1530	•	•		1 roll x 1530mm x 1000m	
AAC095 (SY0054B)	TransCode Clear Plus	R115	50# Brown ni	HCD	Full Deckle	✓	1530	•	•		1 roll x 1530mm x 1000m	
AAD077 (SY0048A)	TransCode Clear Plus	R115	P140Wh Imp		Indent		1530	•			1 roll x 1530mm x 1000m	
AAD886 (SY0077HL)	Fasson 60u Apparel Film Clear	S4905L	P140White		Indent		1530	•	•		1 roll x 1530mm x 1000m	
Rigid White												
AAG729 (SY7051N)	PPNg Top White	R480	✱BG40Wh Imp FSC	HCD	Full Deckle	✓	1525		•		1 roll x 1525mm x 1000m	
AAH288 (BW7678)	100u White PP TC	SR136	BG50#WH Ni		Indent		1070		•		1 roll x 1070mm x 2000m	
AAG707 (SY7138)	WBIJ PP Top Gloss White	S4700F	✱BG40Wh Imp FSC		Indent		1000		•		1 roll x 1000mm x 2000m	
AAG825 (BW0259N)	PP40 Top Matte White II	S692N	✱BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000	•			1 roll x 1000mm x 500m	
AAG722 (SY7083)	PET Top White 50 Micron	C7050	✱BG50Wh FSC	HCD	Full Deckle	✓	1000	•			1 roll x 1000mm x 1000m	

Specialty Film

Specialty Film

Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Synthetic Paper													
AAG730 (SY7050N.1000)	Synthetic Paper	R480	*BG40Wh Imp FSC		Indent		1000		•			1 roll x 1000mm x 2000m	
BW0213A	WHTPPMATTC	S692N	GW80		Indent		1065		•			1 roll x 1065mm x 2000m	
AAG835 (BW0278N)	Synthetic Paper TR75	C2076	*BG40Wh Imp FSC	HCD	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
AAG733 (SY7022)	Synthetic Paper II	C7501	*BG40Wh Imp FSC	HCD	Full Deckle	✓	1000		•	•		1 roll x 1000mm x 1000m	
AAG711 (SY7122)	WBIJ Synthetic Paper	S4700F	*BG40Wh Imp FSC		Indent		1525		•			1 roll x 1525mm x 2000m	
Rigid Clear													
AAG731 (SY7049.1000)	PPNg Top Trans	R480	*BG40Wh FSC		Indent		1000		•			1 roll x 1000mm x 2000m	
AAG917 (BW7569)	50um BOPP Clear TC	SR133	BG50#Wh Ni		Indent		1530		•			1 roll x 1530mm x 2000m	
AAH287 (BW7669)	50u Clear PP TC	SR136	BG50#WH Ni		Indent		1070		•			1 roll x 1070mm x 2000m	
BAA924 (BW5208)	Clear BOPP TC	UR136	BG50#WH FSC Mix Credit Imp		Indent		1000		•			1 roll x 1000mm x 2000m	
AAG926 (BWS1296)	50uClear BOPP TC	S4905	P95White imp		Indent		1530		•			1 roll x 1530mm x 3000m	
AAG927 (BWS1324)	45um PET TC	S6000	PET30 ni		Indent		1000		•			1 roll x 1000mm x 2000m	
Direct Thermal													
F71588.1000	Polythermal	SR2	BG40WHN		Indent		1000		•			1 roll x 1000mm x 2000m	
F72673	DT300BL	S2049	BG40WHN		Indent		1525		•			1 roll x 1525mm x 1000m	
Holographic													
AAG930 (BWS484)	50u BOPP plain Holography TC	S692N	BG40#Whit	HCD	Full Deckle	✓	1070		•			1 roll x 1070mm x 2000m	

Durable Film

Item	Description Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
AAH698 (MZ0111)	1M CL PET TC	S8020	PET30	HCD HND	Full Deckle	✓	1525	•				1 roll x 1525mm x 1000m	
AAH703 (MZ0111N)	1M CL PET TC	S8020	BG40Wh Imp		Indent		1525		•			1 roll x 1525mm x 2000m	
AAD302 (MZ1081)	1M Clear PET TTR	S8020	PET23	HCD HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
AAH654 (MZ0082G)	CLPET16TCY	S8020D	PET23		Indent		1065		•			1 roll x 1065mm x 2000m	
AAH267 (BW6050)	CL PET16	S692D	BG40BLUE		Indent		1065	•				1 roll x 1065mm x 1000m	
AAH835 (MZ1067A)	CLPET50TC	S8020	G80	HCD	Full Deckle	✓	1065		•			1 roll x 1065mm x 2000m	
AAH465 (MZ0518)	50um White PET	S8020S	BG50#Wh ni	HCD	EXACT	✓	1070	•				1 roll x 1000m	
AAG466 (MZ0519)	50um Matte Silver PET	S8020S	BG50#Wh ni	HCD	EXACT	✓	1070	•				1 roll x 1000m	
AAH678 (MZ0102)	2M WH PET TC	S333	BG50Wh	HCD HND	Full Deckle	✓	1000	•	•	•		1 roll x 1000mm x 500m	
AAH770 (MZ0312)	2M White PET TC	S2025	✱BG50Wh FSC	HCD	Full Deckle	✓	1530	•	•			1 roll x 1530mm x 500m	
				HND	Indent		1530	•				1 roll x 1530mm x 500m	
AAH434 (MZ0061B2)	2M WH PET TC3	S8005	G	HCD HND	Full Deckle	✓	1065		•			1 roll x 1065mm x 2000m	
AAH749 (MZ0212)	2M WH PETC TC	S369	BG50Wh Imp	HCD	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 500m	
AAH470 (MZ1019B)	2MWPETTCY	SP4200	GB	HCD HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
AAH831 (MZ1061J1)	2MWHPTETCY	SP4200	G60EM	HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
AAH778 (MZ0328)	75uMatte White PET TC	S333E	Embossed Polycoated Liner		Indent		1070		•			1 roll x 1070mm x 2000m	
AAH451 (MZ0337A)	75mic Matte White PET TC	S8040E	Embossing Poly		Indent		1070	•	•			1 roll x 1070mm x 500m	
AAB975 (MZ0104)	2M MAT CH PET TC	S333	BG50Wh	HCD HND	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 500m	
AAH633 (MZ0054)	50micron Bright Silver PET TC	S333	BG50Wh Imp	HCD	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 500m	
AAH827 (MZ0517)	50UM MATTE SILVER PET	S8020E	BG45# WHITE NI	HCD HND	Full Deckle	✓	1070	•	•			1 roll x 1070mm x 500m	
AAG512 (ADS1588)	2MIL MAT CH PET TC	S8020EX	BG45WH	HCD HND	Full Deckle	✓	1070	•	•			1 roll x 1070mm x 500m	
AAH437 (MZ0084)	2M Matte Ch PET TC3	S8005	GB		Indent		1065		•			1 roll x 1065mm x 2000m	
AAH859 (MZ2000W)	1M Matte White PI HTC	S8088S	BG50Wh	HND	Ready Width	✓	250, 500					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAD051 (MZ2001W)	1M Gloss White PI HTC	S8088S	BG50Wh		Ready Width		250, 500					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAC035 (MZ2002W)	2M Matte White PI HTC	S8088S	BG50Wh		Ready Width		250, 500					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAC728 (MZ2003W)	2M Gloss White PI HTC	S8088S	BG50Wh	HND	Ready Width	✓	500					1 roll x 500mm x 250m	6-8 weeks lead time if stock is out
AAH439 (MZ0098.1000)	50micron Matte White PET TC	S333	BG50Wh Imp		Indent		1000	•	•			1 roll x 1000mm x 1000m	
AAH808 (MZ0363)	50um White FR PET TCY	S8025	BG50Wh		Indent		1070		•			1 roll x 1070mm x 2000m	
AAC318 (SD8310.1525)	PPNg Top White	TS79N	BG50Wh double silicone liner	HCD HND	Full Deckle	✓	1525	•	•			1 roll x 1525mm x 1000m	
AAD537 (BW9664.1000)	3mil Synthetic Paper	S333	BG50Wh	HND	Full Deckle	✓	1000		•			1 roll x 1000mm x 2000m	
AAH901 (MZS1327)	2M Matte Ch PET TC	S369	BG50#White		Indent		1530	•				1 roll x 1530mm x 1000m	
AAH803 (SW8546)	2M Matte Ch PET TC	S6182	BG40 WH IMP		Indent		1500		•			1 roll x 1500mm x 2000m	
AAH040 (ADS1621)	1mil Clear PET TC	S8022	PET23		Ready Width		214, 535	•				1 roll x 214mm x 500m	
AAH903 (MZS2601)	50mic White PET TC	UP601	BG50WH		Ready Width		255, 1530	•	•			1roll x 255mm x 1000m	
AAH012 (ADS1479)	45mic Gloss Silver Shrink PVC	Permanent	PET		Indent		1070			•		1 roll x 1070mm x 3000m	
BAA875 (ADS1676)	2mil WH PET TC	P8030EX	BG50WH	HCD HND	EXACT	✓	1070	•				1 roll x 500m	
BAA845 (ADS1677)	2mil MAT CH PET TC	P8030EX	BG50WH	HCD HND	EXACT	✓	1070	•				1 roll x 500m	
BAA918 (ADS1678)	2mil CL PET TC	P8030EX	BG50WH		Ready Width		214, 535	•				1 roll x 214mm x 500m	
AAH518 (MZS903)	50 micron White PET TCY	S692N	Embossed Polycoated liner ni		Ready Width		214, 535	•				1 roll x 214mm x 500m	
BAA948 (ADS1680)	1mil WH PET TC	P8030EX	BG50WH		Ready Width		214, 535	•				1 roll x 214mm x 500m	
BAA951 (ADS1681)	1mil MAT CH PET TC	P8030EX	BG50WH		Ready Width		214, 535	•				1 roll x 214mm x 500m	
BAC030 (BW9668)	75mic Synthetic Paper	S4700N	BG40Wh Imp		EXACT		1525	•				1roll x 1000m	

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas

New Approaches

New Products

New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Vietnam Ltd.

Phone: + 84 28 37655678

Fax: + 84 28 37657934

Email: advcustservice@ap.averydennison.com

Find more label solutions at

label.averydennison.com



#MakingPossible

© 2026 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



MAKING POSSIBLE™