

TOTAL

One-Stop Tools Station



total.mamlkah.com



mamlkah_home



mamlkah

TOTAL.MAMLAH.COM

الموزع الحصري لسلطنة عُمان



مملكة هوم
Mamlkah Home
نظرة متكاملة في عالم البناء

P20S

2.0Ah



TIDLI20508

دريل لاسلكي 20 فولت wireless drill 20v

Voltage:20V

No-load speed:0-400/0-1500/min

Max.torque:45NM

Chuck capacity:0.8-10mm

Torque settings:15+1

Mechanical 2-speed gear

20V Lithium-Ion 1.5Ah batteries

With 2pcs 1.5Ah battery pack

With 1pcs fast charger

LED battery power indicator

With 1pcs screwdriver bits

price: **20.850** R.O

هدية مع المنتج



30

R.O

TIRLI2002

دريل لاسلكي 20 فولت WIRELESS DRILL 20V

Drill voltage:20V

20V Lithium-Ion 2.0Ah batteries

With 2pcs battery & 1pc 1Hr charger

2pcs screwdriver bits & 3pcs nut setters

TOTAL.MAMLKAH.COM



دریل شحن
DRILL CHARGING

24 R.O
TIDL120602

Voltage:20V

speed: 0-550/0-2000rpm

Max impact rate: 30000bpm

2 Pcs 2.0Ah battery pack

1 Pcs charger

بطارية ٢٠ فولت ليثيوم تم تصنيعها
لتناسب أكثر من 360 معدة مختلفة

20 volt lithium battery is manufactured
to fit more than 360 different equipment

P20S



TFBLI20011

5.300R.0

بطارية ليثيوم 20 فولت
LITHIUM BATTERY 20 VOLT



Lithium-Ion 2.0Ah battery
One battery fits all P20S multiple tooltools

TFCLI2001

3 R.0

شاحن سريع 20 فولت
FAST CHARGER 20 VOLT



Charge current:2A
Charges 20V 2.0Ah battery in 1Hr

TFBLI2002

11.500R.0

بطارية ليثيوم 20 فولت
LITHIUM BATTERY 20 VOLT



Lithium-Ion 4.0Ah battery
Suitable for 20V multiple tools

TFCLI2003

5.900 R.0

شاحن سريع 20 فولت
FAST CHARGER 20 VOLT



Charge current:4A
Charges 20V 4.0Ah battery in 1Hr

كشاف محمول
ION WORK LAMP

10 R.O

TFLI2002



Voltage:20V
LED power dissipation:20W
High:1500
Low:750

كمبروسر سيارة
COMPRESSOR FOR CAR

17.900 R.O

TACLI2002



Voltage:20V
Max.pressure:160PSI/11BAR
Digital display
Automatic stop at the specified pressure

كمبروسر محمول
AIR COMPRESSOR

7.750 R.O

TACLI2001



Voltage:20V
Max.pressure:150PSI/10BAR
With 1PCS tire vale adaptor
With 1PCS ball adaptor

مكنسة محمولة
VACUUM CLEANER

11.500 R.O

TVLI2001



Voltage:20V
Dust Capacity:0.7L
Vacuum Pressure:High: ≥ 7.0 KPa
Normal: ≥ 5.0 KPa

مروحة ٣ ا بوصة
LITHIUM-ION FAN

15.500 R.O

TFALI2001



DC Voltage:20V
AC Voltage:220-240V~50/60HZ
Dimensions:13"
Speed settings: 3

مروحة ١١ بوصة
LITHIUM-ION FAN

12 R.O

TFALI2002



DC Voltage:20V
AC Voltage:220-240V~50/60HZ
Dimensions:11"
Tilt adjustment:0-360°

مكنسة الية
ROBOTIC CLEANER

42 R.O

TVCRG30261



Product size:φ300X75mm
Vacuum pressure: 700~1000Pa
Working time:50~70min
2000mAh Lithium battery

منشار ترددي
RECIPROCATING SAW

19.500 R.O

TRSLI1151



Voltage:20V
No-load speed:0-2800/min
With 2pcs sabre saw blade
Metal:8mm - Wood:115mm

مسدس غراء
GLUE GUN

3.500 R.O

TFALI2001




DC Voltage:20V
Gluing capacity:13-18g/min
Glue stick,diameter:11.2mm
Heat-up time:60sec

دريل خط
MIXER

26.500 R.O

TMXLI2001



Voltage:20V
No-load speed:0-650rpm
Mixing pad thread:M14
WEIGHT 2.2 Kg

منفاخ هواء
BLOWER

17.500 R.O

TABLI200181



Voltage:20V
Charge volts:220V-240V~50/60Hz
With 1pcs battery pack
With 1pc fast charger

منفاخ هواء
BLOWER

6.700 R.O

TABLI20018



DC Voltage:20V
No-load speed:0-9000/0-18000rpm
Max.air volume:2.7m³/min
NO battery and charger included

اصنع بنفسك مظهر جذاب لحديقة منزلك

CREATE AN ATTRACTIVE LOOK FOR YOUR HOME GARDEN



قاطع حشائش STRING & CUTTER

42^{R.O}

TSTLI20028

Voltage:40V
No-load speed:0-5500/min 0-6500/min
Blade cutting diameter:255mm
Trimmer cutting diameter:330mm



منشار شجر شحن CHARGING HEDGE TRIMMER

16^{R.O}

THTLI20018



Voltage:20V
Maximum speed :1400rpm
Blade length:450mm (18")
Maximum cutting diameter:18mm

ماكينة قص الحشائش ELECTRIC LAWN MOWER

43^{R.O}

TGT616151



1600W

Voltage:220V-240~50Hz
No-load speed:2800rpm
Cutting width:380mm
Cutting height:28/38/48/58/68mm

منشار شجر بالبتترول GASOLINE CHAIN SAW

36.600^{R.O}

TG5451811



Displacement:46cc
Oil tank capacity:260ml
Rated power:1.8Kw
Max. cutting diameter:445mm

TGSLI20851 **22** R.O
منشار شجر يعمل بالبطارية
BATTERY OPERATED TREE SAW



Voltage: 20V
Chain speed: 7.5m/s 1 Pcs wrench
1 Pcs 2.0Ah battery & 1 Pcs charger
1 Pcs 8" saw chain & 1 Pcs 8" chain saw bar

TGSLI2085 **17** R.O
منشار شجر يعمل بالبطارية
BATTERY OPERATED TREE SAW



Voltage: 20V
Chain speed: 7.5m/s
1 Pcs 8" saw chain & 1 Pcs 8" chain saw bar
1 Pcs wrench
Battery and charger sold separately

TGSLI40168 **36** R.O
منشار شجر يعمل بالبطارية
BATTERY OPERATED TREE SAW



Voltage: 40V(20V+20V)
Chain speed: 7.5m/s
1 Pcs 16" saw chain & 1 Pcs 16" chain saw bar
Bar length: 16" (40cm)
Battery and charger sold separately

TGSLI20128 **33** R.O
منشار شجر يعمل بالبطارية
BATTERY OPERATED TREE SAW



Voltage: 20V
Chain Speed: 7.9m/s
1 Pcs 12" saw chain & 1 Pcs 12" chain saw bar
Bar length: 12" (30cm)
Battery and charger sold separately

3 R.O
TGTSC51603
سلسلة منشار
SAW CHAIN

16" Saw chain
Chain Pitch: 3/8"
Chain Gauge: 0.043"
Drive Links: 56 links



2.700 R.O
TGTSC51201
سلسلة منشار
SAW CHAIN

12" Saw chain
Suitable for TGSLI2001 chain saw
Packed by double blister
Easy to replace




3.500 R.O
TGTSB51603
بار منشار
SAW BAR

Bar Length: 16"
Chain Pitch: 3/8"
Chain Gauge: 0.043"
Drive Links: 56 links




3 R.O
TGTSB51201
بار منشار
SAW BAR

12" Chain Saw Bar
Suitable for TGSLI2001 chain saw
Packed by double blister
Easy to replace




مقص تقليم شجر
TREE PRUNING SHEARS **1.900** R.O
THT5113006




Length: 710-860mm
Material: 55# carbon steel

منشار تقليم شجر
TREE PRUNING SAW **1.900** R.O
THT5113006



Size: 12" / 300mm
Fast cut and long life

منشار تقليم شجر
TREE PRUNING SAW **1.800** R.O
THT5113306



Size: 13" / 330mm
Fast cut and long life

هیلتی شدن
LI-ION HAMMER

32.500 R.O
TRHLI2201



Voltage:20V
No-load speed:0-1350/min
Impact rate:0-4700bpm
Max drilling capacity:Φ22 in concrete

هیلتی شدن
LI-ION HAMMER

18.085 R.O
TRHLI2028



Voltage:20V
No-load speed:0-1100rpm
Impact rate:0-5400bpm
Concrete: 22mm

هیلتی شدن
LI-ION HAMMER

17 R.O
TRHLI1601



Voltage:20V
No-load speed:0-900/min
Impact rate:0-5100bpm
Single impact force:1.5J

دریل شدن
DRILL CHARGING

11.750 R.O
TIDLI206021



Battery and charger sold separately

Voltage:20V
speed: 0-550/0-2000rpm
Max impact rate: 30000bpm
Chuck capacity: 13mm
Mechanical 2-speed gear

هیلتی شدن
LI-ION HAMMER

52.500 R.O
TRHLI22012



Voltage:20V
No-load speed:0-1350/min
Impact rate:0-4700bpm
2 Pcs 2.0Ah battery pack
1 Pcs charger

مقص شدن
STRAIGHT SHEAR

27.100 R.O
TSSLI20308



Voltage:20V
Cutting diameter:20mm/30mm
1 Pcs oil bottle(empty)
1 Pcs sharpening stone
1 Pcs sheath

دریل شدن
DRILL CHARGING

28 R.O
TIWLI2001



Voltage:20V
speed:0-1300/0-2100rpm
Impact rate:0-2000/0-3300bpm
2 Pcs 2.0Ah battery pack
1 Pcs charger & 3 Pcs sockets

دریل ربط شدن
DRILL WRENCH CHARGING

37.600 R.O
TIWLI2050



Voltage:20V
speed: 0-1200/0-1800/0-2200rpm
Impact rate: 0-2400/0-2800/0-3300bpm
2 Pcs 4.0Ah battery & 1 Pcs charger
3 Pcs sockets (21,22,24mm)



منشار دائري
CIRCULAR SAW

35 R.O

TSLI18511

BL MOTOR



Voltage:20V
No-load speed: 4800rpm
1 Pcs 2.0Ah batter & 1 Pcs charger
90° degree: 65mm & 45° degree: 45mm

منشار دائري
CIRCULAR SAW

21 R.O

TSLI1651




Voltage:20V
No-load speed:4600rpm
45° degree:38mm
90° degree:55mm

منشار دائري
CIRCULAR SAW

17 R.O

TSLI1401



Voltage: 20V
No-load speed:3600rpm
45° degree:28mm
90° degree:40mm

جريندر متعدد
MULTI GRINDER

10 R.O

TMLI2001



Voltage:20V
With cutting & segment saw blade
With flexible scraper & hex key
With sanding base

جريندر شحن
ANGLE GRINDER

30 R.O

TAGLI2111561



Voltage:20V
No-load speed: 3000/8000rpm
1 Pcs 4.0Ah battery pack
1 Pcs charger

جريندر شحن
ANGLE GRINDER

16.500 R.O

TAGLI1151



Voltage:20V
No-load speed:8500/min
Disc diameter:115mm
Spindle thread:M14

آلة تنعيم شحن
SHEET SANDER

13 R.O

TSHSLI20141



DC Voltage:20V
No-load speed:12000rpm
1PCS 2.0AH battery
1PCS fast charger

مسدس رش
SPRAY GUN

20 R.O

TSGLI20406



DC Voltage:20V
Spraying pressure: 0.1-0.2Bar
Max.flow: 800ml/min
Max.viscosity: 120DIN-s

مغسلة ضغط عالي
PRESSURE WASHER

34.500 R.O

TPWLI20084



DC Voltage:20V
Max Pressure:24.8Bar
1PCS 4.0AH battery
1PCS fast charger

مسدس سيلكون
CAULKING GUN

18 R.O

TCGLI2001



DC Voltage:20V
Thrust: 3700N
Cartridge size: 25.4cm(10' ')
Gluing speed: 0.5-4.4mm/s

آلة دبوس شحن
BRAD NAILER

40.600 R.O

TCBNLI2028



DC Voltage:20V
Nail type:F15~F50
Drive rate:2.5nails/s
Magazine capacity:100pcs

مسدس تسخين
HEAT GUN

24 R.O

TBLI20025



DC Voltage:20V
Temperature:300/550°C
1PCS 4.0AH battery
1PCS fast charger

منشار أركت
JIG SAW


18 R.O
TJSLI8501



Voltage:20V
No-load speed:2400rpm
Cutting capacity: Wood:80mm
Metal:8mm

مكوة لحام شحن
SOLDERING IRON

4 R.O
TSILI2001



Voltage:20V
Input power:40W
Preheat time:3~5minutes
Battery and charger sold separately

جريندر تلميع
POLISHER

30.200 R.O
TAPLI2001



Voltage: 20V
No-load speed:500-2800rpm
Polishing pad diameter:150mm
Spindle thread:M14

منفاخ هواء شحن
AIR COMPRESSOR

30.200 R.O
TACLI2003

Voltage:20V×2(40V)
Tank volume:6L
Max. Pressure:120PSI
Rate of Flow:98L/min



هزاز بلاط شحن
TILE VIBRATION MACHINE

33 R.O
TTVLI20101



Voltage: 20V
Vibrational frequency:0-10000rpm
Adsorption force:50kg
Suction Cup Diameter:125mm



TBLI12152

4 R.O

بطارية ليثيوم 12 فولت

LITHIUM BATTERY 12 VOLT



Lithium-Ion 1.5Ah battery
One battery fits all S12 multiple tools

TCLI12071

1.850 R.O

شاحن 12 فولت

CHARGER 12 VOLT



Charge volts: 220V-240V~50/60Hz
Charging time:2Hr charger



TGGLI1201

3 R.O

مسدس غراء 12 فولت

GLUE GUN 12V

Gluing capacity: 15-18g/min

Glue stick diameter: 11.2mm

Heat-up time: 60sec

With 3pcs glue sticks



TDLI12415

8 R.O

دريل لاسلكي 12 فولت

WIRELESS DRILL 12V

Voltage:12V

Chuck capacity:0.8-10mm

With 1pcs 1.5Ah battery & charger

With 1pcs Cr-V 65mm bits



TIDLI12201

13.800 R.O

دريل لاسلكي 12 فولت

WIRELESS DRILL 12V

Voltage:12V

350 -1350/min

With 1pcs 1.5Ah battery & charger

With 1pcs Cr-V 65mm bits



USB

TSDLI0402

4 R.O

مفك البراغي اللاسلكي

CORDLESS SCREWDRIVER

Voltage:4V

Hex Shank:1/4"

No-load speed:180/min

Integrated work light

TH309288-2

23 R.O

هیلتی تخریم و تکسیر
ROTARY HAMMER

Voltage:220-240V~50/60Hz

Input power:950W

With 3 drills & 2 chisels

Impact rate:0-4670/min



TH308268

18 R.O

هیلتی تخریم و تکسیر
ROTARY HAMMER

Voltage:220-240V~50/60Hz

Input power:800W

With 3 drills & 2 chisels

Impact rate:0-4000bpm



7 R.O

TD4506

دریل
DRILL

Voltage:220-240V~50/60Hz

Input power: 450W

No-load speed: 0-3300rpm

Chuck capacity: 1.0-10mm



8 R.O

TD2051026

دریل
DRILL

Voltage:220-240V~50/60Hz

Input power: 500W

No-load speed: 0-3300rpm

Chuck capacity: 1.0-10mm



TG109136

12.500 R.O

دریل دقاق
IMPACT DRILL

Voltage:220-240V~50/60Hz

Input power:850W

Max.drilling capacity:13mm

No-load speed:0-2700rpm



TG1061356

9 R.O

دریل دقاق
IMPACT DRILL

Voltage:220-240V~50/60Hz

Input power:680W

Max.drilling capacity:13mm

No-load speed:0-3000rpm

معدات التكسير والهدم



TH215002

68 R.O

دريل التكسير والهدم

DRILL CRUSHING & DEMOLITION

Voltage:220-240V~50/60Hz

Impact rate:1000-1900bmp

Anti-vibration system

Auto-stop carbon brushes



1500w

TH215456

56.8 R.O

دريل التكسير والهدم

DRILL CRUSHING & DEMOLITION

Voltage:220-240V~50/60Hz

Impact rate:1400bmp

HEX chuck system

16Kgs demolition breaker



1700w

TH110266

24 R.O

هيلتي تخريم وتكسير

ROTARY HAMMER

1050w



Voltage:220-240V~50/60Hz

SDS plus chuck system

With 3 drills & 2 chisels

Impact rate:0-4000bpm

TH2130016

33 R.O

هيلتي تخريم وتكسير

ROTARY HAMMER

1300w



Voltage:220-240V~50/60Hz

Impact rate:3800bmp

Anti-vibration system

7Kgs demolition breaker

معدات الخرسانة والبناء

Concrete and Construction Equipment

هليكوپتر تسوية الخرسانة GASOLINE POWER TROWEL

TP9361-2

190 R.O

Engine power:4.8Kw(6.5HP)

Weight:78Kgs - With iron pan

Rotor diameter:91cm(36")

Blade number:four

Finish blade:35X15cm(6X14")



38mm/6m

25 R.O

TPVP1382

VIBRATOR POKER سلك هزاز الخرسانة

Head length:580mm

Vibrating frequency:200Hz

Vibrating amplitude:1.2mm

Flexible hose length:6m

45mm/6m

28.5 R.O

TPVP1452



70 R.O

TP630-22

هزاز الخرسانة
CONCRETE VIBRATOR

Petrol Engine

ngine power:4.0Kw(5.5HP)

No-load voltage(V):85

HEX type coupling



28 R.O

TW21602

مكينة لحام

WELDING MACHINE

Input voltage(V):1~220-240

Output current(A):15-160

No-load voltage(V):75

Diameter of electrode(mm):1.6-4.0



29 R.O

TW21606

مكينة لحام

WELDING MACHINE

Input voltage(V):1~220-240

Output current(A):10-160

No-load voltage(V):85

Diameter of electrode(mm):1.6-4.0



42.800 R.O

TW2200691

مكينة لحام

WELDING MACHINE

Input voltage: 1~220-240V

Frequency: 50/60Hz

Output current: 15-200A

Diameter of electrode: 1.6-4.0mm



41.700 R.O

TW2200381

مكينة لحام

WELDING MACHINE

Input voltage: 1~220-240V

Frequency: 50/60Hz

Output current: 10-200A

Diameter of electrode: 1.6-4.0mm



161.200 R.O

TW25005

مكينة لحام

WELDING MACHINE

Input voltage(V):380-400

Frequency: 50/60Hz

Output current(A):20-500

Diameter of electrode(mm):2.5-6.0



97.500 R.O

TMGT1601

مكينة لحام

WELDING MACHINE

Input voltage(V):1~220-240

Frequency: 50/60Hz

MAG/MIG output current(A):10-160

Welding wire size:0.6,0.8,1.0mm



44 R.O

TW25005

شاحن بطارية

BATTERY CHARGER

Input voltage(V):220-240
Frequency: 50/60Hz
Charging voltage(V):12/24
Reference capacity(Ah):70-300



186.700 R.O

TIGACDC2001

مكيبة لحام

WELDING MACHINE

Input voltage(V):1~220-240
Frequency: 50/60Hz
Output current(A):15-200
Max Input capacity:9.4kVA

حامل القطبية
ELECTRODE HOLDER

2.800R.O

TWAH10006



New design
Unique design

Rated current:1000A
MMA welding machine(Below 630A)
Unique design new design

حامل لحام
WELDING HOLDER 4"

1.100R.O

TAMWH50046



Pull Force: 50 Lbs
Dimensions: 178x90x17.2mm
Weight: 542g

حامل لحام
WELDING HOLDER 4"

1.100R.O

TAMWH50042



Pull Force: 50 Lbs
Dimensions: 155x102x17.4mm
Weight: 591g



غيار سلاك مكيبة اللحام
FLUX-CORED WIRE

3 R.O

TEWSFC081001

Pull Force: 50 Lbs
Dimensions: 178x90x17.2mm
Weight: 542g

منتجات مكائن اللحام من شركة توتال تتميز بالجودة العالية والتكنولوجيا المتقدمة ، حيث تستخدم مواد عالية الجودة وتخضع لعمليات مراقبة دقيقة لضمان الأداء الممتاز . بفضل دعمها الممتاز والتسليم في الوقت المحدد ، توفر توتال حلولاً موثوقة وفعالة لاحتياجات اللحام للعملاء

Products from Total welding machines are distinguished by high quality and advanced technology, utilizing high-quality materials and undergoing rigorous quality control processes to ensure excellent performance. With excellent support and on-time delivery, Total provides reliable and effective solutions for customers' welding needs

نقدم لكم الحلول المثالية لملاحقات السيارة

THE PERFECT SOLUTIONS FOR CAR ACCESSORIES



TGT11316

25 R.O

مغسلة ضغط عالي
HIGH PRESSURE WASHER

Voltage: 220-240V~50/60Hz

Input power:1400W

Max Pressure:130Bar

Auto stop system



TVLI2001

115 R.O

مكنسة محمولة
VACUUM CLEANER

Voltage:20V

Dust Capacity:0.7L

Vacuum Pressure:High: ≥ 7.0 KPa

Normal: ≥ 5.0 KPa



TGT11236

38 R.O

مكينة رش وغسيل ضغط عالي
HIGH PRESSURE WASHER

Voltage: 220-240V~50Hz

Input power:1500W

1 set water spray gun

8m high pressure metal hose



TGTSG026

5 R.O

مسدس رش
SPRAY GUN

Plastic body

Suitable for: TGT11316,TGT11356

TGT11226,TGT11246, UTGT11316

UTGT11356 and UTGT11226

نقدم ملحقات سيارات عالية الجودة بأسعار مناسبة، حيث نضمن جودة المنتجات ومطابقتها لتلبية احتياجات عملائنا. باختيارنا، تحصل على قيمة ممتازة وأداء موثوق به لسيارتك بدون الحاجة للتنازل عن الجودة أو دفع أسعار مرتفعة

We offer high-quality car accessories at affordable prices, ensuring product quality and durability to meet our customers' needs. With us, you get excellent value and reliable performance for your car without compromising on quality or paying high prices



2.800R.O

TGTAN4501

فوهة رش
SPRAY

3/4" tool adaptor

Dimension: 15x3.59x17.5cm

Comfortable soft grip

1.700R.O

TGTAN4501

فوهة رش بزاوية
45° ANGLE NOZZLE

Size:7" /180mm

45° Angle

Suitable for TGTSG026



TGT11176

85.500 R.O

مكينة رش وغسيل ضغط عالي
HIGH PRESSURE WASHER

Voltage: 220-240V~50Hz
Input power: 2400W
Max Pressure: 100Bar (1450PSI)
Flow rate: 10L/min - 500 hours lifetime



TGT11226

47.300 R.O

مكينة رش وغسيل ضغط عالي
HIGH PRESSURE WASHER

Voltage: 220-240V~50Hz
Input power: 2000W
Max Pressure: 150Bar (2200PSI)
Flow rate: 6.0L/min



TACLI2001

7.750 R.O

كمبروسر هواء
AIR COMPRESSOR

Voltage: 20V
Max. pressure: 150PSI/10BAR
With 1PCS ball adaptor
With 1PCS tire valve adaptor



TTAC2506

7 R.O

كمبروسر هواء
AIR COMPRESSOR

Voltage: 20V
Max. pressure: 140PSI(10Bar)
With 1PCS LED light & 3M cord
1Pcs battery clips & 4pcs nozzle adapters



TTAC2506

14 R.O

كمبروسر هواء
AIR COMPRESSOR

Voltage: 20V
Max pressure: 120PSI/8BAR
With 1pcs battery clips & 4pcs adapters
1pcs 5m air hose & 1pcs canvas bag



TACLI2002

17.9 R.O

كمبروسر هواء
AIR COMPRESSOR

Voltage: 20V
Max. pressure: 160PSI/11BAR
With ball adaptor & tire valve adaptor
With air bed adaptor

PBCA16008L

4.5 R.O

كابل بطارية
BOOSTER CABLE

Clamp size :18x11cm
Cable material :copper coated
Cable material :copper coated
Cable length :3m




PBCA16008

4.5 R.O


600A

كابل بطارية
BOOSTER CABLE

Clamp size :18x10cm
Current: 600AMP
Cable material :copper coated
Cable length :3m



كل هذا في
حقيبة واحدة



115 pcs



THKTHP1152


18 R.O

حقيبة الصيانة المنزلية

HOME MAINTENANCE BAG

نختصر لك في حقيبة واحدة كامل معدات
استخدام المنزل بها أكثر من 110 قطعة
، تتميز بسهولة الحفظ والترتيب

أكيد بتحتاجها في بيتك





OUR POLICY IN MAMKHAH HOME

is universal service;
which aims to provide our customers
with great value; By helping to choose the
right product, providing technical support,
and getting the highest value at the best price

TOTAL

One-Stop Tools Station

جريندر توتال
Angle grinder



14 R.O

TG110125565

Voltage:220-240V~50/60Hz

Input power: 1100W

No-load speed: 5000-12000rpm

Disc diameter: 125mm

Spindle thread:M14

جريندر توتال
Angle grinder



11 R.O

TG11012536

Voltage:220-240V~50/60Hz

Input power: 1100W

No-load speed: 12000rpm

Disc diameter: 125mm

Spindle thread:M14

جریندر توتال Angle grinder



19.5 R.O

TG12223026

Voltage:220-240V~50/60Hz

Input power:2200W

No-load speed:6600rpm

Disc diameter:230mm

Spindle thread:M14

جریندر توتال Angle grinder



19 R.O

TG12018026

Voltage:220-240V~50/60Hz

Input power:2000W

No-load speed:8450rpm

Disc diameter:180mm

Spindle thread:M14

جریندر توتال Angle grinder



13.5 R.O

TG11012526

Voltage:220-240V~50/60Hz

Input power:1100W

No-load speed:1200rpm

Disc diameter:125mm

Spindle thread:M14

جریندر توتال Angle grinder



8 R.O

TG10711556

Voltage:220-240V~50/60Hz

Input power:750W

No-load speed:12000rpm

Disc diameter:115mm

Spindle thread:M14

جریندر توتال Angle grinder



21 R.O

TG12223026

Voltage:220-240V~50/60Hz

Input power:2200W

No-load speed:6600rpm

Disc diameter:230mm

Spindle thread:M14

جریندر توتال Angle grinder



19 R.O

TG11512526

Voltage:220-240V~50/60Hz

Input power:1500W

No-load speed:11000rpm

Disc diameter:125mm

Spindle thread:M14

جریندر توتال Angle grinder



20.700 R.O

TG12018026

Voltage:220-240V~50/60Hz

Input power:2000W

No-load speed:8450rpm

Disc diameter:180mm

Spindle thread:M14

جریندر توتال Angle grinder



30 R.O

TG1302306

Voltage:220-240V~50/60Hz


Input power:3000W

No-load speed:6300rpm

Disc diameter:230mm

Spindle thread:M14

منشار تقطيع
CIRCULAR SAW **17 R.O**
TS3141102



Voltage:220-240V~50-60Hz
No-load speed:13000rpm
Diameter of blade:110x20mm
Input power:1400W
Max.cutting capacity:34mm

منشار تقطيع
CIRCULAR SAW **16.500R.O**
TS11418526



185mm

Voltage: 220-240V~50/60Hz
Input Power:1400W
No-load speed:4800rpm
45° degree:44mm
90° degree:65mm

منشار شحن
CIRCULAR SAW **17 R.O**
TSLI1401



140mm

Voltage: V20
No-load speed:3600rpm
Disc diameter:140mm
45° degree:28mm
90° degree:40mm

منشار تقطيع
CIRCULAR SAW **20.900R.O**
TS1161856



185mm

Voltage: 220-240V~50/60Hz
Input Power:1600W
No-load speed:5000rpm
45 degree:45mm
90 degree:65mm

منشار شحن
CIRCULAR SAW **21 R.O**
TSLI1651



165mm

Voltage: V20
No-load speed:4600rpm
Disc diameter:165mm
45° degree:38mm
90° degree:55mm

منشار جدار
WALL CHASER **37.300R.O**
TWLC1256



Voltage:220-240V~50-60Hz
No-load speed:1500W
Disc diameter:125mm
Cutting depth:3-29mm
Cutting width:8-30mm

اسطوانة تقطيع
DRY DIAMOND DISC **1.600 R.O**
TAC2111301



130(5")X20mm
Blade width:12mm
Metal base thickness:1.6mm
Metal base thickness:1.6mm
Match with TWLC1301


منشار جدار
WALL CHASER **62.700R.O**
TWLC1301



Voltage: V20
Input power:3000W
No-load speed:7000rpm
Cutting depth:10-40mm
Cutting width:9-30mm

منشار طاولة 125R.O

TABLE SAW TMS43183051
1800W



Double belt transmission

Voltage:220-240V~50/60Hz
Blade size:305mmx30mm
0°/0°:90mmx305mm
0°/45°:60mmx305mm
45°(left/right)/0°:90mmx215mm
45°(left/right)/45°:60mmx215mm

منشار طاولة 84R.O

TABLE SAW TS42183057
2400W



Voltage:220-240V~50/60Hz
Blade size:305mmx30mm
0°/0°:305mmx90mm
45°/0°:215mmx90mm
0°/45°:305mmx38mm
45°/45°:215mmx38mm

منشار تقطيع حديد CUT OFF SAW

TS92435526 40R.O

Voltage: 220V-240V~50-60Hz
Blade size:355x25.4x3mm
Max. cutting capacity: 100mm in round pipe
100X100mm in square steel
120X100mm in rectangel



مكنسة كهربائية VACUUM CLEANER

TVC14301 27R.O

Voltage: 220V-240V~50-60Hz
Air flow:1.9CBM/Min
Vacuum pressure:16-18KPa
Wet and dry cleaning
Power cable:1.8m

1400W
30L



فلتر هواء للمكنسة AIR-INLET HEPA

HEPA 12L/30L

TVCAIHP02 1.300R.O

Filter level:F8
Filter efficiency:>95%



دريل ضاغط DRILL PRESS

13mm

TDP133501

38 R.O

Voltage: 220-240V~50Hz

Input power: 350W

Column diameter:46mm

Table size: 160mmx160mm

Base size: 291mmx183mm



دريل ضاغط DRILL PRESS

20mm

TDP207505

94.800 R.O

Voltage: 220-240V~50Hz

Input power: 750W

Column diameter: 70mm

Table size: 270mmx270mm

Base size: 480mmx275mm



قطعة آلة حفر ضاغط DIAMOND CORE BITS

DIAMOND CORE BITS

مع خاصية لقطع الخرسانة
مع الحديد المسلح
SPECIAL FOR CUTTING
CONCRETE WITH REBAR

TAC2810821

82mm price:20.000R.O

102mm price:22.000R.O

122mm price:26.000R.O

152mm price:35.600R.O

Length 450mm



آلة حفر ضاغط DIAMOND DRILLING

3800W

TDDM38001

108.800 R.O


Voltage: 220-240V~50Hz

No-load speed:700rpm

Max. drilling diameter:230mm

With drilling stand&1 set carbon

With leakage protection switch



مجموعة الحفر الدائري OUTER BITS SET

5.500R.O

TACSR1121

12PCS/SET



Shank diameter: 8mm
3pcs Straight bit:6mm,12mm,16mm
1pcs 1/2" 90°V-groove bit
1pcs 1/2" Dovetail bit
1pcs 32mm 45°Chamfer bit
1pcs 1/2" flush trim bits
2pcs Corner round bit:1/4" ,3/8"
1pcs 1/4" Core box bit
1pcs 1/4" Core bit
1pcs R-4 Roman ogee bit

آلة حفر دائرية ELECTRIC ROUTER

3800W

TR111216

25 R.O

Voltage: 220-240V~50Hz

No-load speed:22000rpm

1600W

12mm,8mm,6mm

1/2",1/4"



Collet size:6mm,8mm

Plunge capacity:0-60mm

مجموعة الحفر الدائري PLANER BLADE

1.700R.O

TAC618202

2PCS/SET
82x29x3mm

HSS



Size:82X29X3.0mm,HSS
Match with TL5508216 UTL5508216
TL7508226 TL7508226UP
TL7508226-4 UTL7508226

منشار حفر ELECTRIC PLANER

3800W

TL7508226

19 R.O

Voltage: 220-240V~50Hz

No-load speed:17000rpm

750W



MAKITA
Type

Planning width&depth:82x2mm

Heavy duty aluminum base

منشار أركت
JIG SAW

15 R.O

TS2081006



Voltage:220-240V~50/60Hz
Input power:800W
capacity: Wood:100mm-Steel:10mm
With 5pcs saw blades

منشار أركت
JIG SAW

19 R.O

TS2081356

800W



JIG SAW
BLADES FREE

Voltage:220-240V~50/60Hz
No-load speed:800-3100rpm
Cutting capacity: Wood:135mm
Steel:10mm

منشار أركت
JIG SAW

9 R.O

TS2045565



Voltage:220-240V~50/60Hz
Input power:400W
capacity: Wood:55mm-Steel:3mm
With 1pcs saw blades

قاطع ارکت
JIG SAW BLADE

.650 R.O

TAC51101D



100MM

Made of high quality materials
Designed to withstand heavy use
Sharp tips cut easily into various materials
It consists of 5 bits of different sizes

قاطع ارکت
JIG SAW BLADE

1.500 R.O

TACSD7386



1PCS 127D for cutting aluminum
1PCS TAC51101D for cutting wood
2PCS TAC51118B for cutting metal
4PCS TAC51111C for cutting wood

منشار ترددي Reciprocating Saw



17 R.O

TS100806

Voltage: 220-240V~50/60Hz
Rated power: 750W
No-load speed: 900-3300rpm

Max.cutting depth: Steel: 8mm
Wood:115mm - Aluminum: 12mm



جريندر تلميع Angle polisher

17.9 R.O

TP1141806


Voltage: 220V-240V~50/60Hz
Input power: 1400W
No-load speed: 900-3800rpm

With 1pcs polishing pad
With 1pcs polishing bonnet

TD614006 26 R.O

MIXER دريل خلط

1400W



Voltage:220V
Input power:1400W
Mixing pad thread:M14
With 1pcs mixing pad



جريندر تلميع Angle polisher

20.134 R.O

TP11418018

Voltage: 220V-240V~50/60Hz
Input power: 1400W
No-load speed: 1500-3600rpm

With 1pcs polishing pad
With 1pcs polishing bonnet

120mm

TAC331120 3 R.O

قطعة دريل خلط MIX PADDLE

Length:600mm
Tool fitting:M14x2



TAC721801 1.300 R.O

قطعة تلميع صوف WOOL POLISHING BONNET

Diameter:180mm
Real wool bonnet



TAC52644D 0.350 R.O

شفرة منشار ترددي RECIPROCATING SAW BLADE FOR WOOD

Diameter:150mm
Wooden wall: < 100mm



TAC7111801 1.400 R.O

قطعة تلميع POLISHING PAD WITH FLANGE

Diameter:180mm
Material:Rubber



180mm



TOTAL.MAMKHAH.COM



مملكة هوم
Mamlakah Home
نظرة عليك من عالمنا

LEVER BLOCK رافعة يدوية

46.200 R.O

THSLB3001

RATING LIFT
WEIGHT:3TON

1.5Tonx1.5m
3Tonx1.5m



Hook to hook distance:350mm
Chainpull to lift full load:236 N
Net weight:17.5kg

39.900 R.O

THSLB1501

RATING LIFT
WEIGHT:1.5TON

hooks:350 mm
Pulling force at full load:236 N
Net weight:10.1kg

CHAIN BLOCK رافعة يدوية

35.400 R.O

TCBK0202

RATING LIFT
WEIGHT:2TON

2Tonx3m
1Tonx3m



Hook to hook distance:485mm
Chainpull to lift full load:335 N
Net weight:19.5kg

24.700 R.O

TCBK0201

RATING LIFT
WEIGHT:1TON



Hook to hook distance:383 mm
Chainpull to lift full load:250 N
Net weight:12.2kg

102.200 R.O

THT301251

900W

عربة نقل وحمل HAND PALLET TRUCK

2500kg



Capacity Q:2500kg
Fork size:550X1150mm
Distance between forks:230mm
Min. fork height:85mm
Max. fork height:200mm

48 R.O

TLH1952

900W

رافعة كهربائية ELECTRIC HOIST



18m

Voltage:220-240V~50Hz
Lifting weight:250Kgs(Single line)
500Kgs(Double line)
Lifting height:18m(Single line)
9m(Double line)

رافعة BOTTLE JACK

5.200 R.O

THT109042



4Ton & 6Ton & 10Ton & 12Ton
Min. height: 190mm
Max. height: 370mm
Travel:180mm

رافعة BOTTLE JACK

7 R.O

THJS0201



2PCS/Pair




2Ton & 3Ton
Min. height: 250mm
Max. height:380mm
Net weight: 4.7kg

رافعة متحركة BOTTLE JACK

13 R.O

THJS0201


2Ton



2Ton
Min. height: 140mm
Max. height:340mm
Travel:200mm

مكينة تنعيم
BENCH GRINDER


20.500R.O
TBG35020



Voltage:220-240V~50Hz
Input power:350W
No-load speed:2950rpm
Wheel size:200mm

مكينة تنعيم
BENCH GRINDER

12 R.O
TBG15015



Voltage:220-240V~50Hz
Input power:150W
No-load speed:2950rpm
Wheel size:150mm

دريل ربط
IMPACTWRENCH

28 R.O
TIW10101



Voltage:220-240V~50/60Hz
Input power:1050W
No-load speed:2300rpm
Max torque:550NM

مسدس تسخين
HEAT GUN

11 R.O
TB20045

2000W

LOW HIGH TEMPERATURE



Voltage:220-240V~50/60Hz
Input power: 2000W
Temperature: 50°C/50-450°C/50-550°C
Airflow: 450/300/450 L/min

مسدس تسخين
HEAT GUN

8 R.O
TB20078

2000W



Voltage: 220-240V~50/60Hz
Input power: 2000W
Temperature:50/450°C/550°C
Airflow:450/300/450 L/min

مسدس تسخين
HEAT GUN

7.500 R.O
TB2006



Input power:2000W
Temperature:50°C/380°C/570°C
Airflow:500 /300/500 L/min
With 1pcs scraper and 4pcs nozzles

مكينة لحام
ELECTRIC SOLDERING

4.500R.O
TET10006

100W

Long life tips

Soft grip



Voltage:220-240V~50/60Hz
Input power:100W
Preheat.time:3~5minutes
Straight,tip head

مكينة لحام ببيات
TUBE WELDING TOOL

15 R.O
TT328151

1500W



Voltage:220V-240V~50/60Hz
Rated power:800W/1500W
Welding diameter:20-63mm
Working temperature:0-300°C

لمع هواء
AIR SANDER

14 R.O
TAT91512

150mm(6")



Air Inlet(PT):1/4"
connector and Italy type connector.
No-load Speed RPM:10500
Air Hose(ID):3/8"

مكينة تشحيم بالهواء
AIR GREASE LUBRICATOR

51 R.O
THT118302

30L

g/min
850g/min



Capacity:30L
Drum application:330x430mm
Working pressure:6-8bar
Max.free flowrate:850g/min

مكينة تشحيم شحن
GREASE GUN

33.700R.O
TGGLI2010



Battery and charger sold separately

Voltage: 20V
Pressure: 10,000 psi (690 bar)
Volume/Flow rate: 282g/min
Hose length: 30" (76cm)


مكينة تشحيم يدوية
GREASE GUN

6 R.O
TAT91512

600cc

Dual Piston

Rubber Handle



Key components made in Taiwan Top quality in the world

Heavy-Duty Grease Gun
Delivers Minimum:3oz/40strokes
Capacity: 600CC / 21 Oz
Loading way: 14Oz Cartridge / 600CC Bulk

مضخة مياه Gasoline water pump



55 R.O

TP3302

Diameter:80mm,3"

Max.flow:1000L/min

Max.head lift:32m head lift:28m

Max.suction head:8m

Displacement:208cc

مضخة مياه Gasoline water pump



50 R.O

TP3202

Diameter:50mm,2"

Max.flow:550L/min

Max.head lift:28m

Max.suction head:8m

Displacement:208cc

مضخة مياه Peripheral pump



13 R.O

TWP137026

Voltage:220-240V~50Hz


Rated power:370W(0.5HP)

Max.head:30m

Max.flow:30L/min

Max.suction:8m

مضخة مياه Peripheral pump



12 R.O

TWP13706

Voltage:220-240V~50Hz

Input power:370W(0.5HP)

Max.head:35M

Max.flow:35L/min

Max.suction:8M

مضخة مياه Peripheral pump



20.300R.O

TWP17506

Voltage:220-240V~50Hz

Rated power:750W(1.0HP)

Max.head:52m

Max.flow:50L/min

Max.suction:8m

مضخة مياه Peripheral pump



19 R.O

TWP17506

Voltage:220-240V~50Hz


Input power:750W(1HP)

Max.head:52M

Max.flow:50L/min

Max.suction:8M

مفتاح تحكم للمضخة Automatic pump control



7.5 R.O

TWP5101

Rated voltage:220-240V


Frequency:50/60Hz

Starting pressure:1.5bar

Max.current:10A

Max.pressure:10bar

مضخة مياه Peripheral pump



Indicators:
● Power
● Pressure
● Flow

21 R.O

TWP113706

Voltage:220-240V~50Hz

Rated power:370W(0.5HP)

Max.head:35m

Max.flow:35L/min

Max.flow:35L/min

مضخة مياه الصرف الغاطسة

Submersible
sewage water
pump



2 انش

40.600 R.O

TWP775016

Voltage:220-240V~50Hz

Rated power:750W(1.0HP)

Max.head:13m

Max. flow:350L/min

Pipe diameter:2"

مضخة مياه الصرف الغاطسة

Submersible
sewage water
pump



1 انش

19 R.O

TWP87506

Voltage:220-240V~50Hz

Input power:750W(1.0HP)

Max.head:8m

Max.flow:216L/min

Max.depth:7m

TOTAL

تميز منتجاتنا بتنوع الخيارات، بما في ذلك مضخات المياه المنزلية والزراعية والغاطسة، مع ضمان لمدة ستة أشهر. نقدم حلولاً موثوقة ومتنوعة لاحتياجاتك في مجال توفير المياه، مع الاعتمادية والجودة التي يمكنك الوثوق بها

Our products offer a diverse range of options including household, agricultural, and submersible water pumps, all backed by a six-month warranty. We provide reliable and versatile solutions for your water supply needs, ensuring trustworthiness and quality you can rely on

218 R.O

TP165006


مولد كهرباء بالبترول GASOLINE GENERATOR

6.5kW

4 Stroke Engine

Gasoline

Electric Start



100% Copper Coil Alternator

Rated voltage(V):220-240

Rated frequency(Hz):50

Max.output(kW):6.5

Rated output(kW):5.0

Rated speed(rpm):3000

Displacement(mL):420

129 R.O

TP135006E


مولد كهرباء بالبترول GASOLINE GENERATOR

3.5kW

4 Stroke Engine

Gasoline

Electric Start



100% Copper Coil Alternator

Rated voltage(V):220-240

Rated frequency(Hz):50

Max.output(kW):3.5

Rated output(kW):2.8



Rated speed(rpm):3000

Displacement(mL):208

109.500 R.O

TC2200506

مضخة هواء AIR COMPRESSOR

50L**1.5kW
(2HP)**

Copper Wire

Voltage:220-240V~50Hz

Input power: 1.5kW (2HP)

Tank:50L(13.2Gal)

Noise:92db

Copper wire induction motor

Pump lubricated with oil

250.400 R.O

TP190006



مولد كهرباء بالبترول GASOLINE GENERATOR

9.0kW

4 Stroke Engine

Gasoline

Electric Start



100% Copper Coil Alternator

Rated voltage(V):220-240

Rated frequency(Hz):50

Max.output(kW):9.0

Rated output(kW):7.5


Rated speed(rpm):3000

Displacement(mL):457

109.500 R.O

TC1402002

مضخة هواء AIR COMPRESSOR

200L**3kW
(4HP)**

Copper Wire

Voltage:220-240V~50Hz

Power: 3.0 kW (4 HP)

Tank capacity:200L

Noise:92db



Copper wire induction motor

3000Hr lifetime promise

131.300 R.O

TC2301006

مضخة هواء AIR COMPRESSOR

100L**2.2kW
(3HP)**

Copper Wire

Voltage:220-240V~50Hz

Input power: 2.2kW (3HP)

Tank:100L(26.4Gal)

Noise:92db

Copper wire induction motor

Pump lubricated with oil

315 R.0

TC1553002

**مضخة هواء
AIR COMPRESSOR**

Voltage:380V~50Hz

Phase number:Three

Power: 4.1kW (5.5 HP)


Belt driving system

2 cylinder compressor

Copper wire induction motor



**300L
4.1kW
(5.5HP)**



**مسدس رش بالهواء
AIR SPRAY GUN** **20 R.0**
TAT10605

**600cc
Finishing Coat
LVMP
1.3mm**



TOP GRADE SPRAY GUN

Standard nozzle:1.3mm

Pattern width:180-260mm

Paint capacity:600cc

**مسدس رش بالهواء
AIR SPRAY GUN** **7.500 R.0**
TAT11002

**1000cc
Base Coat
1.8mm**



Standard nozzle:1.8mm

Pattern width:200-250mm

Paint capacity:1000cc

Suitable for base coat

**مسدس رش بالهواء
AIR SPRAY GUN** **4.500 R.0**
TAT10402

**400cc
Base Coat
1.5mm**




Standard nozzle:1.5mm

Pattern width:180-250mm

Paint capacity:400cc

Suitable for base coat

**معدات مضخة هواء
AIR TOOLS SET** **6 R.0**
TATK053



Length:4m,Diameter:8mm

Nozzle length:16mm

Paint capacity:600cc

Operation pressure:4bar

**مسدس ضخ بالهواء
AIR BLOW GUN** **1 R.0**
TAT3031

16mm



Nozzle length:16mm

Only with Europe type connector.

**مسدس ضخ بالهواء
AIR TIRE INFLATING GUN** **4 R.0**
TAT11601

**Max. 8.5Bar
63.5mm**




Air tire inflating gun

Max pressure:8.5Bar(120PSI)

With Europe type connector, USA type connector and Italy type connector.

**معدات مضخة هواء
AIR TOOLS SET** **6 R.0**
TATK053



Length:4m,Diameter:8mm

Nozzle length:16mm

Paint capacity:600cc

Operation pressure:4bar

**سلك تزويد الهواء
AIR HOSE** **2.800 R.0**
THT11151

15m

Ø8mm



Material:PU

Length:15M

Inner diameter: 5mm

External diameter: 8mm

**سلك تزويد الهواء
AIR HOSE** **2.250 R.0**
THT11101

10m

Ø8mm



Material:PU

Length:10M

Inner diameter: 5mm

External diameter: 8mm

مفتاح ربط بالهواء
AIR IMPACT WRENCH

38R.0

TAT41112

1"



Square drive:25mm(1")
No-load speed:4000 rpm
Max.torque:1800Nm(1328ft)
Air Consumption:256l/min(9cfm)

مفتاح ربط بالهواء
AIR IMPACT WRENCH

35R.0

TAT40342

3/4"



Square drive:19mm(3/4")
No-load speed:4000 rpm
Max.torque:1600Nm(1180ft)
Air Consumption:256l/min(9cfm)

مفتاح ربط بالهواء
AIR IMPACT WRENCH

22R.0

TAT40122

1/2"




Square drive:12.5mm(1/2")
No-load speed:7000/min
Max.torque:610Nm(450Ft-lb)
With 3 pcs socket (17mm,19mm,21mm)

مفتاح ربط بالهواء
AIR IMPACT WRENCH

71.300R.0

TAT40111

1"



Square drive:25.4mm(1")
No-load speed:3600/min
Max.torque:3100Nm(2220Ft-lb)
Air Consumption:36Cfm(1019l/min)

قطعة مفتاح
IMPACT SOCKET SET

9R.0

THKISD12102L

10PCS/SET
Cold extrusion
Cr-Mo

1/2" 6 PT



size:10.12.13.14.15.17.19.21.22.24mm
10 Pcs 1/2" deep impact socket set
Material:CrMo
length:78mm

قطعة مفتاح
IMPACT SOCKET SET

6R.0

THISTD12101

10PCS/SET
Cold extrusion
Cr-Mo

1/2" 6 PT



size:10.12.13.14.15.17.19.21.22.24mm
10 Pcs 1/2" DR. Impact socket set
Material:CrMo
Heat treatmentm,21mm)

مفتاح ربط بالهواء
AIR RATCHET WRENCH

12R.0

TAT10121

1/2"



Square Drive: 12.7mm(1/2")
No-load speed:160RPM
Max.torque:68N.m(50Ft-Lb)
Capacity Bolt Size:1/2" (13mm)

دباسة بالهواء
AIR BRAD NAILER

11R.0

TAT81501

Ga18

15-50mm 16-40mm



Load capacity:100Pcs
Brad size:15-50mm
Ga18,1.25X1.0mm
Staple size:16-40mm

مكينة تنعيم بالهواء
AIR SANDER

14R.0

TAT91512

150mm(6")




Sanding pad:6" (150mm)
Air Inlet(PT):1/4"
No-load Speed RPM:10500
connector and Italy type connector



TAC918151	15mm	0.800R.0	5000pcs
TAC918251	25mm	1.000R.0	5000pcs
TAC918252	25mm	1.150R.0	2500pcs
TAC918351	35mm	1.400R.0	5000pcs
TAC918352	35mm	1.600R.0	2500pcs
TAC918402	40mm	1.700R.0	2500pcs
TAC918501	50mm	1.800R.0	5000pcs

0.800R.0
TAC918151

سن دباسة بالهواء
GAUGE BRAD NAIL




منجلة طاولة
BENCH VICE

27.500R.0

THT6186

200mm(8")



Ductile
Cast Iron

Size: 8"

Weight:21kg

Max clamping force:2500KGS


With anvil

منجلة طاولة
BENCH VICE

15R.0

THT6166

150mm(6")



Ductile
Cast Iron

swivel base size: 6"

Weight:11.2kg

Max force:1600KGS



With anvil

منجلة طاولة
BENCH VICE

10R.0

THT6146

100mm(4")



Ductile
Cast Iron

Swivel base size: 4"

Weight:6.7kg

Max force:1300KGS

With anvil

طقم ربط اتجاهين
ANGLED SOCKET WRENCH

4.600 R.0

TLASWT0601

6PCS/SET



WHOLE BODY DROP
FORGED NON WELDING



Size: 7- 8- 10- 12- 13- 14mm

6pcs/set

Material:CR-V


One-piece structure,Drop-forged

مشبك يدوي مزدوج
TWO JAWS PULLER

3 R.0

THTGP246

4"



Size:4" & 6"

2Jaws,Maxforce:3000KG

material:Cr-v,heat treated


surface treatment:chrome-plated

مشبك مع مقبض
CLAMP HANDLE

2.900R.0

THT1321202

800mm(32")



size: 16" & 32"

Max clamp force: 450KGS

Diameter of screw thread:15.3mm

Thickness and width of iron ruler:8X30mm

طقم مفتاح ربط
WRENCH SET

21 R.0

THT421441

44PCS/SET



44PCS 1/4" +1/2" Socket set

13Pcs 1/4" Dr Socket:4-4.5-5-5.5-6-7-8-

9-10-11-12-13-14mm

1Pcs 1/4" Dr Ratchet wrench,45T

طقم مفتاح ربط
WRENCH SET

17 R.0

THT141253

24PCS/SET



72T

24 Pcs 1/2" socket set

18 Pcs 1/2" Cr-V DR. Sockets:

10,11,12,13,14,15,16,17,18,19,20,21,22,2

3,24,27,30,32mm

طقم مفتاح ربط
WRENCH SET

4 R.0

THTL121101

10PCS/SET



300mm

10 Pcs 1/2" socket set

9 Pcs 1/2" Cr-V DR. sockets: 10-12-

13-14-17-19-21-22-24mm

1 Pcs 1/2" DR. 250mm L- Bar

مفتاح ربط
WRENCH

5 R.0

THTRCW40231



Size: 16"

With 4 pcs 1/2" Socket:17mm

19mm 21mm 23mm

Packed by leather bag

مفتاح ربط
WRENCH

3 R.0

THT106126

1/2"



Size:1/2" 45T

Length:260mm

Material : Cr-V+CrMo


Heat treatment

طقم مفتاح ربط
WRENCH SET

41.100R.0

THT341151

15PCS/SET



24T

15 Pcs 3/4" socket set

Heat treated

Material:Cr-V

Wrench set with carrying case

مفتاح ربط
SLIDING T-BAR

1.600R.0

THTSTB12106

1/2"




1/2" DR. Sliding T-bar
Length: 10" (250mm)
Material:50BV30
Heat treatment

مفتاح ربط
Offset ring
spanner set

1.400R.0

THEB12051

1/2"




1/2" Extension bar
Length: 5" (125mm)
Material:50BV30
Heat treatment

مفتاح ربط مرن
FLEXIBLE HANDLE

3 R.0

THTFX12151

1/2"



Size: 16"
With 4 pcs 1/2" Socket:17mm
19mm 21mm 23mm
Packed by leather bag

مفتاح ربط مرن
Universal joint

1.500R.0

THHJ1121

1/2"



1/2" Universal Joint
Material:50BV30
Heat treatment,chromed plated
Packed by plastic hanger

8mm	0.500R.0
10mm	0.600R.0
12mm	0.700R.0
13mm	0.800R.0
14mm	0.900R.0
15mm	0.900R.0
16mm	1.000R.0
17mm	1.000R.0
19mm	1.150R.0
21mm	1.200R.0
22mm	1.300R.0
24mm	1.400R.0
27mm	1.600R.0
30mm	1.800R.0
32mm	1.900R.0

مفتاح ربط طويل
FLEXIBLE HANDLE

0.500R.0

THTFX12151




8mm	0.300R.0
10mm	0.400R.0
11mm	0.500R.0
12mm	0.500R.0
13mm	0.600R.0
14mm	0.600R.0
15mm	0.700R.0
16mm	0.700R.0
17mm	0.800R.0
18mm	0.900R.0
19mm	0.900R.0
21mm	1.000R.0
22mm	1.150R.0
24mm	1.200R.0
27mm	1.400R.0
30mm	1.600R.0
32mm	1.800R.0

مفتاح ربط
SLIDING T-BAR

0.300R.0

THTSTB12106

8mm
TO
32mm



بوت سيفتي SAFETY BOOTS



TSP202SB

SB:steel toe cap
Split leather upper
Dual density pu sole

6 R.O

SIZE 40-41-42-43-44



مانع التزلق

TSP202S1P

Split leather upper
Dual density PU sole
anti-static+anti-vibration

7.550 R.O

SIZE 40-41-42-43-44-46

بوت سيفتي SAFETY BOOTS

TSP208SB.39 7 R.O

Virgin PVC/Nitril material
100% waterproof
High Level Oil, Acid, Alkali resistance

SIZE 39-40-41-42-43-44



TSP302L

Virgin PVC/Nitril material
100% waterproof
High Level Oil, Acid, Alkali resistance

TSP302L

Virgin PVC/Nitril material
100% waterproof
High Level Oil, Acid, Alkali resistance

قفاز جلد LEATHER GLOVES

2.300 R.O



Add one piece of leather
more to be stonger

بوت BOOTS

2.300 R.O

SIZE 41-44



37CM

ANTI-SLIP SOLE



TSP1802

High quality PVC

Size: L 32cm

Weight :80g/ pair

3 R.O

قفاز مطاطي PVC GLOVES



TSP15014

Size:14 inch

AB grade royal blue leather, white diagonal neck with mixed velvet hanging inside, Kevlar fire line sewing, back to cloth edge

2.900 R.O

قفاز لحام WELDING GLOVES



TSP1802

5.450 R.O

حزام سلامة وأمان SAFETY HARNESS

Webbing width:50mm

1 Attachment point

4 Adjustment point



PC



نظارة حماية
SAFETY GOGGLES 0.700 R.O
TSP304

Full-view full-slice structure prevents UV and withstands impact Fit to wearing the corrective glasses,also can be used as visitors glasses



PC



نظارة حماية
SAFETY GOGGLES 0.700 R.O
TSP305

Light weight,comfortable to wear,wide visual field Packed by double blister



خوذة أمان
SAFETY HELMET

1.7 R.O

TSP2602

Chin strap included
Weight: 380g

Color:White
4 point suspension



180°Full View Window

ON/OFF
AUTO Power


Grind Function

HD
HD Vision

Low Battery

Viewing area:
108x50mm

100%
NEW PP



خوذة حماية
WELDING MASK 1.600 R.O
TSP9102

With 1 pcs 108x50x3mm welding glass and 1 pcs protection glass



خوذة أمان
SAFETY HELMET

1 R.O

TSP2612

Chin strap included
Weight: 330g

Color:Yellow
8 point suspension

Big viewing area:
110x90mm

100%
NEW PP



خوذة حماية
WELDING MASK 2 R.O
TSP305

Glass size:110x90x3mm,movable type glass
1 Pcs clear protection glass

جهاز ضبط المستويات بالليزر SELF-LEVELING LINE LASER

Working Range: 0~15 m
Line accuracy $\pm 1.5\text{mm}$ at 5 m
Levelling time $< 4\text{s}$
Self-levelling angle $\leq 4^\circ$
Laser Type 650nm
Laser Class II, $< 1\text{mW}$

TLL156506

16 R.O



جهاز ضبط المستويات بالليزر SELF-LEVELING LINE LASER


Working Range: 0~30 m
1 Horizontal Line 4 Vertical Lines
Levelling accuracy: $\pm 1.0\text{mm}$ at 5 m
Line accuracy $\pm 1.5\text{mm}$ at 5 m
Levelling time $< 3\text{s}$
Self-levelling range $\leq 3^\circ$
Laser Type : Red
Laser Class 3R, $< 5\text{mW}$

TSP15014

29.300 R.O

Red laser beams

5 Line



زاوية قياس
ANGLE SQUARE

1.800 R.O

TMT61126

Length: 300mm (12")
Blade Width: 40mm
Blade Thickness: 1.5mm




جهاز قياس
المسافات بالليزر
LASER DISTANCE
DETECTOR

13.250 R.O

TMT460011

Measuring Range: 0.05-60m
Measuring Accuracy: $\pm 2.0\text{mm}$
Laser Type: 635nm, $< 1\text{mW}$, Class 2



أداة قياس
DIGITAL CALIPER

5 R.O

TMT321506

Range: 0-150mm
Reading: 0.01mm
IP54 housing - Battery 3V



جهاز قياس
الجهد الكهربائي
DIGITAL MULTIMETER

3.500 R.O

TMT460011

Display: True RMS 2000 counts
Smart Function
AC/DC Voltage: 0.8~600V



أداة قياس
VERNIER CALIPER

4.450 R.O

TMT312001

Range: 0-200mm
Reading: 0.05mm
Material: Carbon steel



كشاف خوذة ليد
HEADLAMP

3 R.O

THL013AAA6

Max: 200 lumens
Low: 100 lumens
Use alkaline 3AAA battery



أداة قياس
VERNIER CALIPER

3.500 R.O

TMT311501

Range: 0-150mm
Reading: 0.05mm
Material: Carbon steel



كشاف يد ليد
FLASHLIGHT

3.700 R.O

THL013AAA6

Brightness: 250lm
Irradiation distance: 160m
Use 3pcs AAA batteries



أداة قياس الاتزان
HAND LEVEL

1.600 R.O

TMT20105M

With strong magnet
0.5mm/m solid shockproof
Thickness: 1.5mm



كشاف ليد شحن
WORK LAMP 3.5W

5.500 R.O

TWLI35261

Using Li-polymer rechargeable battery
Max: $300 \pm 10\%$ Low: $75 \pm 10\%$
LED power dissipation: 3.5W

أسطوانات قطع الحديد

Iron cutting cylinders

.500R.0

TAC2111103



110(4 3/8")X20mm

.500R.0

TAC2211151



100(4")X16mm

.500R.0

TAC2131003



100(4")X16mm



TAC631151	115x22mm	0.350R.0
TAC631152	125x22mm	0.350R.0
TAC631153	230x22mm	0.350R.0



TAC2101151	115x1.0mm	0.250R.0
TAC2101151	125x1.0mm	0.350R.0
TAC2101151	230x1.6mm	0.800R.0

0.400R.0

TAC641153



Size: 115mm*22mm (4-1/2" x7/8")

1.8 R.0

TAC2181151HT



115(4-1/2")x22.2MM

1.8 R.0

TAC2214051



405(16")X3.0(1/8")X25.4(1")

3.500R.0

TAC2411251



Diameter:125mm Blade width:20mm

3R.0


TAC2411151



Diameter:115mm Blade width:20mm

8.8 R.0

TAC2339212



305mm(12") 120T,arbor:30mm



مكينة تقطيع سيراميك
TILE CUTTER

15R.O
THT576004

600mm Tile cutter
Max cutting length:600mm
Max cutting thickness: 12mm



مفك اختبار
TEST PENCIL

.250R.O

THT291908

.200R.O

THT291408

Test voltage:AC 100-500V

size: 3x140mm

size: 4x190mm

Packed by plastic hanger

منفاخ هواء
BLOWER

800w



TB2086

14 R.O

Voltage:220-240V~50/60Hz
No-load speed:0-15000rpm
Max.blowing rate:0-3.5m3/min
With 1pcs dust bag & flexible tube

منفاخ هواء
BLOWER

600w



TB2066

9.500R.O

Voltage:220-240V~50/60Hz
No-load speed:0-16000rpm
Max.blowing rate:0-3.5m3/min
With 1pcs dust bag

مفك
SCREWDRIVER **0.650 R.O**
THGSPH21506



S2 industrial steel , Hex shank
Size: PH2
Shank: 6.0mm
length: 150mm

مفك
SCREWDRIVER **0.650 R.O**
THGS61506



S2 industrial steel , Hex shank
Slotted: 6.5mm
Shank: 6.0mm
Length: 150mm

مفك متعدد
SCREWDRIVER **0.600 R.O**
THT250206



1pcs screwdriver with 1pcs plastic hanger
2 IN 1 Screwdriver set
Shank size:6.35X160MM,PH2+SL6

مفك
SCREWDRIVER **0.550 R.O**
THTISPH2100



Insulated screwdriver
1000V,VDE+GS Certification
PH2×100mm
Cr-V,Round shank

مفك
SCREWDRIVER **0.500 R.O**
THTIS5125



Insulated screwdriver
1000V,VDE+GS Certification
SL5.5×125mm
Cr-V,Round shank

مفك
SCREWDRIVER **0.300 R.O**
THTISPH060



Insulated screwdriver
1000V,VDE+GS Certification
PH0×60mm
Cr-V,Round shank New design handle

مجموعة تفريغ خشب
WOOD CHISEL SET **2.7 R.O**
THT41K0401



Wood Chisel
Material: CR-V Width:
6mm, 12mm, 19mm, 25mm
140mm Packed by Sliding card

مجموعة مبرد فولاذي
STEEL FILE SET/8" **7 R.O**
THT918516



Flat steel & Half round file
Round steel file
Triangle steel file
Square steel file

مفك متعدد
SCREWDRIVER **0.500 R.O**
THT250216



2 IN 1 Screwdriver set
Shank size: 6.35X75MM,PH2+SL6
Material:CR-V
With 1pcs interchangeable handle

مجموعة مفك
SCREWDRIVER SET **.450 R.O**
THTDC250201



2 pcs screwdriver set
Material:40Cr & Round blade
1pcs SL6X125mm
1pcs PH2X125mm

مجموعة مفك
SCREWDRIVER SET **1.2 R.O**
THTDC251001



10 Pcs screwdriver
1pcs SL5X75mm & 1pcs SL5X100mm
1pcs SL6X150mm & 1pcs PH1X75mm
1pcs PH1X100mm & 1pcs PH2X150mm

مجموعة أدوات
7PCS HANDTOOLS **3.5 R.O**
THKTHP90076



1 Pcs 7" Combination Pliers
1 Pcs Test Pencil (Test voltage: 100-500VAC)
1 Pcs 6" Adjustable Wrench
1 Pcs 9mm Snap-off blade knife

مجموعة مفك معزول
ISOLATED HAND TOOLS

2.2 R.O

THTIS566




6 PCS Insulated Screwdriver Set
1pcs SL3.0×75 & 1pcs SL4.0×100
1pcs SL6.5×150 & 1pcs PH0×60
1pcs PH1×80 & 1pcs PH2×100

مجموعة مفك
SCREWDRIVER SET

1.7 R.O

THT250606



6 pcs screwdriver set
1pcs SL5.5x5x75&1pcs SL5.5x5x100
1pcs SL6.5x6x150&1pcs PH1x5x75
1pcs PH1x5x100& 1pcs PH2x6x150

مجموعة مفك
SCREWDRIVER SET

.550 R.O

THT250201



2 pcs screwdriver set
Material:CR-V Round blade
1pcs SL6.5 x 6 x 125
1pcs PH2 x 6 x 125

مفك براغي
SCREWDRIVER

.500 R.O

THT266150



S2, Round shank
Slotted: 6.5mm
Diameter: 6.0mm
Length: 150mm

مفك براغي
SCREWDRIVER

.400 R.O

THT26PH2150



S2, Round shank
1pcs screwdriver
Diameter: 6.0mm
Length: 150mm

مجموعة مفك البراغي
NUT SCREWDRIVER SET

2.5 R.O

TNSS0701



7Pcs Nut Screwdriver Set
Length:185mm
Size: 6mm, 7mm, 8mm
9mm, 10mm, 11mm, 12mm

كماشة
PLIERS

1.4 R.O

THT118102



Size: 10" /250mm

كماشة مضخة
PUMP PLIERS

1.3 R.O

THT281006




Size: 10" /250mm
Max clamping open:40mm
Cr-V,black finish and polish
TPR two color handle

كماشة فك منحنية
CURVED JAW PLIER

1.1 R.O

THT191003



Carbon Steel Size:10"
HRC38°-HRC48°
Nickel plated
LENGTH 250mm (10")

كماشة
PLIERS

1.6 R.O

THTIP2171



Size:7" /180mm
Black finish and polish
Insulated handle
Stand high pressure:1000V

كماشة
PLIERS

.850 R.O

THT110606P




متوفر مقاسين
TWO SIZES
Size:6" /160mm & 8" /200mm
Polish and anti-rust oil
Two color handle
Packed by sliding card

كماشة
PLIERS

1.650 R.O

THT210806S



SIZE : 8" / 200MM
CR-V, BLACK FINISH AND POLISH
TPR TWO COLOR HANDLE
SAVING 30% STRENGTH THAN NORMAL PLIERS

كماشة قطع قطري
DIAGONAL CUTTING PLIERS

1.2 R.O
THT27716



Size: 7" /180mm
Cr-V,black finish and polish
Two color handle
Packed by PP hanger

كماشة قطع
CUTTING PLIERS

1.2 R.O
THT230606S



متوفر مقاسين
TWO SIZES

Size:6" /160mm & 8" /200mm
Cr-V,black finish and polish
TPR two color handle
Saving 30% strength than normal pliers

كماشة طويلة
HIGH PLIERS

.950 R.O
THT220606



متوفر مقاسين
TWO SIZES

Size:6" /160mm & 8" /200mm
Cr-V,black finish and polish
TPR two color handle
Saving 30% strength than normal pliers

كماشة تجريد الأسلاك
WIRE STRIPPING PLIERS


1.2 R.O
THT25616



Size: 6" /160mm
Cr-V,black finish and polish
Two color handle
Packed by PP hanger

كماشة بأحجام مختلفة
PLIERS DIFFERENT SIZES

3.2 R.O
THT2K0301S



3Pcs plier set
Size: 8" /200mm
pliers 7" /180mm
Cr-V,black finish and polish

قاطع الكابلات
CABLE CUTTER

.850 R.O
THT11561



متوفر مقاسين
TWO SIZES

Size:6" /160mm & 8" /200mm
Black finish and polish Insulated handle
Carbon steel
Packed by PP hanger

قاطع الكابلات
CABLE CUTTER


1.350 R.O
THTIP2761



Size: 6" /160mm
Black finish and polish Insulated handle
Stand high pressure: 1000V
Packed by PP hanger

مجموعة كماشة
MINI PLIERS SET

2.7 R.O
THT1K0511



6pcs mini pliers set 4.5"
Combination pliers& cutting pliers
End cutting pliers& Long nose pliers
Flat & Needle nose pliers

قاطع كابلات
CABLE CUTTER

4 R.O
THT115242



Size:24"
Blades Material:65Mn
Cutting Area:240mm² B
cutting copper & aluminum cable

قاطع صاج
AVIATION SNIP

1.9 R.O
THTJ532106



Length:250mm (10")
Max.cutting thickness:
Carbon steel ≤1.2mm
Stainless steel ≤0.7mm

مجموعة كماشة
MINI PLIERS SET

3.3 R.O
THT2K0301




8" Combination pliers
6" Long nose pliers
6" Diagonal cutting pliers
Cr-V,black finish and polish

كماشة إحكام
CIRCLIP PLIERS

3 R.0

THT114041



4Pcs circlip plier set
Size:7" /180mm
2pcs of 180° & 2pcs of 90°
Carbon steel


كماشة إحكام
CIRCLIP PLIERS



Internal circlip plier

THTJ21803	7"/180mm	1.700R.0
THTJ21804	7"/180mm	1.700R.0

كماشة إحكام
CIRCLIP PLIERS



External circlip plier

THTJ21801	7"/180mm	1.700R.0
THTJ21802	7"/180mm	1.700R.0

مبرشم يدوي
HAND RIVETER

4 R.0

THT32131




Stainless steel
rivet: ϕ 3.2mm,4.0mm,4.8mm,6.0mm
Aluminum&steel rivet: ϕ 3.2mm,4.0mm,4.8mm,6.0mm,6.4mm

مبرشم يدوي
HAND RIVETER

3 R.0

THT32106



360 degrees of rotation in the head
Applicable rivet
size:2.4mm,3.2mm,4mm,4.8mm
Material: Steel+Aluminum

مبرشم يدوي
HAND RIVETER

1.750 R.0

THT32105



Size:10.5"
Aluminium alloy body
Applicable rivet
size:2.4mm, 3.2mm,4mm,4.8mm

مفتاح ربط سداسي
HEX KEY

1.900 R.0

THT106192



Size: 1.5mm,2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm.
Extra-long arm
Heat treatment and chrome plate

مفتاح ربط نجمة
TORX KEY

2.250 R.0

THT113126




Size:T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-45,T-50.
Extra-long arm
Heat treatment and chrome plate

قاطع حديد
BOLT CUTTER

3 R.0

THT113126



متوفر 7 قياسات
SEVN SIZES
Size: 12" -14" -18" -24"
-36" -42" 48"
Black finish and polish
TPR two color handle

مُستخرج المسامير
SCREW EXTRACTOR

2 R.0

TACSE0056



Material:Cr-V
Size:3~6mm(1#),6~8mm(2#),8~11mm(3#), 11~14mm(4#),14~18mm(5#)
Hardness:48~52HRC

ازميل للخشب
WOOD CHISEL

1 R.0

THT41166



Wood Chisel,Cr-V
Width:16mm(3/4")
Length:140mm

ازميل خرساني
OLD CHISEL

1.5 R.0

THT4411219



Unique design Handle
Size:25mmx19mmx305mm
Material:40Cr
Heat treatment,limpid Powder coating

مسدس سيلكون
CAULKING GUN

3.5 R.O
THT20115



15" aluminum caulking gun
Strong aluminum handle
Length:380mm
Diameter:51mm

مسدس سيلكون
CAULKING GUN

3 R.O
THT20112



12" aluminum caulking gun
Strong aluminum handle
Length:305mm
Diameter:55mm

مسدس سيلكون
CAULKING GUN

.750 R.O
THT20209



9" caulking gun
Thickness: 0.8mm
Length:235mm
Diameter:55mm

نصل متغير الشفرة
BLADE KNIFE

1.750 R.O
TG5126101



size: 61mmx19mm
With 6pcs SK5 blade
Length: 175mm
Zinc alloy body

نصل متغير الشفرة
BLADE KNIFE

.500 R.O
THT511807



Size: 18mmx100mm
With 1pcs SK4 blade, auto-Lock
Length:152mm
With flat push button

نصل متغير الشفرة
BLADE KNIFE

.500 R.O
THT511836



Size: 18mmx100mm
With 3 pcs SK5 blades
Length: 169mm
With flat push button

شفرة نصل
BLADE KNIFE

.200 R.O
THT519112

10PCS/BOX 18X100mm



10Pcs/Set
Size: 18X100mm

شفرة منشار
BI-METAL HACKSAWBLADE

.300 R.O
THT571246



Material: M42+D6A
Size: 300mm (12")

مجموعة أدوات معزولة
ISOLATED HAND TOOLS

7.5 R.O
THKTV02H091



9 Pcs Insulated hand tools
3 pcs insulated pliers
6 pcs Insulation screwdriver
packed by box

مفتاح ربط
PIPE WRENCH



External circlip plier

THT171486	Size:36"	7.500R.O
THT171366	Size:48"	10.850R.O

أزميل خرساني
CONCRETE CHISEL

1.3 R.O
THT4411219



Head size:25mm
Handle size:19mm
Length:305mm
Material:40cr

أزميل خرساني
CONCRETE CHISEL

1.2 R.O
THT4421216



Head size:4mm
Handle size:16mm
Length:305mm
Material:40cr

مفتاح ربط
PIPE WRENCH

1.3 R.O

THT170806



متوفر 6 قياسات
SIX SIZES

Size: 8" -10" -12" -14" -18" -24"
Body material:ductile cast iron
Black finish and polish
Solid rivet

مطرقة
HAMMER

.900 R.O

THT713006



متوفر مقاسين
TWO SIZES

Weight: 300g & 500g
carbon steel
Drop-forged hammerhead
Heat treatment & Fiberglass handle

مطرقة بمخلب
CLAW HAMMER

.900 R.O

THTS7308



متوفر مقاسين
TWO SIZES

Weight: 8oz/220g & 16oz/450g
carbon steel
Drop-forged hammerhead
Heat treatment & Fiberglass handle

كماشة القطع
CUTTING PLIER

1.7 R.O

THT290801



Size: 8" /200mm
Cr-V,black finish and polish
With plastic handle

كماشة القطع
CUTTING PLIER

1.6 R.O

THT2891



Size: 9" /228mm
Size: 8" /200mm

كماشة القطع
CUTTING PLIER

1.2 R.O

THT260702



Size: 7" /180mm
Cr-V,black finish and polish
LENGTH 180mm

كماشة القطع
CUTTING PLIER

2.5 R.O

THT191005



Size: 10"
Openings range: 0-50mm
HRC52-HRC60

مفتاح ربط
PIPE WRENCH

THT101066



متوفر 4 قياسات
FOUR SIZES

Size: 6" -8" -10" -12"
Unique design Handle
Two color rubber handle
Packed by plastic hanger

مفتاح ربط
PIPE WRENCH

1.1 R.O

THT101066



متوفر 4 قياسات
FOUR SIZES

Size: 6" -8" -10" -12"
Unique design Handle
Two color rubber handle
Packed by plastic hanger

مفتاح ربط
PIPE WRENCH

3.7 R.O

THT10210G

250mm(10")
Extra wide opening wrench




Adjustable Wrench & Pipe Wrench function
Extra wide opening: 0-52mm
Length: 10" (250mm),CrV
Changeable head

مفتاح ربط
PIPE WRENCH

2.950 R.O

THT101126

300mm(12")
EXTRA WIDE OPENING



Unique design Handle
Length:300mm(12"),CrV
Adjustable clamp size:0-45mm
Two color rubber handle

مفتاح ربط
PIPE WRENCH

2.2 R.O

THT101106

250mm(10")
EXTRA WIDE OPENING



Unique design Handle
Length:250mm(10"),CrV
Adjustable clamp size:0-35mm
Two color rubber handle

بودرة تخطيط
CHALK LINE REEL

.900 R.O

THT661301




Length: 30m
With 1 bottle chalk
With 1 pcs spirit bubble
Net weight: 113g

مقياس مستوي
SPIRIT LEVEL

2.5 R.O

TMT20405M



Length: 40-60-80-120cm
0.5mm/m accurate vials
Aluminum thickness:1.5mm
Double flat surfaces design

مقياس مستوي
SPIRIT LEVEL

1.550 R.O

TMT2406



Length: 40cm
Double side milled
0.5mm/m accurate vials
Thickness:1.5mm

مجرفة الاسمنت
BRICKLAYING
TROWEL

.800 R.O

THT82616

150mm(6")



Size:6" /150mm
Diameter of shank:9.5mm
Unique design handle
Packed by label

مجرفة المعجون
PUTTY TROWEL

.500 R.O

THT831006



Size:100mm
stainless steel
Heat treatment
Fine polished

شريط ملطف
WRECKING BAR

2.250 R.O

THT431242



Size (AxBxC)
24" (600mm)x1 36" (900mm)x1
1/5" (30mm)x16/25" (16.0mm)
Oval shank with notch (30°, 68°)

قاطع أنابيب
PVC PIPE CUTTER

3-42mm
Cutting Range
Automatic Open



THT53422 2.500 R.O

Copper and aluminum pipe cutter
Cutting diameter:3-32mm
With high quality blade and aluminum knob

قاطع أنابيب
PIPE CUTTER

3-32mm
Cutting Range

Gcr15



THT53422 1.800 R.O

Length:225mm
Cutting diameter:3-42mm
Material: Aluminum

قفل نحاسي
BRASS PADLOCK

3.2 R.O

TLK32803

متوفر مقاسين
TWO SIZES



Size: 80mm & 90mm
Material: brass
Weight: 568g & 609g
With 3 pcs brass keys

قفل نحاسي
BRASS PADLOCK

1.350 R.O

TLK32402



Size: 40mm
Material: brass
Weight: 142g
With 3 pcs brass keys

قفل نحاسي
BRASS PADLOCK

.8 R.O

TLK32302

متوفر 5 مقاسات
FIVE SIZES



Size: 30-40-50-60-70mm
Material: brass
Weight: 84-142-270-385-542g
With 3 pcs brass keys

شريط قياس
TAPE MEASURE

3 R.O

THT561781



3:1 Gear ratio for fast rewind
Length & width: 50m x 12.5mm
With metric & inch Pure material retracting gear
With all rubber cover

شريط قياس معدن
TAPE MEASURE

2.7 R.O

TMT11306



3:1 Gear ratio for fast rewind
Length: 30m
Width: 12.5mm
Pure material retracting gear

شريط قياس فايبر
TAPE MEASURE

1.850 R.O

TMTF12306



3:1 Gear ratio for fast rewind
Length & width: 30m x 12.5mm
With metric and inch
Pure material retracting gear

شريط قياس
TAPE MEASURE

.5 R.O

TMT126231



Length & width: 3m x 16mm
Self lock function
With metric and inch
Double button & Unique design

شريط قياس
TAPE MEASURE

.5 R.O

TMT126031

متوفر مقاسين
TWO SIZES



Length & width: 3m x 16mm
With metric and inch
With 3 stop button function
With rubber cover

شريط قياس
TAPE MEASURE

.9 R.O

TMT126252M



Self Lock Function

Length & width: 5m x 25mm
Self lock function
Only metric
Double button & Unique design

شريط قياس
TAPE MEASURE

1.3 R.O

TMT126252M

8m x 25mm



Self Lock Function

Length & width: 8m x 25mm
Self lock function
Only metric
Double button & Unique design

12pcs

مجموعة مثقاب خشب
WOOD DRILL SET



TACSDL1201

4.2 R.O

SDS Plus shank

Size : 6, 8, 10, 12, 14, 16, 18,
20, 25, 28, 30, 32

Shank: 1/4" hex - Length: 152mm

10pcs

مجموعة مثقاب دريل
DRILL BITS SET



TACSD19101

3.2 R.O

SDS Plus shank

8pcs SDS Plus hammer drill

2pcs SDS Plus chisel:

Packed by canvas bag

مجموعة مثقاب
DRILL BITS SET

14 R.O

TACSD0251



تناسب
المعدن

25PCS HSS drill bits

Drill bit size: 1-13mm/0.5mm

Same as BOSCH quality

مجموعة مثقاب
DRILL BITS SET

.500 R.O

TACSD7055



تناسب
الأخشاب

5pcs wood drill bits set

Size: 3X61, 4X75, 5X86

6X93, 8X117

مجموعة مثقاب
DRILL BITS SET

.500 R.O

TACSD0605



تناسب
المعدن
الصلب

6pcs HSS twist drill bits set

Size: 2mm, 3mm, 4mm

5mm, 6mm, 8mm

مجموعة مثقاب
DRILL BITS SET

1.1 R.O

TACSD3165



16PCS drill bits & screwdriver bits

6pcs HSS twist drill bits

SIZE: 2, 3, 3.5, 4, 5, 6mm

مجموعة مثقاب
DRILL BITS SET

2.2 R.O

TACSD0195



تناسب
المعدن
الصلب

6pcs HSS twist drill bits set

Size: 1' 1.5' 2' 2.5' 3' 3.5' 4' 4.5' 5'

5.5' 6' 6.5' 7' 7.5' 8' 8.5' 9' 9.5' 10MM

مجموعة مثقاب
DRILL BITS SET

1.5 R.O

TAC190501



تناسب
السقف
والجدران

5 PCS SDS PLUS drills set


Size: 6X110mm, 8X110mm

8X160mm, 10X160 mm, 12X160mm

إزميل هيلتي دريل
CHISEL DRILL

.500 R.O

TAC1511141



تناسب
السقف
والجدران

14X250mm, pointed

14X250 X 20mm, flat

Packed by plastic hanger

مثقاب هيلتي دريل
WIRE CUP BRUSH

.300 R.O

TAC310601



تناسب
السقف
والجدران

10 SIZE

6-8-10 X 110mm, 8-10-12 X 160mm

14-16-18 X 210mm, 16 X 310mm

مثقاب دريل
WIRE CUP BRUSH

.750 R.O

TAC110801



تناسب
السقف
والجدران

M2 HSS, diameter: 8.0mm

Length: 117mm

Usable length: 75mm

إزميل هيلتي دريل
CHISEL DRILL

1.8 R.O

TAC1521182

18x400mm



SDS
MAX

تناسب
السقف
و الجدران

18X400mm,pointed
SDS max chisel

إزميل هيلتي دريل
CHISEL DRILL

1.8 R.O

TAC15221821

18x400x25mm



SDS
MAX

تناسب
السقف
و الجدران

18 X400X 25mm,flat
SDS max chisel

مثقاب دريل
WIRE CUP BRUSH

1.5R.O

TAC311804

1.9R.O

TAC312004



SDS
PLUS

تناسب
السقف
و الجدران

18 X 450mm
20 X 450mm

مفك البراغي
SCREWDRIVER

0.700 R.O

TAC461601

60mm(2-3/8")

2PCS/SET

1/4"



60mm
(2-3/8")

60mm,2pcs/set

Material: steel + Cr-v

مثقاب
STEP DRILL

3.950 R.O

TAC7563801

HSS 4341

6-38mm



Size:6-38mm

Step:6-8-11-14-17-20-23-26

29-32-35-38mm

مثقاب
STEP DRILL

1.7 R.O

TAC7510201

HSS 4341

10-20mm



Size:10-20mm

Step:10-11-12-13-14-15-16-17

18-19-20mm

مفك دريل
CHUCK KEY

0.300 R.O

TAC470131



13mm

80mm

Key for 13mm key chuck

Length:80mm

مفك البراغي
SCREWDRIVER

0.500 R.O

TACIM72PH265

2PCS/SET

PH2+PH2 65mm



IMPACT

S2

C

Impact Screwdriver bits

PH2+PH2,65mm,2pcs/set

S2 industrial steel

مفك البراغي
SCREWDRIVER

0.500 R.O

TACIM72HL665

2PCS/SET

PH2+SL6 65mm



IMPACT

S2

C

Impact Screwdriver bits

PH2+SL6,65mm,2pcs/set

S2 industrial steel

ظرف دريل
KEYLESS CHUCK

1.900 R.O

TAC451321

13mm(1/2")



13mm keyless chuck

Chuck capacity:2-13mm

Connection size:1/2" -20UNF

ظرف دريل
KEYLESS CHUCK

1.800 R.O

TAC451301.1

13mm(1/2")



Chuck capacity:1.5-13mm

Connection size:1/2" -20UNF

Including 1pcs adaptor

ظرف دريل
KEYLESS CHUCK

1.500 R.O

TAC451026

IMPACT

10mm(3/8")



10mm keyless impact chuck

Unique design

Chuck capacity:0.8-10mm(1/32" -3/8")

مثقاب حفر DRILL BIT

Cutting depth:38mm

Size:16, 19, 22, 25, 29, 32, 35, 38
, 44, 46, 57, 64, 68, 76mm

Material:HSS M3 Bi-metal


16mm	.550 _{R.O}
19mm	.650 _{R.O}
22mm	.700 _{R.O}
25mm	.750 _{R.O}
29mm	.950 _{R.O}
32mm	.950 _{R.O}
35mm	1.1 _{R.O}
38mm	1.2 _{R.O}
44mm	1.350 _{R.O}
46mm	1.3 _{R.O}
51mm	1.450 _{R.O}
57mm	1.7 _{R.O}
46mm	1.8 _{R.O}
68mm	2.050 _{R.O}
76mm	2.150 _{R.O}

تناسب
أعمال
الديكور

قياسات
متنوعة



9.5mm	.750 _{R.O}
11mm	1.5 _{R.O}



- دقة فائقة في الحفر، مما يسمح لك بإضافة تفاصيل دقيقة إلى تصاميم الديكور الخاصة بك
- تنفيذ مجموعة متنوعة من المهام مثل حفر الثقوب، وتوسيعها، وتشكيل الأسطح
- تحسين إبداعك في الديكور باستخدام مثقاب الحفر لإضافة نقوش فنية أو تصاميم معقدة




مثقاب حفر
DRILL BIT

1.1R.0

TACSH3071

تناسب
أعمال
الديكور




7pcs hole saw set
Size:26, 32, 38, 45, 50, 56, 63mm
Height:50mm(2")

مثقاب حفر
DRILL BIT

1.950R.0

TAC430501

تناسب
السقف
والجدران



Diameter:50mm
With 1pcs 110mm adaptor
With 1pcs 8X110mm masonry drill bit

مثقاب حفر
DRILL BIT

1 R.0

TAC180321

تناسب
الأخشاب



TCT blade
Diameter: 32mm
Packed by plastic box

مكينة دبوس
STAPLE

3.750 R.0

THT31142



Weight: 800g
With 1000PCS nails
THT3982/THT39102/THT39122

مكينة دبوس
STAPLE

3.500 R.0

THT31146

2 IN 1
6-14mm



With 500pcs Staples/500pcs Brad Nails
Wire:1.2mm,Crown:10.6mm,Length:6-14mm
Wire:1.2mm,Crown:11.3mm,Length:6-14mm

قاطع زجاج
GLASS CUTTER

0.700R.0

THT561781




Iron body Auto oil feed cutter
With 1pcs oil suction pipe
Total cutting length:5000m
length:178mm

مفتاح ربط
WRENCH

.700R.0

THTSW0806



متوفر 4 قياسات
FOUR SIZES

Size: 8-10-12-14mm
Socket Material:CR-V
surface:chrome-plated

مجموعة مفاتيح
TORX KEY

1.5R.0

THT106391

9PCS/SET



Material: Cr-V
Size: T10-T50 Extra-long arm
Heat treatment and chrome plate
Packed by double blister

مجموعة مفاتيح
HEX KEY

.950 R.0

THT106191

9PCS/SET



Material: Cr-V
Size: 1.5-2-2.5-3-4-5-6-8-10mm
Heat treatment and chrome plate
Packed by double blister

حامل بلاط
SUCKER

1.5R.0

TSP01251

25KG

Ø115mm



Handle material: ABS
Max. pull: 25kg
Cup diameter: 115mm


حامل بلاط مزدوج
SUCKER

2.5R.0

TSP02501

50KG

Ø115mm




Handle material: ABS
Max. pull: 50kg
Cup diameter: 115mm

فرشاة معدن
WIRE BRUSH

1 R.0

TAC38051

340mm



Steel wire brush
Length: 340mm
Plastic handle, 3 rows
With a shovel knife

6mm	0.400R.0
8mm	0.450R.0
10mm	0.500R.0
11mm	0.600R.0
12mm	0.600R.0
13mm	0.700R.0
14mm	0.800R.0
15mm	0.900R.0
16mm	1.000R.0
17mm	1.200R.0
19mm	1.300R.0
21mm	1.400R.0
22mm	1.600R.0
24mm	1.800R.0
27mm	2.000R.0
30mm	2.800R.0
32mm	3.300R.0

0.400R.0
THTFX12151
مفتاح ربط طويل
COMBINATION SPANNER

مقاسات متعددة



6mm
TO
32mm

Cr-V



8mm	0.800R.0
10mm	1.150R.0
12mm	1.300R.0
13mm	1.500R.0
14mm	1.700R.0
17mm	1.900R.0
19mm	2.300R.0

0.800R.0
TCSPAR081
مفتاح ربط مع حلقة دوراة
RATCHET SPANNER

8mm
TO
19mm



8mm


Cr-Mo

72T
Cr-V



مجموعة مفاتيح برابي
SPANNER SET

5.700R.0
THT1022121



12pcs combination spanner set
Size:6-24mm
6mm,8mm,10mm,11mm, 12mm,13mm
14mm,15mm,17mm,19mm,22mm,24mm

مجموعة مفاتيح برابي
SPANNER SET

10.950R.0
THT1024121



Size:6-32mm
12pcs offset ring spanner set
6x7,8x9,10x11,12x13, 14x15, 16x17, 18x19
20x22,21x23,24x27,25x28, 30x32mm

مجموعة مفاتيح برابي
SPANNER SET

8 R.0
THT1023121



Size: 6-32 mm
12pcs double screwdriver set
Fine polished
Packed by pouch

8pcs

مجموعة مفاتيح برابي
SPANNER SET



THT102386 **3.5 R.0**

Size:6x7mm,8x9mm,10x11mm,12x13mm
14x15mm,16x17mm,18x19mm,20x22mm

8pcs

مجموعة مفاتيح برابي
SPANNER SET




THT102286-I **3.5 R.0**

Size: 6mm,8mm,10mm,13mm,
14mm,15mm,17mm,19mm

8pcs

مجموعة مفاتيح برابي
SPANNER SET




THT102RK586 **7 R.0**

Size:8mm,10mm,12mm,13mm
14mm,15mm,17mm,19mm

8pcs

مجموعة مفاتيح برابي
SPANNER SET



THT102486 **4 R.0**

Size:6x7mm,8x9mm,10x11mm,12x13mm
14x15mm,16x17mm,18x19mm, 20x22mm


مبرد حديد
HALF ROUND
STEEL FILE

1.6 R.0

THT91286

200mm(8")

Half round



Length:200mm

Material:T12 steel

Each one with plastic hanger


مبرد حديد
TRIANGLE
STEEL FILE

1.4 R.0

THT91486

200mm(8")

Triangle



Length:200mm

Material:T12 steel

Each one with plastic hanger


مبرد خشب
HALF ROUND
WOOD FILE

1.5 R.0

THT91686

200mm(8")

Half round



Length:200mm

Material: carbon steel

Each one with plastic hanger

رشاش مياه
PRESSUR
SPRAYER

6.5 R.0

THSPP41602

16L
4.5Bar



Y trigger with fiber glass lance

Pressure:4.5BAR

Adjustable nozzle from jet to mist

رشاش مياه
PRESSUR
SPRAYER

4 R.0

THSPP30802

8L
2.5Bar



Handy carry strap

Strong aluminum pump lever

Pressure: 2.5Bar

رشاش مياه
PRESSUR
SPRAYER

1.5 R.0

THSPP20202

2L
2.5Bar



Safety pressure release valve


Strong Aluminum pump lever

Pressure:2.5BAR

فرشاة اسطوانية
CYLINDER BRUSH

.700 R.0

THT85096



Fibre height:12mm

With 1pcs roller cover

With 4pcs assistant shank

فرشاة صبغ
PAINT BRUSH

.500 R.0

THT843026



For Oil-Based paint

Bristle length: 51mm

Thickness: 10mm

مسدس رش
SPRAY GUN

9 R.0

TT3506



Voltage:220-240V~50/60Hz


Input power:450W

Container capacity:800ml

فرشاة اسطوانية
CYLINDER BRUSH

.500 R.0

THT85931



Fibre height:18mm


Used for outer wall

Material:Acrylic

فرشاة اسطوانية
CYLINDER BRUSH

.400 R.0

THT8541D



Fibre height:12mm

With 1pcs roller cover

6mm central shank

مجموعة فرشاة صبغ
PAINT BRUSH SET

3.750 R.0

THT8112230131



3pcs 230mm(9") -5pcs 100mm(4")

2pcs 100mm(4") -1pcs 230mm(9")

1pcs 100mm(4") -size:435x300x75mm

حقيبة معدات
TOOLS BAG

2.500 R.O

THT26161




Size:16"

Max load: 15kg

Rigid frame for easy opening & access Internal

With 6 pockets outside & 8 pockets inside



10.900 R.O

THT10701

صندوق أدوات
METAL TOOL BOX



Size:495x200x290mm

3 layers



.650 R.O

THT16P4011

حقيبة أدوات
TOOLS BAG



Size:L240XW130mm Max load:5kg

حقيبة ظهر
TOOLS BACKPACK

5.500 R.O

THBP0201



Size: L34cm* W17cm*H45cm

Material: polyester oxford 600D

Rigid frame for easy opening & access Internal

External pockets for additional storage capacity

With 14 Pockets
Max Load 15 kgs



2.600 R.O

THT261625

حقيبة أدوات
TOOLS BAG

توتال

متخصصة في معدات وأدوات البناء


شركة عالمية متخصصة في معدات وأدوات البناء، وثالث أكبر مبيعاً على مستوى العالم، موجودين في أغلب دول العالم، والمملكة هوم هي الموزع المعتمد داخل سلطنة عمان، جميع المعدات تمتلك ضمان ستة أشهر، كما نوفر لكم مركز خدمة وصيانة معتمد لكامل معدات توتال، مع توفير جميع قطع الغيار الأصلية، يوجد لدينا كل ما تحتاج

فرشاة سلك
WIRE BRUSHER
.500 R.O
THT92102



Length: 250mm

سكين جص باسنان
PLASTERING TROWEL
.800 R.O
THT952316



Size:230x100mm

سكين جص باسنان
PLASTERING TROWEL
1.500 R.O
THT81286



Size:280x130mm

فرشاة جلاخ حديد
WIRE CUP BRUSH
.600 R.O
TAC31031



75mm
Wire diameter:0.3mm
Thread:M14X2

فرشاة جلاخ حديد
WIRE CUP BRUSH
.900 R.O
TAC32031



75mm
Wire diameter:0.5mm
Thread:M14X2


سكراير للتروية
RUBBER GROUT FLOAT
1.350 R.O
THT8324106



Size:240mmx100mm
EVA Thickness:19mm
Pure PP handle

منشار تقطيع
CHOP SAW
.750 R.O
THT541036

Size:300mm/12"



مناسب
المعدن

منشار تقطيع
CHOP SAW
1.200 R.O
THT55450

Length:450mm/18"



مناسب
الأخشاب

مجردة اسلاك
WIRE STRIPPER
1.600 R.O
THT1591



Size:7" /180mm
Blade material:65Mn
Zinc alloy

مطرقة مطاطية
RUBBER HAMMER
1 R.O
THT761616



HANDLE: FIBREGLASS + TPR

شمع مسدس
GLUE GUN STICK
.500 R.O
TACGT2061



Material: petroleum resin
Diameter:11.2mmX 20cm
With 6pcs stick

TOTAL.MAMLKAH.COM



90180005-96033380-97444728-90300025-99545555